



**OS Doors**®

**Product Guide 2024**

**UK & Ireland's Leading Manufacturer of  
Cabinet Frontals and Components**

# Introducing New 5G Vinyl Grooved Door Styles

## Available Now

With an ongoing trend for grooved door styles, we have expanded our range by adding 5 new grooved door styles to the 5G collection. Introducing Lena, Mila, Aria, Ella and Olivia. For more information see page 30.



Available in over 90 Finishes  
Woodgrain Effects, Legno, Matt Smooth and Superior Matt.

## Contents

### INTRODUCTION

- 4 Introduction
- 6 Ordering Guide
- 8 Marketing
- 10 Customer Services
- 11 Logistics
- 234 Door Matrix
- 238 Order Forms
- 242 Terms and Conditions

### 5G VINYL

- 14 5G User Guide
- 16 5G Modern Door Styles
- 18 5G Handleless Door Styles
- 20 5G Plain Shaker Door Styles
- 22 5G Lined Shaker Door Styles
- 24 5G Mock In-Frame Door Styles
- 26 5G Raised Panel Door Styles
- 28 5G Arched Door Styles
- 30 5G Grooved Door Styles
- 33 5G Finishes
- 36 5G Door Sizes
- 44 5G Accessories
- 46 Moulding Specifications
- 52 Board Match Specifications

### 5PIECE

- 56 Harlem Range
- 62 Dylan Range
- 68 Fenwick Range
- 76 Bastille Range

### EDGED

- 92 Phoenix Range (Gloss Acrylic)
- 98 Tribeca Range (Superior Matt)
- 104 Vaasa Range (MFC)
- 110 Mather Range (Legno MFC)

### MDF PAINTED

- 118 Arena Range
- 124 Parker Range
- 130 Hartford Range
- 138 Wellington Range
- 146 Belair Range
- 154 Gladstone Range

### TIMBER PAINTED

- 164 Campbell Range
- 170 Rainey Range
- 176 Edison Range
- 182 Monroe Range
- 188 Albany Range
- 194 Hampton Range
- 200 Greenwich Ash Range
- 206 Greenwich Oak Range
- 212 Hyde Range
- 222 Moulding Specifications

### HANDLES

- 228 Standard Handles
- 230 Integrated Handles

### NEW RANGES



We've introduced 6 new door styles into our 5G Vinyl Collection. See page 21 and page 30.

### NEW FINISHES



We've introduced new finishes into our 5G Vinyl Range, complete with over 90 finishes to choose from. See page 33.

### NEW HANDLES



Explore our new range of Handles and Knobs, available in Chrome, Black, Brushed Nickel, Bronze and Satin Brass. See page 228.

# Design that's **Flexible** Delivery that's **Fast** Service that's **First Class**

As the UK and Ireland's leading manufacturer of Kitchen, Bedroom and Bathroom cabinet door frontals, our aim is to deliver your order in full, on time, every time. We work together with you to create flexible manufacturing solutions that satisfy your business needs. Our experience, design expertise and purpose built 410,000 sq ft production facility means that we can successfully fulfill complex requests of any size. With over 6000 Door Styles and Finish combinations to choose from, both Ex.Stock and Made to Measure sizes are all manufactured within the shortest KBB industry lead times. We are a flexible manufacturing partner that will go above and beyond for your business.

**Quality Assured** — We respect both our natural and working environments. That's why our approach to door production relies on intelligent manufacturing, safe work practices, quality control and e-economic use of materials. We're dedicated to minimising waste and protecting our people. Our facility is ISO 45001, ISO 14001 and ISO 9001 certified, proving our dedication to health and safety, environmental sustainability and quality control. We hold certification from both the FSC® and the PEFC to ensure that our product is made of FSC® -certified and other controlled materials. Only the products that are identified as such on this document are FSC® certified. We are also members of FIRA, an independent body set up to ensure the quality of furniture products.

**Sustainability** — In 2022 we won the title of Sustainable Supplier of the Year at the Irish Kitchen Trade Awards. Here at O&S Doors Ltd, we are committed to maintaining our all encompassing eco policy. We have a zero waste to landfill policy which means that all our cardboard, plastics, foils and general waste are recycled. Our Environmental Officer and HSEQ Manager work together with company directors to ensure that our environmental standards are being maintained and to ensure that we are making steps in the right direction for the future of sustainable manufacturing.



## Shortest Industry Lead Times

With Ex.Stock items ready for same day despatch, and MTM ready from as little as 5 working days.



# Ordering Simplicity

**Online Ordering** — Our custom designed, simple and secure online ordering service allows you to order directly and independently at anytime. You'll be in control, gaining access to inventory status, account management and orders with trade pricing and terms. Save both time and money, creating quick quotes, and placing orders with instant order confirmation. [Order Online at weborders.osdoors.com](http://weborders.osdoors.com)

We advise for all the orders to be placed using the online portal, however if you need help or for any special requests please use the relevant email address as listed below:


- Northern Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)
- Republic of Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)
- United Kingdom - [OrdersUK@osdoors.com](mailto:OrdersUK@osdoors.com)
- Express - [OrdersExpress@osdoors.com](mailto:OrdersExpress@osdoors.com)
- Manchester - [Manchester@osdoors.com](mailto:Manchester@osdoors.com)

\*Please ensure emailed order enquiries are sent to the relevant listed address to avoid disappointment.

**Important:** Please include your 'Customer Account Number' when ordering to avoid any delays. Please ensure that all details are correct at time of ordering, as we are unable to guarantee that any amendments or cancellations will be possible. Once an order has been processed into our production system no amendments can be made. Items ordered incorrectly are non-refundable. O&S Doors Ltd cannot accept responsibility for any orders that cannot be altered after they have been placed.

**New Customers:** If you do not have an account with O&S Doors Ltd please email our customer services team using the relevant email address as listed below:

- New Customer Enquiries UK - [helloUK@osdoors.com](mailto:helloUK@osdoors.com)
- New Customer Enquiries Express - [helloExpress@osdoors.com](mailto:helloExpress@osdoors.com)
- New Customer Enquiries NI - [helloNI@osdoors.com](mailto:helloNI@osdoors.com)
- New Customer Enquiries ROI - [helloROI@osdoors.com](mailto:helloROI@osdoors.com)
- New Customer Enquiries Manchester - [Manchester@osdoors.com](mailto:Manchester@osdoors.com)



To create your online ordering account please call our Customer Service team on +44 (0)28 3754 9190.

- Easy to use platform
- Instant order confirmation
- Mobile friendly website
- Live pricing for speedy quotes
- Click and collect service available
- Access to extensive product range

# Important Notes

**Changes to Orders** — You will receive an order acknowledgment via email once your order is registered on our system. It is crucial that you notify our Customer Service team of any discrepancies upon receipt of your order acknowledgement. Once an order has been processed on our system no amendments can be made.

**Shortages / Damages** — Any damages or discrepancies must be reported to Customer Services within 48 hours of delivery. O&S Doors Ltd do not accept any liability for any issues raised after this time.


**Replacements** — Replacement items must be ordered via email.

- UK - [aftersalesuk@osdoors.com](mailto:aftersalesuk@osdoors.com)
- ROI & NI - [aftersales@osdoors.com](mailto:aftersales@osdoors.com)
- OS Express - [ordersexpress@osdoors.com](mailto:ordersexpress@osdoors.com)

All customers must fill out our customer service issues form, which you can request from your sales representative or a member of our customer service team. This form should include full details of the damage / discrepancies which must be provided along with clear images and the related O&S Doors Ltd delivery order number. Replacements will be despatched on the next available delivery date, and the original goods will either be retained or returned for inspection.

**Warranty (6 Year Limited Warranty)** — The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply. If you need to make a warranty claim please email your order details to [warranty@osdoors.com](mailto:warranty@osdoors.com).

**Payment Terms** — Unless credit facilities have been agreed in writing, all orders must be paid for in full prior to production. Accounts not operating in line with the agreed credit terms will be closed and outstanding orders will be held until all balances are cleared. O&S Doors Ltd reserve the right to revoke (at any time) any credit terms offered and return to a strictly proforma invoice basis.



## Explore Our Core Product Collection

We provide a range of consumer brochures that are designed to inspire you to create magnificent cabinetry. We have a brochure for each of our 4 main product ranges: 5G Vinyl, 5Piece, Painted and Edged.



## Marketing Materials




**Design Library** — When you partner with us, you get exclusive access to our Design Library, complete with high resolution Kitchen and Bedroom CGI Images, Product Imagery, Product Brochures, Technical Specifications and Colour Swatch Guide PDFs.

**Door Samples** — Door samples are available across all of our product ranges in order to help you illustrate the design and quality to your customers.

Door samples are 570mm x 396mm.

For access email [marketing@osdoors.com](mailto:marketing@osdoors.com)

Order door samples via [orders@osdoors.com](mailto:orders@osdoors.com)  
[ordersuk@osdoors.com](mailto:ordersuk@osdoors.com)  
[ordersexpress@osdoors.com](mailto:ordersexpress@osdoors.com)  
[Manchester@osdoors.com](mailto:Manchester@osdoors.com)



**Colour Swatch Books** — To get a real sense for the quality of the finish and to ensure that your customer gets the exact colour that they want, we recommend using our Colour Swatch Books. We have individual Colour Swatch Books available for each of our main product ranges: 5G Vinyl, 5Piece, Painted or Edged.

Order Colour Swatch Books via: [orders@osdoors.com](mailto:orders@osdoors.com)  
[ordersuk@osdoors.com](mailto:ordersuk@osdoors.com)  
[ordersexpress@osdoors.com](mailto:ordersexpress@osdoors.com)  
[Manchester@osdoors.com](mailto:Manchester@osdoors.com)

# Customer Services

We have dedicated Account Managers to provide you with expert advice and insight on all of our services. Each dedicated Account Manager is supported by a member of our Customer Services team to ensure your ordering experience is as straightforward as possible. This approach means you will always speak to the right person, avoiding any delays and allowing your project to run smoothly.

## O&S Doors Head Office - Northern Ireland

Reception  
+44 (0) 28 3754 9190  
info@osdoors.com

## Antrim, Armagh, Cavan, Derry/ Londonderry, Donegal, Down, Fermanagh & Tyrone

Helen MacNeice  
+44 (0) 28 3754 9190  
hmcneice@osdoors.com

## Cavan, Clare, Cork, Dublin, Galway, Sligo, Kerry, Laois, Leitrim, Limerick, Longford, Mayo, Monaghan, Offaly, Roscommon & Wicklow

Gordon Barry  
+353 (86) 821 6561  
gbarry@osdoors.com

Louise Downey  
+44 (0)28 3754 7291  
ldowney@osdoors.com

## Louth, Meath, Westmeath

Mark McNamee  
+353 (86) 102 7046  
mmcneamee@osdoors.com

## Carlow, Dublin, Kildare, Kilkenny, Tipperary, Wexford & Waterford

Gordon Ross  
+353 (87) 494 5117  
gross@osdoors.com

## Trade Counter - Dublin (Santry)

Reception  
+353 (0) 1 852 3002  
trade@osdoors.com

Shaun Barnes  
+353 (86) 467 9233 (2)  
sbarnes@osdoors.com

## Trade Counter - Dublin (Clondalkin)

Reception  
+353 (0) 1 572 6850  
trade@osdoors.com

Shaun Barnes  
+353 (86) 467 9233 (2)  
sbarnes@osdoors.com

## England, Scotland & Wales

Tim Dillon  
tdillon@osdoors.com  
sales@osdoors.com

OS Express - Customer Services  
+44 (0) 28 37 542 299  
express@osdoors.com

Geraldine Donaghy OS Express  
+44 (0) 28 37 547 289  
gdonaghy@osdoors.com

Stace Allibone OS Express  
078 0317 8449  
saillibone@osdoors.com

## Trade Counter - Manchester

Reception  
0161 511 4317  
manchester@osdoors.com

Natalie Hazelhurst  
077 1990 4028  
nhazelhurst@osdoors.com

Norman Yates  
075 9344 0177  
nyates@osdoors.com



# Logistics

**Northern Ireland / Republic of Ireland / UK** — O&S Doors Ltd operate with a policy of making deliveries according to an area timetable. Delivery days for customers located in Northern Ireland, Republic of Ireland and UK are detailed in the despatch timetable below. Please note this despatch time-table may be subject to amendment.

Orders with a total value of less than £250 / €400 NETT incur a delivery charge of £15 / €22.\*

Monday	Tuesday	Wednesday	Thursday**	Friday
Armagh Banbridge Castleblaney Dublin Clondalkin Dublin Santry Dundalk Drogheda Louth Manchester Monaghan Newry	Bangor Ballymoney Belfast Carrickmore Carryduff Craigavon Coalisland Downpatrick Dublin Clondalkin Dublin Santry Dungannon Kilkeel Lurgan Manchester Newcastle Omagh Portadown Sixmilecross Sion Mills Strabane	Ballymena Castledawson Cavan Claudy Coleraine Cookstown Derry Donegal Dublin Clondalkin Dublin Santry Dungiven Enniskillen Fermanagh Kilrea Letterkenny Limavady Magherafelt Manchester Randalstown Rasharkin	Carlow Clare Cork Dublin Clondalkin Dublin Santry Galway Kerry Kildare Kilkenny Leitrim Limerick Longford Manchester Mayo Offaly Portlaoise Roscommon Sligo Tipperary Waterford West Meath Wexford Wicklow	Castledawson Cookstown Rasharkin

\*\*Thursday is a two day run. Some customers may not receive goods until Friday.

**Dublin Santry** — Unit 9, Boeing Rd, Kilmore Big, Dublin, D17 P863, Ireland

**Dublin Clondalkin** — Weatherwell Business Park, Units F2/F3, Clondalkin, Co. Dublin, D22 HN36, Ireland

**England, Scotland and Wales** — Deliveries to England, Scotland and Wales are set per customer account and are subject to change depending on volume of individual deliveries.

**Manchester** — Units 3A & 3B, Castlehill Industrial Estate, Horsfield Way, Bredbury, SK6 2SU

**Special / Express Deliveries** — Deliveries outside of the normal arrangements are only available in exceptional circumstances and are subject to delivery surcharge. O&S Doors Ltd accept no liability for any damages incurred in transit in such circumstances.

**Sign On Receipt** — We kindly request that on receipt of goods, a delivery note is signed and returned to our driver. Your co-operation in this matter is appreciated.

\*Delivery charges may be subject to change.

# For Ultimate Design Flexibility Choose 5G. Next Generation Vinyl Doors



5G is a product of our determination and attention to detail. We use the highest quality materials, the most reliable adhesives, the latest advancements in finishing techniques and manufacturing technology.

Through 5G you have the ultimate design flexibility, with 70+ Door Styles to choose from and an extensive range of finishes including **Embossed Woodgrain Textures, Legno, Matt, Superior Matt & Gloss.**

NEXT GENERATION  
**CORE SPECIFICATION**

NEXT GENERATION  
**MANUFACTURING TECHNOLOGY**

NEXT GENERATION  
**3D THERMOFORMED POLYMER FINISHES**

NEXT GENERATION  
**ADHESIVES**


NEXT GENERATION  
**DESIGN EXPERTISE**




5G Vinyl

**STEP 1 / Choose your door style**


Use the Door Style Selection Guide on pages 16 - 31 as a quick reference to find the specific Door Style you need. We have 70+ Door Styles to choose from. These are broken down into the following 8 sections:




**Modern / 9 Door Styles**  
See Page 16




**Handleless / 10 Door Styles**  
See Page 18




**Plain Shaker / 9 Door Styles**  
See Page 20




**Lined Shaker / 8 Door Styles**  
See Page 22




**Mock In-Frame / 8 Door Styles**  
See Page 24



**Raised Panel / 12 Door Styles**  
See Page 26



**Arched / 9 Door Styles**  
See Page 28



**Grooved / 13 Door Styles**  
See Page 30

Our 5G Vinyl door range is broken down into 4 Price Bands. The complexity of each individual Door Style design will determine which price category it fits into.

- Price Band A
- Price Band B
- Price Band C
- Price Band D



**STEP 2 / Choose your finish**

Choose from 3 finish types: Matt, Superior Matt and Gloss. Please note not every door style is available within every finish. Use the key under each door image to see what finishes are available for that door. You can also use the key to see if that door style is compatible with our new Handleless Rail System.

See page 33 for the full list of 5G Vinyl finishes.

**STEP 3 / Choose your sizes**

Standard size guides are available on page 36, however all our 5G Vinyl ranges are available Made to Measure.

**STEP 4 / Place your order**

To place your order we recommend using our dedicated online ordering service. It gives you full access to our extensive product range, real time inventory status and live pricing. It's easy to use and allows you to order directly and independently at any time of day. You'll save both time and money creating quotes at the click of a button and placing orders with instant order confirmation.


To find out more about setting up your online ordering account please speak to a member of our Customer Service team on +44 (0)28 3754 9190.

- M** Matt (incl. Wood Grain / Legno)
- S** Superior Matt
- G** Gloss

Other enquiries send via email to:  
 Northern Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)  
 Republic of Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)  
 United Kingdom - [OrdersUK@osdoors.com](mailto:OrdersUK@osdoors.com)  
 Express - [OrdersExpress@osdoors.com](mailto:OrdersExpress@osdoors.com)  
 Manchester - [Manchester@osdoors.com](mailto:Manchester@osdoors.com)

Orders sent to any other email will not be processed. Telephone orders will not be accepted.

For more details on the ordering process see page 6.





# 5G Vinyl Door Styles | Modern



**Galaxy** M S G

Price Band A

Thickness	18mm Thick
Edge	Profile Edge 3 (See page 32)
Design	Slab Style



**Cutler** (Formally Duleek) M S G

Price Band A

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Slab Style



**Frankfurt** (Formally Letterbox) M S G

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	020 Letterbox Handle Required



**Oslo** M S G

Price Band A

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Line Groove 60mm



**Euroline** M S G

Price Band A

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Line Groove 40mm



**Seymour** (Formally Scoop) M S G

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	010 Scoop Handle Required

# 5G Vinyl Door Styles | Modern



**Savon** (Formally Slab) M S G

Price Band A

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Pillow Style



**Mona** M S G

Price Band A

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	7mm Arched Edge Detail



**Marino** (Formally Modena) M S G

Price Band A

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	18mm Thick Line Detail



Cutler and Mila / Featured in Superior Matt Heritage Green and Urban Oak. Handles / Hampton 'D' Handle in Black / Code 136.

# 5G Vinyl Door Styles | Handleless

5G Vinyl | MTM



**Kassel** (Formally Gallo) M S G

Price Band D

Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	J-Pull Handle



**Alaska** (Formally Europe) M S G

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	J-Pull Handle




**Lane** M S

Price Band D

Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	75mm Stile Width / J-Pull Handle

# 5G Vinyl Door Styles | Handleless


5G Vinyl | MTM



**Loretto** (Formally Ryandale) M S G

Price Band C


Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Fixed Handle Width



**Mercury** M S G

Price Band D


Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Fixed Handle Width



**Orion** (Formally Sperrin) M S G

Price Band C


Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Fixed Handle Width



**Neptune** (Formally Brentford) M S G

Price Band D


Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Variable Handle Width



**Rana** (Formally Overton) M S G

Price Band B


Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Variable Handle Width



**Shepford** M S

Price Band D

Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width Variable Handle Width



**Jasper** M S G

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Fixed Handle Width



Kassel / Featured in Gloss White Grey.

5G Vinyl Door Styles | Plain Shaker



**Melrose** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	60mm Stile Width



**Lanark** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



**Barnbrook** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width

5G Vinyl Door Styles | Plain Shaker



**Woking** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	60mm Stile Width



**Welsford** (Formally Windermere) M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	105mm Stile Width



**Horton** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



**Taunton** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



**Trenton** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



**Athlone** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	110mm Stile Width



**Chelsea** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	63mm Stile Width



Chelsea / Featured in Superior Matt Tuscan Red.  
Handles / Fender Knurled 'D' Handle featured in Black / Code 134.

5G Vinyl Door Styles | **Lined Shaker**



**Basel** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	60mm Stile Width



**Carmen** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



**Allerford** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width

5G Vinyl Door Styles | **Lined Shaker**



**Auckland** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	105mm Stile Width



**Mason** (Formally Ottawa) M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



**Bonn** (Formally Cologne) M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



**Hillwell** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



**Conway** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	110mm Stile Width



**Basel** / Featured in Legno Reed.  
Handles / Fender Knurled 'D' Handle featured in Satin Brass / Code 135.

## 5G Vinyl Door Styles | Mock In-Frame



Vilo

M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 3 (See page 32)
Design	10mm Stile Width



Jones

M S G

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	36mm Stile Width



Rathlin

M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	95mm Stile Width



St. Ives

M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	95mm Stile Width



Salisbury

M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



Ealing

M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width

## 5G Vinyl Door Styles | Mock In-Frame



Rathlin / Featured in Matt Indigo.  
Handles / Oxford Cup and Oxford Knob in Brushed Satin Brass / Code 123 and 121.



Rathlin / Featured in Matt Indigo.  
Handles / Oxford Cup and Oxford Knob in Brushed Satin Brass / Code 123 and 121.

5G Vinyl Door Styles | **Raised Panel**



**Siesta** (Formally Surrey) M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



**Danforth** (Formally Denton) M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width



**Leon** M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width

5G Vinyl Door Styles | **Raised Panel**



**Lincoln** M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	75mm Stile Width



**Hazel** (Formally Keeley) M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	78mm Stile Width



**Gibson** M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	78mm Stile Width



**Chatham** M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



**Monza** M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	56mm Stile Width



**Calcutta** M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	64mm Stile Width



**Amsterdam** M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	67mm Stile Width



**Ashford** M S G

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	75mm Stile Width



**Capital Square** M S G

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	60mm Stile Width

5G Vinyl Door Styles | **Arched**



**Annabelle** M S

**Price Band B**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	55mm Stile Width



**Windsor** M S

**Price Band B**

Thickness	18mm Thick
Edge	Profile Edge 4 (See page 32)
Design	65mm Stile Width



**Cathedral Single** M S

**Price Band B**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	50mm Stile Width



**Verona** M S

**Price Band B**

Thickness	18mm Thick
Edge	Profile Edge 4 (See page 32)
Design	54mm Stile Width



**Hayette Single** M S

**Price Band B**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	50mm Stile Width



**Capital Arch** M S

**Price Band B**

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	60mm Stile Width

5G Vinyl Door Styles | **Arched**



**Bourbon** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	64mm Stile Width



**Madrid** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 4 (See page 32)
Design	64mm Stile Width



**Saxon Arch** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	60mm Stile Width



Verona / Featured in Matt Taupe Grey.  
Handles / Oxford Knob featured in Chrome / Code 126.

# 5G Vinyl Door Styles | Grooved




**NEW**

**Olivia** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 5mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



**NEW**

**Ella** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 10mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



**NEW**

**Aria** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 15mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



**NEW**

**Mila** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 25mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



**NEW**

**Lena** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 50mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



**Pembroke** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Line spacing may vary

# 5G Vinyl Door Styles | Grooved



**Shutter Groove** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	70mm Stile Width



**Newport** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



**Berwick (Formally Stockholm)** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	65mm Stile Width



**Amalfi** M S

**Price Band B**

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	85mm Stile Width



**Westbury** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	70mm Stile Width



**Saxon Square** M S

**Price Band C**

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	60mm Stile Width




# 5G Vinyl Door Styles | Profile Edge Specifications

Door Style Category	Door Style Name	Profile Edge	Price Band	M	S	G
Modern	Galaxy	Edge 3	Band A	●	●	●
Modern	Cutler	Edge 1	Band A	●	●	●
Modern	Frankfurt	Edge 1	Band B	●	●	●
Modern	Savon	Edge 5	Band A	●	●	●
Modern	Mona	Edge 5	Band A	●	●	●
Modern	Marino	Edge 1	Band A	●	●	●
Modern	Oslo	Edge 5	Band A	●	●	●
Modern	Euroline	Edge 5	Band A	●	●	●
Modern	Saymour	Edge 1	Band C	●	●	●
Handleless	Kassel	Edge 1	Band D	●	●	●
Handleless	Alaska	Edge 1	Band B	●	●	●
Handleless	Lane	Edge 1	Band D	●	●	×
Handleless	Loretto	Edge 5	Band C	●	●	●
Handleless	Mercury	Edge 1	Band D	●	●	●
Handleless	Orion	Edge 1	Band C	●	●	●
Handleless	Neptune	Edge 1	Band D	●	●	●
Handleless	Rana	Edge 1	Band B	●	●	●
Handleless	Shepford	Edge 1	Band D	●	●	×
Handleless	Jasper	Edge 5	Band B	●	●	●
Plain Shaker	Melrose	Edge 1	Band C	●	●	×
Plain Shaker	Lanark	Edge 1	Band C	●	●	×
Plain Shaker	Barnbrook	Edge 1	Band C	●	●	×
Plain Shaker	Woking	Edge 5	Band C	●	●	×
Plain Shaker	Welsford	Edge 1	Band C	●	●	×
Plain Shaker	Horton	Edge 1	Band C	●	●	×
Plain Shaker	Taunton	Edge 1	Band C	●	●	×
Plain Shaker	Trenton	Edge 1	Band C	●	●	×
Plain Shaker	Athlone	Edge 1	Band C	●	●	×
Plain Shaker	Chelsea	Edge 1	Band C	●	●	×
Lined Shaker	Basel	Edge 1	Band C	●	●	×
Lined Shaker	Carmen	Edge 1	Band C	●	●	×
Lined Shaker	Allerford	Edge 1	Band C	●	●	×
Lined Shaker	Auckland	Edge 5	Band C	●	●	×
Lined Shaker	Mason	Edge 1	Band C	●	●	×
Lined Shaker	Bonn	Edge 1	Band C	●	●	×
Lined Shaker	Hillwell	Edge 1	Band C	●	●	×
Lined Shaker	Conway	Edge 1	Band C	●	●	×
Mock In-frame	Vilo	Edge 3	Band C	●	●	×
Mock In-frame	Jones	Edge 1	Band B	●	●	●
Mock In-frame	Rathlin	Edge 1	Band C	●	●	×
Mock In-frame	St Ives	Edge 1	Band C	●	●	×
Mock In-frame	Salisbury	Edge 1	Band C	●	●	×
Mock In-frame	Ealing	Edge 1	Band C	●	●	×
Raised Panel	Siesta	Edge 1	Band B	●	●	×
Raised Panel	Danforth	Edge 1	Band C	●	●	×
Raised Panel	Leon	Edge 1	Band C	●	●	×
Raised Panel	Lincoln	Edge 1	Band B	●	●	×
Raised Panel	Hazel	Edge 1	Band B	●	●	×
Raised Panel	Gibson	Edge 1	Band B	●	●	×
Raised Panel	Chatham	Edge 1	Band B	●	●	×
Raised Panel	Monza	Edge 2	Band B	●	●	×
Raised Panel	Calcutta	Edge 2	Band B	●	●	×
Raised Panel	Amsterdam	Edge 2	Band B	●	●	×
Raised Panel	Ashford	Edge 5	Band B	●	●	●
Raised Panel	Capital Square	Edge 5	Band B	●	●	●

Door Style Category	Door Style Name	Profile Edge	Price Band	M	S	G
Arched	Annabelle	Edge 2	Band B	●	●	×
Arched	Windsor	Edge 4	Band B	●	●	×
Arched	Cathedral Single	Edge 2	Band B	●	●	×
Arched	Bourbon	Edge 2	Band C	●	●	×
Arched	Madrid	Edge 5	Band C	●	●	×
Arched	Saxon Arch	Edge 2	Band C	●	●	×
Arched	Verona	Edge 4	Band B	●	●	×
Arched	Hariette Single	Edge 2	Band B	●	●	×
Arched	Capital Arch	Edge 5	Band B	●	●	×
Grooved	Olivia	Edge 1	Band C	●	●	×
Grooved	Ella	Edge 1	Band C	●	●	×
Grooved	Aria	Edge 1	Band C	●	●	×
Grooved	Mila	Edge 1	Band C	●	●	×
Grooved	Lena	Edge 1	Band C	●	●	×
Grooved	Pembrook	Edge 1	Band C	●	●	×
Grooved	Shutter Groove	Edge 2	Band C	●	●	×
Grooved	Newport	Edge 1	Band C	●	●	×
Grooved	Berwick	Edge 1	Band C	●	●	×
Grooved	Amalfi	Edge 1	Band B	●	●	×
Grooved	Westbury	Edge 2	Band C	●	●	×
Grooved	Saxon Square	Edge 2	Band C	●	●	×


● Available    ✕ Not Available

Please note the Profile Edge is set per Door Style.  
The Profile Edge is not interchangeable across Door Styles.



# 5G Vinyl | Colours / Finishes

## M Matt Finishes | Woodgrain Effects




## M Matt Finishes | Legno



Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

# 5G Vinyl | Colours / Finishes

## M Matt Finishes | Smooth




## S Superior Matt Finishes | Super Smooth Matt Laminate Uni-Colours



# 5G Vinyl | Colours / Finishes

## G Gloss Finishes | High Gloss Uni-Colours and Metallics



Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

# 5G Vinyl | Door and Drawer Sizes



Kitchen Door Sizes			
Doors and Drawer Sizes		Curved Door Sizes	
115 x 596	355 x 496	715 x 546	715 x 300
140 x 296	355 x 596	715 x 596	895 x 300
140 x 396	355 x 796	895 x 296	1245 x 300
140 x 446	355 x 896	895 x 396	1965 x 300
140 x 496	355 x 996	895 x 446	
140 x 596	450 x 596	895 x 496	
140 x 796	500 x 596	895 x 596	
140 x 896	570 x 296	980 x 596	
140 x 996	570 x 396	1060 x 396	
175 x 396	570 x 446	1060 x 496	
175 x 496	570 x 496	1060 x 596	
175 x 596	570 x 596	1245 x 296	
175 x 796	715 x 146	1245 x 396	
175 x 896	715 x 246	1245 x 446	
175 x 996	715 x 296	1245 x 496	
283 x 496	715 x 313	1245 x 596	
283 x 596	715 x 346		
283 x 796	715 x 396		
283 x 896	715 x 446		
283 x 996	715 x 496		

Bedroom Door Sizes			
Doors and Drawer Sizes		Curved Door Sizes	
215 x 296	650 x 396	2150 x 396	1495 x 300
215 x 396	650 x 446	2150 x 446	1595 x 300
215 x 446	650 x 496	2150 x 496	2150 x 300
215 x 496	650 x 596	2150 x 596	2250 x 300
215 x 546	1495 x 296	2250 x 296	
215 x 596	1495 x 396	2250 x 396	
215 x 796	1495 x 446	2250 x 446	
215 x 896	1495 x 496	2250 x 496	
215 x 996	1495 x 596	2250 x 596	
415 x 296	1595 x 296	2400 x 296	
415 x 396	1595 x 396	2400 x 396	
415 x 446	1595 x 446	2400 x 446	
415 x 496	1595 x 496	2400 x 496	
415 x 596	1595 x 596	2400 x 596	
535 x 296	1735 x 296		
535 x 396	1735 x 396		
535 x 446	1735 x 446		
535 x 496	1735 x 496		
535 x 596	1735 x 596		
650 x 296	2150 x 296		

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 10%.  
**Angled Kitchen Doors** - Door price plus 50%.  
**Horizontal Grain** - Door price plus 20%.  
**Drilling** - Additional charge per hole.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non Standard Curved Kitchen Door Sizes** - Priced next door size up plus 10% (Door design permitting - see page 40 for Curved Door Style availability).  
**Handle-less Curved Doors are only available at 715mm, 895mm and 1245mm.**  
**Tall or Non-Standard Handleless Curved Doors are not available.**

**MTM Kitchen Frames** - Supplied Unglazed.  
**Plain Kitchen Frames** - Door price plus 35%.  
**Georgian Kitchen Frames** - Door price plus 50%.  
**Gloss Georgian Bedroom Frames Not Available**

**No Foil Doors** - Priced as Matt Door Size.  
**No Foil Curved Doors** - Priced as Matt Door Size.

Please note not all 5G Vinyl finishes have Matching Reverse Colours.  
 Please check available Matched Reverse Colours on page 51 before ordering.  
**22mm Door Reverse Colour** - Available in White, Ivory or Silver.  
 Please note if reverse colour is unspecified, Silver reverse will be used as default.

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 10%.  
**Angled Bedroom Doors** - Door price plus 50%.  
**Horizontal Grain** - Door price plus 20%.  
**Drilling** - Additional charge per hole.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non Standard Curved Bedroom Door Sizes** - Priced next door size up plus 10% (Door design permitting - see page 40 for Curved Door Style availability).  
**Handle-less Curved Doors are only available at 715mm, 895mm and 1245mm.**  
**Tall or Non-Standard Handleless Curved Doors are not available.**

**MTM Bedroom Frames** - Supplied Unglazed.  
**Plain Bedroom Frames** - Door price plus 35%.  
**Georgian Bedroom Frames** - Door price plus 50%.  
**Gloss Georgian Bedroom Frames Not Available**

**No Foil Doors** - Priced as Matt Door Size.  
**No Foil Curved Doors** - Priced as Matt Door Size.

# 5G Vinyl | Handleless Rail System Door Sizes




Handleless Rail System Door Sizes				
Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.



**Plain Panel**  
687 x 1200mm (18mm thick)



**Return Gable**  
Made to Measure per m2  
See page 216 for order form



**Internal Corner Post**  
685 x 70 x 70mm



**External Corner Post**  
685 x 46 x 46mm






Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 226 for full range of heat deflector sizes.

# 5G Vinyl | Door Specifications



## 5G Kitchen Doors:

Door sizes between 250mm - 1734mm high are supplied single panel as standard (door design permitting). Refer to pages 16-30 for visuals of how all standard kitchen door styles are supplied.

## 5G Drawers:

Design and tooling permitting, drawer sizes between 100mm - 282mm high are supplied with internal mould with horizontal grain as standard.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels with horizontal grain as standard.

Refer to pages 16-30 for visuals of how all standard drawer styles are supplied. Please note it's important to always specify either Door, Drawer or Pan Drawer when ordering to ensure that the correct rout and grain direction is used.

## 5G Frames:

Frames between 250mm - 1734mm high are supplied single panel as standard. Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

Angled Frames are available.

## 5G Curved and Concave Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

Concave doors are made to suit 300mm, 330mm and 340mm cabinets. They are available at 715mm and 895mm high only. Some door styles are not available in concave.

For a full range of Curved and Concave door style availability see page 40.

## 5G Bedroom Doors:

Door sizes between 1735mm - 2400mm high are supplied with a double mid-rail. The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If an alternative mid-rail position is required this must be clearly stated when ordering.

Refer to pages 16-30 for visuals of how all standard Bedroom Door Styles are supplied.

## Grain Direction:


Door sizes between 283mm - 2400mm are supplied with vertical grain as standard. Horizontal grain (up to 1220mm only) is available on request.

Drawer sizes between 100mm - 282mm are supplied with horizontal grain as standard. Vertical grain available on request.

## Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

# 5G Vinyl | Door Specifications




## Angled Doors:

Angled Doors are available in both Kitchen and Bedroom door sizes. Angled Door sizes between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

Angled Open Frames are available unglazed.

When placing your order for an Angled Door you must clearly state the Angle Height and the Flat Top Width if required.




## Custom Panel Bedroom Doors:

Bedroom door sizes between 1735mm - 2400mm are supplied as 2 panel doors with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors are supplied with single mid-rails as standard.

Angled Doors are also available as single, double, 4 and 5 panel doors.



5G Door Style Category	5G Door Style Name	Curved Door	Concave Door	M	S	G
Modern	Galaxy	●	●	●	●	●
Modern	Cutler	●	●	●	●	●
Modern	Frankfurt	×	×	●	●	●
Modern	Savon	●	×	●	●	●
Modern	Mona	●	×	●	●	●
Modern	Marino	●	×	●	●	●
Modern	Oslo	●	×	●	●	●
Modern	Euroline	●	×	●	●	●
Modern	Saymour	×	×	●	●	●
Handleless	Kassel	●	●	●	●	●
Handleless	Alaska	●	×	●	●	●
Handleless	Lane	●	×	●	●	×
Handleless	Loretto	●	×	●	●	●
Handleless	Mercury	●	×	●	●	●
Handleless	Orion	●	×	●	●	●
Handleless	Neptune	●	●	●	●	●
Handleless	Rana	●	×	●	●	●
Handleless	Shepford	●	×	●	●	×
Handleless	Jasper	●	×	●	●	●
Plain Shaker	Melrose	●	×	●	●	×
Plain Shaker	Lanark	●	×	●	●	×
Plain Shaker	Barnbrook	●	×	●	●	×
Plain Shaker	Woking	●	×	●	●	×
Plain Shaker	Welsford	●	×	●	●	×
Plain Shaker	Horton	●	×	●	●	×
Plain Shaker	Taunton	●	×	●	●	×
Plain Shaker	Trenton	●	×	●	●	×
Plain Shaker	Athlone	●	×	●	●	×
Plain Shaker	Chelsea	●	×	●	●	×
Lined Shaker	Basel	●	×	●	●	×
Lined Shaker	Carmen	●	×	●	●	×
Lined Shaker	Allerford	●	×	●	●	×
Lined Shaker	Auckland	●	×	●	●	×
Lined Shaker	Mason	●	×	●	●	×
Lined Shaker	Bonn	●	×	●	●	×
Lined Shaker	Hillwell	●	×	●	●	×
Lined Shaker	Conway	●	×	●	●	×
Mock In-frame	Vilo	●	×	●	●	×
Mock In-frame	Jones	●	×	●	●	●
Mock In-frame	Rathlin	●	×	●	●	×
Mock In-frame	St Ives	●	×	●	●	×
Mock In-frame	Salisbury	●	×	●	●	×
Mock In-frame	Ealing	●	×	●	●	×
Raised Panel	Siesta	●	×	●	●	×
Raised Panel	Danforth	●	×	●	●	×
Raised Panel	Leon	×	×	●	●	×
Raised Panel	Lincoln	●	×	●	●	×
Raised Panel	Hazel	●	×	●	●	×
Raised Panel	Gibson	●	×	●	●	×
Raised Panel	Chatham	●	×	●	●	×
Raised Panel	Monza	●	×	●	●	×
Raised Panel	Calcutta	●	×	●	●	×
Raised Panel	Amsterdam	●	×	●	●	×
Raised Panel	Ashford	×	×	●	●	●
Raised Panel	Capital Square	●	×	●	●	●

5G Door Style Category	5G Door Style Name	Curved Door	Concave Door	M	S	G
Arched	Annabelle	●	×	●	●	×
Arched	Windsor	●	×	●	●	×
Arched	Cathedral Single Arch	●	×	●	●	×
Arched	Bourbon	●	×	●	●	×
Arched	Madrid	●	×	●	●	×
Arched	Saxon Arch	●	×	●	●	×
Arched	Verona	●	×	●	●	×
Arched	Hariette Single Arch	●	×	●	●	×
Arched	Capital Arch	●	×	●	●	×
Grooved	Olivia	●	×	●	●	×
Grooved	Ella	●	×	●	●	×
Grooved	Aria	●	×	●	●	×
Grooved	Mila	●	×	●	●	×
Grooved	Lena	●	×	●	●	×
Grooved	Pembrook	●	×	●	●	×
Grooved	Shutter Groove	●	×	●	●	×
Grooved	Newport	●	×	●	●	×
Grooved	Berwick	●	×	●	●	×
Grooved	Amalfi	●	×	●	●	×
Grooved	Westbury	●	×	●	●	×
Grooved	Saxon Square	●	×	●	●	×


● Available    × Not Available




**Curved Door:** All 5G Curved Doors are designed to suit 300 x 300mm cabinet. 300mm Curved Doors are available any height up to 2250mm. Handle-less Curved Doors are only available at 715mm, 895mm and 1245mm. Tall or Non-Standard Handle-less Curved Doors are not available. All Curved Doors are available in Silver or Ivory reverse.

**Concave Door:** Available in 300mm, 330mm and 340mm. Concave Doors are available at 715mm and 895mm high only.


## 5G Vinyl | Curved Door Specifications




**330mm Concave Door**  
330mm x 330mm Concave Door for 900mm Base Unit



**340mm Concave Door**  
340mm x 340mm Concave Door for 900mm Base Unit




**300mm Concave Door**  
300mm x 300mm Concave Door for 600mm Wall Unit



**300mm Curved Door**  
300mm x 300mm Curved Radius Door


# 5G Vinyl | Technical Door Specification

## M Matt | Technical Specification




# 5G Vinyl | Technical Door Specification

## G Gloss | Technical Specification















































## S Superior Matt | Technical Specification



5G Vinyl | MTM

5G Vinyl | MTM

 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46. Not available in Gloss.</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM Not available in Gloss.</p>	
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM Not available in Gloss.</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM Not available in Gloss.</p>	
 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Tangent Cornice Quadrant</b> 88mm (L) x 88mm (W) x 44mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM Not available in Gloss.</p>	
 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM Not available in Gloss.</p>	
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM Not available in Gloss.</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM Not available in Gloss.</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM Not available in Gloss.</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM Not available in Gloss.</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS Not available in Gloss.</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS Not available in Gloss.</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll. (SERICA® Colour match only)</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS Limited Finishes. See Page 46.</p>												
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Wall Quad / Base Quad</b> 720mm / 900mm</p> <p>MTM Not available in Gloss.</p>	 <p><b>Stool</b> 400mm (L) x 350mm (D) x 470mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Single Oval Mirror</b> 570mm (W) x 500mm (H)</p> <p>MTM Not available in Gloss.</p> <p>See page 48 for all full mirror dimensions</p>											
 <p><b>Overmantle Kit with Doors</b> 2 x Doors / 2 x Shelf Brackets / 1 x Mantle Shelf / 1 x Back Panel</p> <p>MTM Not available in Gloss.</p>	 <p><b>Classic Canopy</b> 1000mm (W) x 193mm (D) x 525mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Modern Canopy</b> 1000mm (W) x 193mm (D) x 525mm (H)</p> <p>MTM Not available in Gloss.</p>	 <p><b>Traditional Canopy</b> 1000mm (W) x 193mm (D) x 525mm (H) Supplied with fretwork and T&amp;G detail as standard. Fretwork detail can be removed on request.</p> <p>MTM Not available in Gloss.</p>												
 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM Not available in Gloss.</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM Not available in Gloss.</p>	 <p><b>Moulded Top</b> Made to Measure per m2</p> <p>MTM Not available in Gloss.</p>	 <p><b>Headboards</b> MTM per m2.</p> <p>5G Vinyl Headboards are supplied with the routed design of your chosen door style. All 5G Headboards will be supplied as single panels / flat panels as standard (Applicable to Door Style), unless otherwise specified.</p> <p>Height Range: 500mm - 900mm Width Range: 915mm - 1830mm</p> <table border="1"> <thead> <tr> <th>Standard Size MM:</th> <th>Panel Availability:</th> </tr> </thead> <tbody> <tr> <td>3ft Headboard / 915mm</td> <td>Flat Panel, Single Panel</td> </tr> <tr> <td>4ft Headboard / 1208mm</td> <td>Flat Panel, Single &amp; 2 Panel</td> </tr> <tr> <td>4.6ft Headboard / 1371mm</td> <td>Flat Panel, Single, 2 &amp; 3 Panel</td> </tr> <tr> <td>5ft Headboard / 1510mm</td> <td>Flat Panel, Single, 2, 3 &amp; 4 Panel</td> </tr> <tr> <td>6ft Headboard / 1830mm</td> <td>Flat Panel, Single, 2, 3 &amp; 4 Panel</td> </tr> </tbody> </table>	Standard Size MM:	Panel Availability:	3ft Headboard / 915mm	Flat Panel, Single Panel	4ft Headboard / 1208mm	Flat Panel, Single & 2 Panel	4.6ft Headboard / 1371mm	Flat Panel, Single, 2 & 3 Panel	5ft Headboard / 1510mm	Flat Panel, Single, 2, 3 & 4 Panel	6ft Headboard / 1830mm	Flat Panel, Single, 2, 3 & 4 Panel
Standard Size MM:	Panel Availability:														
3ft Headboard / 915mm	Flat Panel, Single Panel														
4ft Headboard / 1208mm	Flat Panel, Single & 2 Panel														
4.6ft Headboard / 1371mm	Flat Panel, Single, 2 & 3 Panel														
5ft Headboard / 1510mm	Flat Panel, Single, 2, 3 & 4 Panel														
6ft Headboard / 1830mm	Flat Panel, Single, 2, 3 & 4 Panel														
 <p><b>Return Gable</b> Made to Measure per m2 See page 238 for Order Form</p> <p>MTM Not available in Gloss.</p>															

# 5G Vinyl | Mouldings Availability

Moulding Availability Index													
Vinyl Colour	Classic Cornice	Modern Cornice Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Plaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
Acacia	×	●	×	×	●	●	×	●	×	×	×	×	×
Avola White	×	×	●	●	●	●	×	●	×	●	●	×	×
Avola Grey	×	●	×	×	●	●	×	●	×	●	●	×	×
Beech	×	●	×	×	●	●	×	●	×	●	●	×	×
Ontario Maple	×	●	×	×	●	●	×	●	×	●	×	×	×
Dark Walnut	×	●	×	×	●	●	×	●	×	×	●	×	×
Halifax Natural Oak	×	●	●	●	●	●	×	●	×	×	×	●	●
Halifax White Oak	×	●	●	●	●	●	×	●	×	×	×	●	●
Light Oak	×	●	×	×	●	●	×	●	×	×	×	×	×
Lissa Oak	●	●	●	●	●	●	×	●	×	×	●	●	●
Medium Walnut	×	●	●	●	●	●	×	●	×	●	●	×	×
Montana Oak	×	●	×	×	●	●	×	●	×	●	×	×	×
Pippy Oak	●	●	●	●	●	●	×	●	×	●	●	●	×
Sonoma Oak	×	●	×	×	●	●	×	●	×	●	●	●	●
Urban Oak	●	●	●	●	●	●	●	●	●	×	×	×	●
Winchester Oak	×	●	×	×	●	●	×	●	×	●	●	×	×
Light Concrete	×	●	×	×	●	●	×	●	×	×	×	×	×
Dark Concrete	×	●	×	×	●	●	×	●	×	×	×	×	×
Legno Black	●	●	●	●	●	●	●	●	●	×	●	●	●
Legno Cashmere	●	●	●	●	●	●	●	●	●	●	●	●	●
Legno Dakar	●	●	●	●	●	●	×	●	●	●	●	●	×
Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
Legno Evergreen	●	●	●	●	●	●	●	●	●	×	●	●	●
Legno Graphite	●	●	●	●	●	●	●	●	●	●	●	●	●
Legno Indigo	●	●	●	●	●	●	●	●	●	×	●	●	●
Legno Ivory	●	●	●	●	●	●	●	●	●	●	●	●	●
Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
Legno Marine Blue	●	●	●	●	●	●	●	●	●	×	●	×	×
Legno Mussel	●	●	●	●	●	●	●	●	●	●	●	●	●
Legno Reed Green	●	●	●	●	●	●	×	●	×	×	×	×	×
Legno Stone Grey	●	●	●	●	●	●	×	●	●	●	●	●	×
Legno Taupe	●	●	●	●	●	●	●	●	●	×	●	●	●
Legno White	●	●	●	●	●	●	●	●	●	●	●	●	●
Legno White Grey	●	●	●	●	●	●	●	●	●	×	●	●	●
Black	×	×	×	×	●	●	×	●	×	×	●	×	×
Cashmere	●	●	●	●	●	●	×	●	×	●	●	●	●
Dakar	×	●	●	●	●	●	×	●	×	●	●	●	●
Denim	×	●	×	×	●	●	×	●	×	●	●	●	●
Dust Grey	●	●	●	●	●	●	×	●	×	●	●	●	●
Evergreen	●	●	●	●	●	●	×	●	×	×	●	●	●
Fjord	×	●	×	×	●	●	×	●	×	●	×	×	×
Graphite	×	●	×	×	●	●	×	●	×	●	●	●	×
Indigo	●	●	●	●	●	●	×	●	×	●	●	●	●
Ivory	●	●	●	●	●	●	×	●	×	●	●	●	●
Light Grey	●	●	●	●	●	●	●	●	×	●	●	●	●
Magnolia	×	●	×	×	●	●	×	●	×	×	×	×	×
Meadow Green	×	●	×	×	●	●	×	●	×	×	×	×	×
Mussel	●	●	●	●	●	●	×	●	×	●	●	●	●
Paintable Vinyl	×	×	×	×	●	●	×	●	×	×	×	×	×
Porcelain	×	●	×	×	●	●	×	●	×	×	×	●	●
Pure White	●	●	●	●	●	●	●	●	×	●	●	●	●
Stone Grey	×	●	×	×	●	●	×	●	×	●	●	●	●
Taupe	●	●	●	●	●	●	×	●	×	●	●	●	●
White Grey	●	●	●	●	●	●	×	●	×	●	●	●	●

# 5G Vinyl | Mouldings Availability


Moulding Availability Index													
Vinyl Colour	Classic Cornice	Modern Cornice Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Plaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
Superior Matt Alabaster	●	●	●	●	●	●	×	●	×	●	×	●	×
Superior Matt Black	●	●	●	●	●	●	×	●	×	●	●	●	×
Superior Matt Cashmere	●	●	●	●	●	●	×	●	×	●	●	●	×
Superior Matt Denim	●	●	●	●	●	●	×	●	×	●	●	●	×
Superior Matt Dust Grey	●	●	●	●	●	●	×	●	×	●	●	●	×
Superior Matt Graphite	●	●	●	●	●	●	×	●	×	●	●	●	×
Superior Matt Heritage Green	●	●	●	●	●	●	×	●	×	●	×	●	×
Superior Matt Indigo	●	●	●	●	●	●	×	●	×	×	×	●	×
Superior Matt Antique Rose	●	●	●	●	●	●	×	●	×	●	×	●	×
Superior Matt Light Grey	●	●	●	●	●	●	×	●	×	●	●	●	×
Superior Matt Marine Blue	●	●	●	×	●	●	×	●	×	●	×	●	×
Superior Matt Porcelain	●	●	●	●	●	●	×	●	×	●	×	●	×
Superior Matt Pebble	●	●	●	●	●	●	×	●	×	●	×	●	×
Superior Matt Reed Green	●	●	●	●	●	●	×	●	×	●	×	×	×
Superior Matt Stone Grey	●	●	●	●	●	●	×	●	×	●	●	●	×
Superior Matt Taupe	●	●	●	●	●	●	×	●	×	●	×	●	×
Superior Matt Tuscan Red	●	●	●	●	●	●	×	●	×	●	×	×	×
Superior Matt White Grey	●	●	●	●	●	●	×	●	×	●	×	●	×
Gloss Aubergine	×	×	×	×	●	×	×	●	×	×	×	×	×
Gloss Black	×	●	×	×	●	×	×	●	×	●	●	×	×
Gloss Cappuccino	×	×	×	×	●	×	×	●	×	×	×	×	×
Gloss Cashmere	×	●	×	×	●	×	×	●	×	●	×	×	×
Gloss Cream	×	●	●	●	●	×	×	●	×	●	×	●	×
Gloss Denim	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Dust Grey	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Graphite	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Heritage Green	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Ivory	×	●	●	●	●	×	×	●	×	●	×	×	×
Gloss Latte	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Light Grey	×	●	●	●	●	×	×	●	×	●	×	×	×
Gloss Marine Blue	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Metallic Anthracite	×	●	×	×	●	×	×	●	×	●	×	×	×
Gloss Mussel	×	●	×	×	●	×	×	●	×	●	×	×	×
Gloss Oyster	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Red	×	×	×	×	●	×	×	●	×	×	×	×	×
Gloss Slate	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss Stone Grey	×	●	×	×	●	×	×	●	×	×	×	×	×
Gloss White	×	●	●	●	●	×	×	●	×	●	●	●	×
Gloss White Grey	×	●	×	×	●	×	×	●	×	●	×	×	×

● Available Ex.Stock    × Not Available    ● Available Pressed to Order


\*Edging Tape matches for Superior Matt finishes are colour matched only. They do not have a super smooth matt laminate finish.




# 5G Vinyl | Moulding Specifications




**Classic Cornice**  
3050mm Lengths




**Curved Classic Cornice**  
386mm (L) x 386mm (W) x 63mm (H)




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W) x 63mm (H)




**Tangent Cornice**  
3050mm Lengths




**Curved Tangent Cornice**  
400mm (L) x 400mm (W) x 44mm (H)




**Tangent Cornice Quadrant**  
88mm (L) x 88mm (W) x 44mm (H)




**Modern Cornice / Pelmet**  
3050mm Lengths




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W) x 30mm (H)




**Modern Cornice / Pelmet Quadrant**  
220mm (L) x 220mm (W) x 30mm (H)




**Plain Plinth**  
3050mm Lengths



**Curved Plain Plinth**  
300mm (L) x 300mm (W) x 150mm (H)




**Torus Plinth**  
3050mm Lengths




**Curved Torus Plinth**  
300mm (L) x 300mm (W) x 150mm (H)


# 5G Vinyl | Moulding Specifications




**Radius Profile**  
3050mm Lengths




**Square Pilaster**  
3050mm Lengths




**MTM Corner Post**  
715mm (150 x 150mm Max)




**Tangent Pelmet**  
3050mm Lengths




**Curved Tangent Pelmet**  
300mm (L) x 300mm (W) x 150mm (H)



**Shelf Bracket**  
180mm (L) x 37mm (W) 210mm (H)




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)




**Traditional Canopy\***  
1000mm (L) x 193mm (D) x 525mm (H)


\*Comes with fretwork and T&G detail as standard. If no detailing is required please specify when ordering.



**Fluted Rail**  
2500mm (L) x 18mm (W) x 60mm (H)



**Modern Canopy**  
1000mm (L) x 193mm (D) x 525mm (H)




**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)


## 5G Headboard Specifications

Headboard Type	Height Range MM	Height Range MM
Single Panel	500mm — 900mm	915mm — 1830mm
2 Panel	500mm — 900mm	915mm — 1830mm
3 Panel	500mm — 900mm	1371mm — 1830mm
4 Panel	500mm — 900mm	1510mm — 1830mm
Flat Panel	500mm — 900mm	915mm — 1830mm

**Headboards:** All Headboards are supplied rectangular using the design of door style ordered. All Headboards will be supplied as Single Panels / Flat Panels (Applicable to Door Style) as standard, unless otherwise specified (Door Design permitting).



**Single Square Mirror:** Single Square Mirrors are supplied fully assembled.



**Oval Mirror:** Oval Mirrors are supplied fully assembled.

Matt Vinyl Finishes		Superior Matt Vinyl		Gloss Vinyl Finishes	
O&S Doors Vinyl Colour	RAL Match	O&S Doors Vinyl Colour	RAL Match	O&S Doors Vinyl Colour	RAL Match
Black	RAL 000 15 00	Superior Matt Alabaster	RAL 090 90 05	Gloss Aubergine	RAL 350 20 15
Cashmere	RAL 060 80 05	Superior Matt Black	RAL 000 15 00	Gloss Black	RAL 000 15 00
Cova Ivory	RAL 100 90 10	Superior Matt Cashmere	RAL 080 80 05	Gloss Cappuccino	RAL 060 60 10
Dakar	RAL 090 70 10	Superior Matt Denim	RAL 250 70 10	Gloss Cashmere	RAL 080 80 05
Denim	RAL 250 70 10	Superior Matt Dust Grey	RAL 000 65 00	Gloss Cream	RAL 085 90 10
Dust Grey	RAL 000 60 00	Superior Matt Graphite	RAL 000 35 00	Gloss Denim	RAL 250 70 10
Evergreen	RAL 180 20 10	Superior Matt Heritage Green	RAL 180 40 05	Gloss Dust Grey	RAL 000 60 00
Fjord	RAL 200 60 05	Superior Matt Indigo	RAL 280 20 05	Gloss Heritage Green	RAL 180 40 05
Graphite	RAL 000 30 00	Superior Matt Antique Rose	RAL 040 60 10	Gloss Graphite	RAL 000 35 00
Indigo	RAL 280 20 05	Superior Matt Light Grey	RAL 000 80 00	Gloss Ivory	RAL 090 90 05
Ivory	RAL 095 93 05	Superior Matt Marine Blue	RAL 260 20 15	Gloss Latte	RAL 075 80 10
Light Grey	RAL 7035	Superior Matt Pebble	RAL 080 70 05	Gloss Light Grey	RAL 7035
Magnolia	RAL 085 90 10	Superior Matt Porcelain	RAL 060 60 05	Gloss Mussel	RAL 090 85 05
Meadow Green	RAL 140 70 05	Superior Matt Reed Green	RAL 9003	Gloss Marine Blue	RAL 260 20 15
Mussel	RAL 085 85 10	Superior Matt Stone Grey	RAL 060 60 05	Gloss Metallic Anthracite (While Stock Lasts)	RAL N/A
Porcelain	RAL 110 96 02	Superior Matt Taupe	RAL 080 80 05	Gloss Oyster	RAL 090 93 05
Pure White	RAL 9003	Superior Matt Tuscan Red	RAL 3009	Gloss Slate	RAL 080 30 05
Stone Grey	RAL 060 60 05	Superior Matt White Grey	RAL 000 90 00	Gloss Red	RAL 030 30 45
Taupe	RAL 090 85 05			Gloss Stone Grey	RAL 060 60 05
White Grey	RAL 000 90 00			Gloss White	RAL 9003
				Gloss White Grey	RAL 000 90 00

## Legno Vinyl Finishes

O&S Doors Vinyl Colour	RAL Match	O&S Doors Vinyl Colour	RAL Match
Legno Black	RAL 000 15 00	Legno Marine Blue	RAL 260 20 15
Legno Cashmere	RAL 080 80 05	Legno Mussel	RAL 095 85 10
Legno Dakar	RAL 090 70 10	Legno Reed Green	RAL 160 60 05
Legno Dust Grey	RAL 000 60 00	Legno Stone Grey	RAL 060 60 05
Legno Evergreen	RAL 180 20 10	Legno Taupe	RAL 090 85 05
Legno Graphite	RAL 000 30 00	Legno White	RAL 9003
Legno Indigo	RAL 280 20 05	Legno White Grey	RAL 000 90 00
Legno Ivory	RAL 095 93 05		
Legno Light Grey	RAL 000 80 00		

### Important Notice:

These RAL Colour match references are suggested options only. They are the closest RAL colour match to our vinyl colour, but please note they are not exact matches. Customers are strongly advised to obtain swatch samples to confirm a satisfactory colour match.

The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes without prior notice.

# 5G Vinyl | Board Match Specifications

MDF Board Match References		Recommended MFC Board Match References				
Vinyl Colour	Matched Reverse (18mm MDF)	Egger	Kronospan	Pfleiderer	Finsa	Sonae
Acacia	Yes	H1277 ST9	D8975	-	Majestic S.3	-
Avola White	No	H1474 ST22	-	-	-	-
Avola Grey	No	H1484 ST22	-	-	-	-
Beech	Yes	H1582 ST15	1639 BS	R5542 VV	45A	M3582
Ontario Maple	No	H1869 ST9	-	R5479 VV	77C	M911
Dark Walnut	Yes	H3704 ST15	0481 BS	R4889 VV	10C	M3846
Halifax Natural Oak	Yes	<b>H1180 ST37*</b>	-	-	-	-
Halifax White Oak	Yes	<b>H1176 ST37*</b>	-	-	-	-
Light Oak	No	H1319 ST12	-	-	-	-
Lissa Oak	Yes	<b>H1154 ST15*</b>	8925 BS	R4276 VV	49D	M3851
Medium Walnut	Yes	H3703 ST15	0726 BS	R4899 VV	94A	M3569
Montana Oak	No	H1342 ST12	1929 SU	-	Amberes Roble 358	M963
Pippy Oak	Yes	H1381 ST12*	9277 PR	R4241 VV	34C	M3542
Sonoma Oak	Yes	<b>H1146 ST12*</b>	8197 SN	R4285 RU	Cambrian Oak 7AB	-
Urban Oak	Yes	-	K005PW	-	-	-
Winchester Oak	No	H1381 ST12 / H3382 ST9	8932 SU	-	-	-
Light Concrete	No (Use Light Grey)	F275 ST22	-	-	-	-
Dark Concrete	No (Use Dust Grey)	F274 ST9	-	-	-	-
Legno Black	Yes (Smooth)	<b>U999 ST19</b>	-	-	-	-
Legno Cashmere	Yes (Smooth)	U702 ST19	<b>5981 GC*</b>	U12168 MO	Gris Coco 15R	-
Legno Dakar	Yes (Smooth)	U717 ST19	5984 GC	-	Duna S.3	-
Legno Dust Grey	Yes (Smooth)	-	<b>0171 GC*</b>	U12150 MO	Gris Tormenta S.3	-
Legno Evergreen	Yes (Smooth)	<b>U699 ST19</b>	-	-	-	-
Legno Graphite	Yes (Smooth)	<b>U961 ST19*</b>	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
Legno Indigo	Yes (Smooth)	<b>U599 ST19</b>	-	-	-	-
Legno Ivory	Yes (Smooth)	U104 ST19	<b>7031 GC*</b>	U11506 MO	Contempo Ivory 88V	L402
Legno Light Grey	Yes (Smooth)	U708 ST19	0112 GC	<b>U12204 MO*</b>	Natural Grey U12	-
Legno Marine Blue	Yes (Smooth)	-	-	-	Azul Nautico Grained*	-
Legno Mussel	Yes (Smooth)	U100 ST19	<b>5982 GC*</b>	U15331 MO	Gris Porrin 192	-
Legno Reed Green	Yes (Smooth)	U608 ST19	-	-	-	-
Legno Stone Grey	Yes (Smooth)	U727 ST19	<b>K096 GC*</b>	U16002 MO	Mineral Grey S.3	-
Legno Taupe	Yes (Smooth)	<b>U750 ST19*</b>	-	-	-	-
Legno White	Yes (Smooth)	W980 ST19	0101 GC	<b>U11015 MO*</b>	White 020	B020
Legno White Grey	Yes (Smooth)	<b>U775 ST19*</b>	-	-	-	-
Black	Yes	U999 ST2	-	-	-	-
Cashmere	Yes	<b>U702 ST9*</b>	5981 PE	U12168 VV	Gris Coco 15R	-
Dakar	Yes	U717 ST9	5984 PE	U15190 VV	Duna S.3	-
Denim	Yes	<b>U540 ST9*</b>	-	-	Steel Blue S.3	-
Dust Grey	Yes	<b>U732 ST9*</b>	0171 PE	-	Gris Tormenta S.3	-
Evergreen	Yes	<b>U699 ST9*</b>	-	-	-	-
Fjord	Yes	U636 ST9	-	-	-	-
Graphite	Yes	U961 ST9	0164 PE	U12257 MP	Petroleo 188	-
Indigo	Yes	<b>U599 ST9*</b>	-	-	-	-
Ivory	Yes	<b>U104 ST9*</b>	0514 PE / 7031 PE	U1306	Contempo Ivory 88V	L402
Light Grey	Yes	<b>U708 ST9*</b>	0112 PE	U12204 MP	Gris Coco 15R	-
Magnolia	No (Use Ivory)	U108 ST9	9569 GC	U116	76B	-
Meadow Green	Yes	U608 ST9	-	-	-	-
Mussel	Yes	U100 ST9	5982 PE	U15331 VV	Gris Porrin 192	-
Paintable Vinyl	No (Use White)	-	-	-	-	-
Porcelain	No (Use White)	<b>W1200 ST9*</b>	0101 PE	W300 MP	White 020	-
Pure White	Yes	<b>W1000 ST9* / W980 ST9*</b>	0101 PE	U11015 VV	White 020	B020
Stone Grey	Yes	<b>U727 ST9*</b>	K096 SU	U16002 VV	Mineral Grey S.3	-
Taupe	Yes	<b>U750 ST9*</b>	-	-	-	-
White Grey	Yes	<b>U775 ST9*</b>	-	-	-	-

# 5G Vinyl | Board Match Specifications

MDF Board Match References		Recommended MFC Board Match References				
Vinyl Colour	Matched Reverse (18mm MDF)	Egger	Kronospan	Pfleiderer	Finsa	Sonae
Superior Matt Alabaster	Yes*	<b>U104 ST9*</b>	0514 PE / 7031 PE	U11506 VV	Contempo Ivory 88V	L402
Superior Matt Antique Rose	Yes*	U325 ST9	-	-	-	-
Superior Matt Black	Yes*	U999 ST2	-	-	-	-
Superior Matt Cashmere	Yes*	<b>U702 ST9*</b>	5981 PE	U12168 VV	Gris Coco 15R	-
Superior Matt Denim	Yes*	<b>U540 ST9*</b>	-	-	Steel Blue S.3	-
Superior Matt Dust Grey	Yes*	<b>U732 ST9*</b>	0171 PE	-	Gris Tormenta S.3	-
Superior Matt Graphite	Yes*	U961 ST2	0164 PE	U12257 MP	Petroleo 188	-
Superior Matt Heritage Green	Yes*	<b>U699 ST9</b>	-	-	-	-
Superior Matt Indigo	Yes*	<b>U599 ST9*</b>	-	-	-	-
Superior Matt Light Grey	Yes*	<b>U708 ST9*</b>	0112 PE	U12204 MP	Natural Grey U12	-
Superior Matt Marine Blue	Yes*	-	-	-	Azul Nautico Smooth	-
Superior Matt Porcelain	Yes*	<b>W1200 ST9</b>	-	-	-	-
Superior Matt Pebble	Yes*	<b>U201 ST9*</b>	0101 PE	W300 MP	White 020	-
Superior Matt Reed Green	Yes*	U604 ST9	2223BS	-	-	-
Superior Matt Stone Grey	Yes*	<b>U727 ST9*</b>	K096 SU	U16002 VV	Mineral Grey S.3	-
Superior Matt Taupe	Yes*	<b>U750 ST9*</b>	-	-	-	-
Superior Matt Tuscan Red	Yes*	U335 ST9	-	-	-	-
Superior Matt White Grey	Yes*	<b>U775 ST9*</b>	-	-	-	-
Gloss Aubergine	No (Use Matt White)	-	-	U17503 MP	-	-
Gloss Black	Yes (Matt)	-	0190 PE	U12000 MP	231	-
Gloss Cappuccino	No (Use Matt Ivory)	-	-	-	-	-
Gloss Cashmere	Yes (Matt)	-	5981 PE	U12168 VV	Gris Coco 15R	-
Gloss Cream	Yes (Matt)	-	0514 PE	U11509 VV	Contempo Ivory 88V	L402
Gloss Denim	Yes (Matt)	-	-	-	Steel Blue S.3	-
Gloss Dust Grey	Yes (Matt)	-	0171 PE	-	-	-
Gloss Graphite	Yes (Matt)	-	0164 PE	U12257 MP	Petroleo 188	-
Gloss Heritage Green	Yes (Matt)	U699 ST9	-	-	-	-
Gloss Ivory	Yes (Matt)	U104 ST30*	0564 PE	U11506 VV	Contempo Ivory 88V	-
Gloss Latte	No (Use Matt Ivory)	-	7045 SU	U1343 VV	-	-
Gloss Light Grey	Yes (Matt)	-	0112 PE	U12204 MP	Natural Grey U12	-
Gloss Marine Blue	Yes (Matt)	-	-	-	Azul Nautico Smooth*	-
Gloss Metallic Anthracite	No (Matt Graphite)	U961 ST2	0164 PE	U12257 MP	Petroleo 188	-
Gloss Mussel	Yes (Matt)	-	5982 PE	U15331 VV	Gris Porrin 192	-
Gloss Oyster	No (Use Matt Ivory)	U104 ST30*	0564 PE	U11509 VV	Contempo Ivory 88V	-
Gloss Red	No (Matt)	-	-	-	Rojo Red S.3 172	-
Gloss Slate	Yes (Matt)	-	-	-	-	-
Gloss Stone Grey	Yes (Matt)	-	K096 SU	U16002 VV	Mineral Grey S.3	-
Gloss White	Yes (Matt)	W1000 ST30*	0101 PE	U11015 VV	White 020	B020
Gloss White Grey	Yes (Matt)	-	-	-	-	-

22mm Door Reverse Colour - Available in White or Ivory. Please note if reverse colour is unspecified, Silver reverse will be used as default.

All MFC Board Matches marked in bold are available from O&S Doors Ltd.

\*All Superior Matt matching backs are a colour match only. They do not have a super smooth matt laminate effect finish.

**Important Notice:** These board match references are only suggested options. Customers are strongly advised to obtain samples from their board or cabinet supplier in order to confirm a satisfactory match between the cabinet MFC and PVC door finish.

O&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction between the board and door match. The listed PVC Finishes and board matches are correct at time of printing. Due to unforeseen changes in the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes and reverse boards without prior notice. If a match is of the essence a sample should always be sought first for final approval.

We recommend Pressed or Laminated Panels for the closest match.

# Durable Construction. Handmade Aesthetic. Beautifully Designed. Choose 5 Piece.

5 Piece doors offer the traditional, handmade aesthetic that your customers want, with the added benefits of extra durability and flexibility of design through a wide choice of styles and finishes.

Within our 5 Piece Collection we offer four beautifully designed, shaker style doors, that are each unique in their own right. Whether your customer prefers a classic or more contemporary style, each range is a blank canvas for you to add your own personal touch.



**Harlem**  
8 Legno Finishes  
1 Woodgrain Finish  
See Page 56



**Dylan**  
5 Matt Finishes  
See Page 62



**Fenwick**  
8 Legno Finishes  
See Page 68



**Bastille**  
7 Legno Finishes  
See Page 76



5 Piece

# Harlem | Kitchen Door Sizes



5 Piece | Ex Stock and MTO

5 Piece | Ex Stock and MTO

# Harlem | Colours / Finishes





The Harlem Door has been designed with a 60mm stile width to capture the growing trend for narrower Shaker styles. The centre panel is recessed at just 4.5mm to capture the growing trend for a shallow recess on Shaker style doors. The centre panel will be 12mm thick to achieve a very sturdy and robust door construction.

Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

# Harlem | Door and Drawer Sizes

## Door Specification

Description	5Piece Shaker Style Door with 60mm Stiles
Finish	Wrapped in Legno Embossed Grain Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Embossed Grain Vinyl Provides Extra Durability
Edge	1mm ABS End Caps and Chamfered Edges



Featured in Ethos 5 Piece Brochure



Kitchen Door Sizes			Bedroom Door Sizes			Handleless Rail System Door Sizes						
Doors and Drawer Sizes	EXS	Curved Door Sizes	MTM	Doors and Drawer Sizes	MTM	Curved Door Sizes	MTM	Kitchen Door Sizes	MTM	Bedroom Door Sizes	MTM	
115X596	570X496	715 x 300	MTM	215 x 296	2150 x 346	1495 x 300	MTM	160 x 296	MTM	1400 x 263	1500 x 581	2250 x 563
140X296	570X596	895 x 300	MTM	215 x 396	2150 x 396	1595 x 300	MTM	160 x 396	MTM	1400 x 281	2150 x 263	2250 x 581
140X396	715X146	1245 x 300	MTM	215 x 446	2150 x 446	2150 x 300	MTM	160 x 446	MTM	1400 x 313	2150 x 281	
140X446	715X246	1965 x 300	MTM	215 x 496	2150 x 496	2250 x 300	MTM	160 x 496	MTM	1400 x 331	2150 x 313	
140X496	715X256		MTM	215 x 596	2150 x 596		MTM	160 x 596	MTM	1400 x 363	2150 x 331	
140X596	715X296		MTM	215 x 796	2250 x 296		MTM	160 x 796	MTM	1400 x 381	2150 x 363	
140X796	715X313		MTM	215 x 896	2250 x 346		MTM	160 x 896	MTM	1400 x 413	2150 x 381	
140X896	715X346		MTM	215 x 996	2250 x 396		MTM	160 x 996	MTM	1400 x 431	2150 x 413	
140X996	715X396		MTM	415 x 396	2250 x 446		MTM	325 x 496	MTM	1400 x 463	2150 x 431	
175X396	715X446		MTM	415 x 446	2250 x 496		MTM	325 x 596	MTM	1400 x 481	2150 x 463	
175X496	715X496		MTM	415 x 496	2250 x 596		MTM	325 x 796	MTM	1400 x 513	2150 x 481	
175X596	715X546		MTM	515 x 396			MTM	325 x 896	MTM	1400 x 531	2150 x 513	
283X496	715X596		MTM	515 x 446			MTM	325 x 996	MTM	1400 x 563	2150 x 531	
283X596	895X296		MTM	515 x 496			MTM	490 x 296	MTM	1400 x 581	2150 x 563	
283X796	895X396		MTM	650 x 396			MTM	490 x 396	MTM	1500 x 263	2150 x 581	
283X896	895X446		MTM	650 x 446			MTM	490 x 446	MTM	1500 x 281	2250 x 263	
283X996	895X496		MTM	650 x 496			MTM	490 x 496	MTM	1500 x 313	2250 x 281	
355X496	895X596		MTM	1495 x 396			MTM	490 x 596	MTM	1500 x 331	2250 x 313	
355X596	980X596		MTM	1495 x 446			MTM	685 x 146	MTM	1500 x 363	2250 x 331	
355X796	1060X396		MTM	1495 x 496			MTM	685 x 296	MTM	1500 x 381	2250 x 363	
355X896	1060X496		MTM	1595 x 396			MTM	685 x 315	MTM	1500 x 413	2250 x 381	
355X996	1060X596		MTM	1595 x 446			MTM	685 x 346	MTM	1500 x 431	2250 x 413	
450X596	1245X296		MTM	1595 x 496			MTM	685 x 396	MTM	1500 x 463	2250 x 431	
500X596	1245X396		MTM	1730 x 396			MTM	685 x 446	MTM	1500 x 481	2250 x 463	
570X296	1245X496		MTM	1730 x 446			MTM	685 x 496	MTM	1500 x 513	2250 x 481	
570X396	1245X596		MTM	1730 x 496			MTM	685 x 596	MTM	1500 x 531	2250 x 513	
570X446			MTM	2150 x 296			MTM		MTM	1500 x 563	2250 x 531	

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 40%.  
**Non-Standard Curved Kitchen Door Sizes** - Priced next size up. Curved Kitchen Doors available any height up to 2250mm. Concave Kitchen Doors are not available.  
**5Piece Curved Kitchen Door Specifications** - See page 84.  
**All Standard Kitchen Plain Frame Sizes are supplied Glazed.**  
**Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.**  
**Non-Standard Kitchen Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.


**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.  
**Non-Standard Curved Bedroom Door Sizes** - Priced next size up. Curved Bedroom Doors available any height up to 2250mm. Concave Bedroom Doors are not available.  
**5Piece Curved Bedroom Door Specifications** - See page 84.  
**All Bedroom Frame Sizes are supplied Unglazed.**  
**Top Open Frames are not available.**  
**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Drilling** - Additional charge per hole.

EXS Available Ex Stock. Ready for 48h despatch.

MTM Available Made to Measure. Ready for despatch in 5 working days.

# Harlem | Door Specifications



Harlem Kitchen Door    Harlem Kitchen Glazed Frame    Harlem Kitchen Curved Door    Harlem Pan Drawer

### Harlem Kitchen Doors:

Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 246mm.

### Harlem Drawers:

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See Drawer visual for reference). Drawer sizes between 216 - 225mm are not available.

Minimum Drawer width 246mm.

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

### Harlem Frames:

Ex.Stock Frame sizes are supplied glazed. Top Open Frames are available. Non-Standard Frame sizes are available unglazed.

### Harlem Bedroom Doors:

Bedroom Door sizes between 1735 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 246mm.

### Harlem Curved Doors:

Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 715mm up to 2250mm. Concave Doors are not available. Non-Standard Curved Door sizes are not available.

### Drilling:

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

**Angled Doors are not available.**

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.

**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.

**Curved Bedroom Doors available any height up to 2250mm.**

**Concave Bedroom Doors are not available.**

**Curved Bedroom Door Specifications** - See page 84.


**All Bedroom Frame Sizes are supplied Unglazed.** Top Open Frames are available.

**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.


**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Panelled Bedroom Doors** - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 75mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 60mm mid-rail pieces are included with your order.

**Extra Mid-Rails** - Additional charge per Mid-Rail.






Harlem Bedroom Standard 2 Panel Door    Harlem Bedroom Top Open Frame    Harlem Bedroom Full Open Frame    Harlem Bedroom Curved Door



Harlem Bedroom Single Panel Door No mid-rails included\*    Harlem Bedroom 3 Panel Door Includes 2 separate mid-rail pieces\*    Harlem Bedroom 4 Panel Door Includes 3 separate mid-rail pieces\*    Harlem Bedroom 5 Panel Door Includes 4 separate mid-rail pieces\*

# Harlem | Technical Specifications













































5 Piece | Ex-Stock and MTO

5 Piece | Ex-Stock and MTO

5 Piece | Ex Stock and MTO


5 Piece | Ex Stock and MTO

 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Cornice Quadrant</b> 88mm (L) x 88mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Not available in Marine Blue</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM</p>	
 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM</p>	
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll.</p> <p>EXS</p> <p>Not available in Legno Marine Blue, Legno Taupe and Legno White Grey</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS</p>	
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM</p>	 <p><b>Wall Quad / Base Quad</b> MTM</p> <p>MTM</p>	 <p><b>Stool</b> 400mm (L) x 350mm (W) x 470mm (H)</p> <p>MTM</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p> <p>See page 88 for all full mirror dimensions</p>
 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Flat Laminated Panel</b> 18mm Thick</p> <p><b>Standard Size MM:</b> 785x380 960x650 965x380 2400x650</p> <p>EXS</p>	 <p><b>Return Gable</b> Made to Measure per m2 See page 222 for Order Form</p> <p>MTM</p>	 <p><b>Moulded Top</b> Made to Measure per m2</p> <p>MTM</p>
 <p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>		 <p><b>Modern Canopy</b> 1000mm (L) x 193mm (D) x 525mm (H)</p> <p>MTM</p>		



5 Piece | Ex Stock and MTO



5 Piece | Ex Stock and MTO

The Dylan door has only been with us for a short time as a more durable replacement for Loxley, we have extended our colour range by adding Matt Reed Green.

Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Dylan | Door and Drawer Sizes




Door Specification	
Description	5Piece Shaker Style Door with 75mm Stiles
Finish	Wrapped in Matt Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Subtle Matt Microtexture Vinyl
Edge	1mm ABS End Caps and Chamfered Edges

**EXS**  
6 Ex-Stock  
Matt Finishes

**Micro  
Texture**

**Durable  
Design**



Featured in Ethos  
5Piece Brochure

Kitchen Door Sizes			Bedroom Door Sizes			Handleless Rail System Door Sizes						
Doors and Drawer Sizes	EXS	Curved Door Sizes	MTM	Doors and Drawer Sizes	MTM	Curved Door Sizes	MTM	Kitchen Door Sizes	MTM	Bedroom Door Sizes	MTM	
115X596	570X496	715 x 300	MTM	215 x 296	2150 x 296	1495 x 300	MTM	160 x 296	MTM	1400 x 263	1500 x 563	2250 x 513
140X296	570X596	895 x 300	MTM	215 x 396	2150 x 346	1595 x 300	MTM	160 x 396	MTM	1400 x 281	1500 x 581	2250 x 531
140X396	715X146	1245 x 300	MTM	215 x 446	2150 x 396	2150 x 300	MTM	160 x 446	MTM	1400 x 313	2150 x 263	2250 x 563
140X446	715X246	1965 x 300	MTM	215 x 496	2150 x 446	2250 x 300	MTM	160 x 496	MTM	1400 x 331	2150 x 281	2250 x 581
140X496	715X256		MTM	215 x 596	2150 x 496		MTM	160 x 596	MTM	1400 x 363	2150 x 313	
140X596	715X296		MTM	215 x 796	2150 x 596		MTM	160 x 796	MTM	1400 x 381	2150 x 331	
140X796	715X313		MTM	215 x 896	2250 x 296		MTM	160 x 896	MTM	1400 x 413	2150 x 363	
140X896	715X346		MTM	215 x 996	2250 x 346		MTM	160 x 996	MTM	1400 x 431	2150 x 381	
140X996	715X396		MTM	415 x 396	2250 x 396		MTM	325 x 496	MTM	1400 x 463	2150 x 413	
175X396	715X446		MTM	415 x 446	2250 x 446		MTM	325 x 596	MTM	1400 x 481	2150 x 431	
175X496	715X496	715X396 (Glazed)	MTM	415 x 496	2250 x 496	1495 x 396 (Unglazed)	MTM	325 x 796	MTM	1400 x 513	2150 x 463	
175X596	715X546	715X496 (Glazed)	MTM	515 x 396	2250 x 596	1495 x 496 (Unglazed)	MTM	325 x 896	MTM	1400 x 531	2150 x 481	
283X496	715X596	895X396 (Glazed)	MTM	515 x 446		1595 x 396 (Unglazed)	MTM	325 x 996	MTM	1400 x 563	2150 x 513	
283X596	895X296	895X496 (Glazed)	MTM	515 x 496		1595 x 496 (Unglazed)	MTM	490 x 296	MTM	1400 x 581	2150 x 531	
283X796	895X396	1060X396 (Glazed)	MTM	650 x 396		2150 x 396 (Unglazed)	MTM	490 x 396	MTM	1500 x 263	2150 x 563	
283X896	895X446	1060X496 (Glazed)	MTM	650 x 446		2150 x 496 (Unglazed)	MTM	490 x 446	MTM	1500 x 281	2150 x 581	
283X996	895X496	1060X596 (Glazed)	MTM	650 x 496		2250 x 396 (Unglazed)	MTM	490 x 496	MTM	1500 x 313	2250 x 263	
355X496	895X596		MTM	1495 x 396		2250 x 496 (Unglazed)	MTM	490 x 596	MTM	1500 x 331	2250 x 281	
355X596	980X596		MTM	1495 x 446			MTM	685 x 146	MTM	1500 x 363	2250 x 313	
355X796	1060X396		MTM	1495 x 496			MTM	685 x 296	MTM	1500 x 381	2250 x 331	
355X896	1060X496		MTM	1595 x 396			MTM	685 x 315	MTM	1500 x 413	2250 x 363	
355X996	1060X596		MTM	1595 x 446			MTM	685 x 346	MTM	1500 x 431	2250 x 381	
450X596	1245X296		MTM	1595 x 496			MTM	685 x 396	MTM	1500 x 463	2250 x 413	
500X596	1245X396		MTM	1730 x 396			MTM	685 x 446	MTM	1500 x 481	2250 x 431	
570X296	1245X496		MTM	1730 x 446			MTM	685 x 496	MTM	1500 x 513	2250 x 463	
570X396	1245X596		MTM	1730 x 496			MTM	685 x 596	MTM	1500 x 531	2250 x 481	

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 40%.  
**Non-Standard Curved Kitchen Door Sizes** - Priced next size up.  
**Curved Kitchen Doors available any height up to 2250mm**  
**Concave Kitchen Doors are not available.**  
**5Piece Curved Kitchen Door Specifications** - See page 84.  
**All Standard Kitchen Plain Frame Sizes are supplied Glazed.**  
**Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.**  
**Non-Standard Kitchen Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.  
**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.  
**Curved Bedroom Doors available any height up to 2250mm**  
**Concave Bedroom Doors are not available.**  
**5Piece Curved Bedroom Door Specifications** - See page 84.  
**All Bedroom Frame Sizes are supplied Unglazed.**  
**Top Open Frames are not available.**  
**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.


**Drilling** - Additional charge per hole.

**EXS** Available Ex-Stock. Ready for 48h despatch.


**MTM** Available Made to Measure. Ready for despatch in 5 working days.



# Dylan | Door Specifications



Dylan Kitchen Door    Dylan Kitchen Glazed Frame    Dylan Kitchen Curved Door    Dylan Pan Drawer



Dylan Bedroom Standard 2 Panel Door    Dylan Bedroom Top Open Frame    Dylan Bedroom Full Open Frame    Dylan Bedroom Curved Door



Dylan Bedroom Single Panel Door No mid-rails included\*    Dylan Bedroom 3 Panel Door Includes 3 separate mid-rail pieces\*    Dylan Bedroom 4 Panel Door Includes 3 separate mid-rail pieces\*    Dylan Bedroom 5 Panel Door Includes 4 separate mid-rail pieces\*

## Dylan Kitchen Doors:

Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 246mm.

## Dylan Drawers:

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See Drawer visual for reference). Drawer sizes between 216 - 225mm are not available.

Minimum Drawer width 246mm.

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

MTM Drawers are available.

## Dylan Frames:

Ex.Stock Frame sizes are supplied glazed. Top Open Frames are available. Non-Standard Frame sizes are available. Minimum Frame width is 396mm supplied unglazed.

## Dylan Curved Doors:

Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 715mm up to 2250mm. Concave Doors are not available. Non-Standard Curved Door sizes are not available.

## Drilling:

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

## Angled Doors and Frames are not available.

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.

**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.

**Curved Bedroom Doors available any height up to 2250mm**

**Concave Bedroom Doors are not available.**

**5Piece Curved Bedroom Door Specifications** - See page 84.

**All Bedroom Frame Sizes are supplied Unglazed.**

Top Open Frames are available.

**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.

**MTM Frames** - Supplied as individual pieces and require manual assembly.


**Panelled Bedroom Doors** - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 75mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 75mm mid-rail pieces are included with your order.

## Kitchen and Bedroom Matrix.



**Drilling** - Additional charge per hole.

# Dylan | Technical Specifications

## Dylan Door Cross Section



## Dylan Stile Cross Section



**Rail Edging**  
Matching Heat Transfer Film

**Exterior Face**  
0.2mm Wrapping Grade PVC

**The Core**  
22mm E1 Grade MDF  
FSC / PEFC Accredited

0.2mm Wrapping Grade PVC  
Matching Heat Transfer Film  
0.8mm ABS Edging  
8mm Beech Dowels  
22mm E1 Grade MDF  
Polyurethane Reactive Adhesive

**End Caps**  
1mm ABS Edging with 1mm Radius

**Interior Face**  
0.2mm Wrapping Grade PVC























**Adhesive**  
Polyurethane Reactive Adhesive

















**Centre Panel**  
6mm MDF Board Laminated with 0.2mm PVC  
FSC / PEFC Accredited

**Construction**  
2 x 8mm Beech Dowels  
Glued with PVA Adhesive

5 Piece | Ex-Stock and MTO

5 Piece | Ex-Stock and MTO

 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>		
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM</p>		
 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM</p>			
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>


 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll.</p> <p>EXS</p> <p>Not available in Legno Marine Blue, Legno Taupe and Legno White Grey</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS</p>	
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM</p>	 <p><b>Wall Quad / Base Quad</b> MTM</p> <p>MTM</p>	 <p><b>Stool</b> 400mm (L) x 350mm (W) x 470mm (H)</p> <p>MTM</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p> <p>See page 88 for all full mirror dimensions</p>
 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Flat Laminated Panel</b> 18mm Thick</p> <p><b>Standard Size MM:</b> 785x380 960x650 965x380 2400x650</p> <p>EXS</p>	 <p><b>Return Gable</b> Made to Measure per m2 See page 222 for Order Form</p> <p>MTM</p>	 <p><b>Moulded Top</b> Made to Measure per m2</p> <p>MTM</p>
 <p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>	 <p><b>Modern Canopy</b> 1000mm (L) x 193mm (D) x 525mm (H)</p> <p>MTM</p>			




Door Specification	
Description	5Piece Shaker Style Door with 105mm Stiles
Finish	Wrapped in Solid, Uni-Colour, Legno Grain Embossed Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Embossed Grain Vinyl Provides Extra Durability
Edge	2mm ABS End Caps and Chamfered Edges



**EXS**  
8 Ex.Stock  
Legno Finishes



**MTM**  
Available  
Made to Measure




Uni-Colour  
Vinyl



Embossed  
Texture



Durable  
Construction



Legno White



Legno Ivory




Legno White Grey



Legno Taupe



Legno Light Grey



Legno Dust Grey



Legno Graphite



Legno Marine Blue

**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

# Fenwick | Door and Drawer Sizes



Kitchen Door Sizes				
Doors and Drawer Sizes		EXS	Curved Door Sizes	MTM
115X596	355X796	715X596	715 x 300	
140X296	355X896	895X296	895 x 300	
140X396	355X996	895X396	1245 x 300	
140X446	450X596	895X446	1965 x 300	
140X496	500X596	895X496		
140X596	570X296	895X596		
140X796	570X396	980X596		
140X896	570X446	1060X396		
140X996	570X496	1060X496		
175X396	570X596	1060X596		
175X496	715X146	1245X296		
175X596	715X246	1245X396		
283X496	715X256	1245X496		
283X596	715X296	1245X596		
283X796	715X313	1060 x 496 (Glazed)		
283X896	715X346	1060 x 596 (Glazed)		
283X996	715X396			
355X496	715X446			
355X596	715X496			
355X796	715X546			

Bedroom Door Sizes				
Doors and Drawer Sizes		EXS	Curved Door Sizes	MTM
215 x 296	1595 x 396		1495 x 300	
215 x 396	1595 x 446		1595 x 300	
215 x 446	1595 x 496		2150 x 300	
215 x 496	1730 x 396		2250 x 300	
215 x 596	1730 x 446			
215 x 796	1730 x 496			
215 x 896	2150 x 296			
215 x 996	2150 x 346			
415 x 396	2150 x 396			
415 x 446	2150 x 446			
415 x 496	2150 x 496			
515 x 396	2150 x 596			
515 x 446	2250 x 296			
515 x 496	2250 x 346			
650 x 396	2250 x 396			
650 x 446	2250 x 446			
650 x 496	2250 x 496			
1495 x 396	2250 x 596			
1495 x 446				
1495 x 496				

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.

**Non-Standard Curved Kitchen Door Sizes** - Priced next size up.

**Curved Kitchen Doors available any height up to 2250mm**

**Concave Kitchen Doors are not available.**

**5Piece Curved Kitchen Door Specifications** - See page 84.

**All Standard Kitchen Plain Frame Sizes are supplied Glazed.**

**Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.**

**Non-Standard Kitchen Frame Sizes** - Priced next door size up plus 40%.

**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.

**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.

**Curved Bedroom Doors available any height up to 2250mm**

**Concave Bedroom Doors are not available.**

**5Piece Curved Bedroom Door Specifications** - See page 84.

**All Bedroom Frame Sizes are supplied Unglazed.**

**Top Open Frames are available.**

**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.

**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Panelled Bedroom Doors** - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 75mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 75mm mid-rail pieces are included with your order.


**Extra Mid-Rails** - Additional charge per Mid-Rail.

# Fenwick | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes					
Kitchen Door Sizes		MTM	Bedroom Door Sizes		MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513
			1400 x 581	2150 x 381	2250 x 531
			1500 x 263	2150 x 413	2250 x 563
			1500 x 281	2150 x 431	2250 x 581
			1500 x 313	2150 x 463	
			1500 x 331	2150 x 481	
			1500 x 363	2150 x 513	
			1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.



Plain Panel (18mm thick)



Internal Corner Post 685 x 70 x 70mm



External Corner Post 685 x 46 x 46mm



Save time & money with **automatic pricing** through our online ordering service.



Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 212 for full range of heat deflector sizes.



Available Ex-Stock. Ready for 48h despatch.



Available Made to Measure. Ready for despatch in 5 working days.



Fenwick Kitchen Door

Fenwick Kitchen Glazed Frame

Fenwick Kitchen Curved Door

Fenwick Drawer

Fenwick Pan Drawer

Fenwick Bedroom Standard 2 Panel Door

Fenwick Bedroom Top Open Frame

Fenwick Bedroom Full Open Frame

Fenwick Bedroom Curved Door

Fenwick Bedroom Single Panel Door  
No mid-rails included\*

Fenwick Bedroom 3 Panel Door  
Includes 2 separate mid-rail pieces\*

Fenwick Bedroom 4 Panel Door  
Includes 3 separate mid-rail pieces\*

Fenwick Bedroom 5 Panel Door  
Includes 4 separate mid-rail pieces\*

### Fenwick Kitchen Doors:

Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. The centre panel grain direction will always be vertical. Minimum Door width 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM in height only.

### Fenwick Drawers:

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See drawer visual for reference).

MTM height Drawers are manufactured from the next nearest profile size (115, 140, 175 and 215mm high) with the bottom cut and edged. This edge should always be placed at the bottom during installation. Drawers are supplied with horizontal grain.

Minimum Drawer width 246mm. Drawers are not available between 216 - 219mm high.

Pan Drawer sizes between 220 - 355mm high are supplied as 5-piece. The centre panel grain direction will always be vertical. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

### Fenwick Frames:

Full Open Frames between 250 - 2400mm high are supplied as single panels as standard.

Top Open Frames are available.

Standard Kitchen Frame sizes are supplied glazed. Non-Standard Frame Sizes are supplied unglazed.

MTM Frames are supplied as individual pieces and require manual assembly.

Minimum Frame width is 246mm.

### Fenwick Curved Doors:

Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Doors are supplied with a 105mm mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. The centre panel grain direction will always be vertical.

Concave Doors are not available.

### Fenwick Bedroom Doors:

Bedroom Door sizes between 1735 - 2400mm high are supplied as single panels with a separate 105mm mid-rail as standard. The mid-rail must then be attached manually during installation.




\*Panelled Bedroom Doors must clearly state 3, 4 or 5 when ordering to ensure the extra 105mm mid-rail pieces are included with your order.

The centre panel grain direction will always be vertical. Minimum Door width is 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM height only.

### Drilling:

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

Angled Doors and Frames are not available.














































5 Piece | Ex Stock and MTO

5 Piece | Ex Stock and MTO

5 Piece | Ex Stock and MTO

5 Piece | Ex Stock and MTO


 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Cornice Quadrant</b> 88mm (L) x 88mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM</p>	
 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM</p>	
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll.</p> <p>EXS</p> <p>Not available in Legno Marine Blue, Legno Taupe and Legno White Grey</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS</p>											
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM</p>	 <p><b>Wall Quad / Base Quad</b> MTM</p> <p>MTM</p>	 <p><b>Stool</b> 400mm (L) x 350mm (W) x 470mm (H)</p> <p>MTM</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p> <p>See page 88 for all full mirror dimensions</p>										
 <p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>	 <p><b>Flat Laminated Panel</b> 18mm Thick</p> <p><b>Standard Size MM:</b> 785X380 960X650 965X380 2400X650</p> <p>EXS</p>	 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 380mm 900 x 650mm 900 x 1200mm 965 x 380mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Moulded Top</b> Made to Measure per m2</p> <p>MTM</p>										
 <p><b>Modern Canopy</b> 1000mm (L) x 193mm (D) x 525mm (H)</p> <p>MTM</p>	 <p><b>Headboards</b> MTM per m2</p> <p>5Piece Headboards are supplied as single panels in design of your chosen door style as standard. Panelled Headboards must be clearly specified when ordering.</p> <p>Height Range: 500mm - 900mm Width Range: 915mm - 1830mm</p> <table border="1"> <thead> <tr> <th>Standard Size MM:</th> <th>Panel Availability:</th> </tr> </thead> <tbody> <tr> <td>3ft Headboard / 915mm</td> <td>Single Panel</td> </tr> <tr> <td>4ft Headboard / 1208mm</td> <td>Single &amp; 2 Panel</td> </tr> <tr> <td>4.6ft Headboard / 1371mm</td> <td>Single, 2 &amp; 3 Panel</td> </tr> <tr> <td>5ft Headboard / 1510mm</td> <td>Single, 2, 3 &amp; 4 Panel</td> </tr> <tr> <td>6ft Headboard / 1830mm</td> <td>Single, 2, 3 &amp; 4 Panel</td> </tr> </tbody> </table>	Standard Size MM:	Panel Availability:	3ft Headboard / 915mm	Single Panel	4ft Headboard / 1208mm	Single & 2 Panel	4.6ft Headboard / 1371mm	Single, 2 & 3 Panel	5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel	6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel	 <p><b>Return Gable</b> Made to Measure per m2 See page 222 for Order Form</p> <p>MTM</p>
Standard Size MM:	Panel Availability:													
3ft Headboard / 915mm	Single Panel													
4ft Headboard / 1208mm	Single & 2 Panel													
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel													
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel													
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel													




Door Specification	
Description	5Piece Beaded Shaker Style Door with 84mm Stiles
Finish	Wrapped in Solid, Uni-Colour, Legno Grain Embossed Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	French-Cut Door Construction Provides Extra Durability
Edge	2mm ABS End Caps and Chamfered Edges

- 


**EXS**  
8 Ex.Stock  
Legno Finishes
- 

**MTM**  
Available  
Made to Measure
- 

Uni-Colour  
Vinyl
- 

Embossed  
Texture
- 

Durable  
Construction




Featured in Ethos  
5Piece Brochure




Legno White Grey



Legno Taupe




Legno Light Grey



Legno Dust Grey



Legno Reed Green



Legno Graphite



Legno Evergreen



Legno Indigo

The Bastille Door colour offering is being expanded with the addition of three new colours Legno Reed Green and Legno Evergreen.

**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

**EXS** Available Ex.Stock.  
Ready for 48h despatch.

**MTM** Available Made to Measure.  
Ready for despatch in 5 working days.

# Bastille | Door and Drawer Sizes



Kitchen Door Sizes				
Doors and Drawer Sizes		EXS	Curved Door Sizes	MTM
115X596	355X896	895X296	715 x 300	
140X296	355X996	895X396	895 x 300	
140X396	450X596	895X446	1245 x 300	
140X446	500X596	895X496	1965 x 300	
140X496	570X296	895X596		
140X596	570X396	980X596		
140X796	570X446	1060X396		
140X896	570X496	1060X496		
140X996	570X596	1060X596		
175X396	715X146	1245X296	715X396 (Glazed)	
175X496	715X246	1245X396	715X496 (Glazed)	
175X596	715X256	1245X496	895X396 (Glazed)	
283X496	715X296	1245X596	895X496 (Glazed)	
283X596	715X313		1060X396 (Glazed)	
283X796	715X346		1060X496 (Glazed)	
283X896	715X396		1060X596 (Glazed)	
283X996	715X446			
355X496	715X496			
355X596	715X546			
355X796	715X596			

Bedroom Door Sizes				
Doors and Drawer Sizes		MTM	Curved Door Sizes	MTM
215 x 296	1595 x 396	1495 x 300		
215 x 396	1595 x 446	1595 x 300		
215 x 446	1595 x 496	2150 x 300		
215 x 496	1730 x 396	2250 x 300		
215 x 596	1730 x 446			
215 x 796	1730 x 496			
215 x 896	2150 x 296			
215 x 996	2150 x 346			
415 x 396	2150 x 396			
415 x 446	2150 x 446			
415 x 496	2150 x 496			
515 x 396	2150 x 596			
515 x 446	2250 x 296			
515 x 496	2250 x 346			
650 x 396	2250 x 396			
650 x 446	2250 x 446			
650 x 496	2250 x 496			
1495 x 396	2250 x 596			
1495 x 446				
1495 x 496				

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 40%

**Drilling** - Additional charge per hole.

**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up  
**Curved Kitchen Doors available any height up to 2250mm**  
**Concave Kitchen Doors are not available.**

**5Piece Curved Kitchen Door Specifications** - See page 84.

**All Standard Kitchen Plain Frame Sizes are supplied Glazed.**  
**Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.**  
**Non-Standard Kitchen Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%

**Drilling** - Additional charge per hole.

**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up  
**Curved Bedroom Doors available any height up to 2250mm**  
**Concave Bedroom Doors are not available.**

**5Piece Curved Bedroom Door Specifications** - See page 84.


**All Bedroom Frame Sizes are supplied Unglazed.**  
**Top Open Frames are not available.**  
**Non-Standard Bedroom Frame Sizes** - Priced next door size up.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

# Bastille | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes					
Kitchen Door Sizes		MTM	Bedroom Door Sizes		MTM
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563	
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581	
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263	
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281	
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313	
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331	
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363	
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381	
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413	
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431	
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463	
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481	
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513	
		1400 x 581	2150 x 381	2250 x 531	
		1500 x 263	2150 x 413	2250 x 563	
		1500 x 281	2150 x 431	2250 x 581	
		1500 x 313	2150 x 463		
		1500 x 331	2150 x 481		
		1500 x 363	2150 x 513		
		1500 x 381	2150 x 531		

**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Internal Corner Post  
685 x 70 x 70mm



External Corner Post  
685 x 46 x 46mm



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 212 for full range of heat deflector sizes.




# Bastille | Door Specifications



Bastille Kitchen Door    Bastille Kitchen Glazed Frame    Bastille Kitchen Curved Door    Bastille Pan Drawer



Bastille Bedroom Standard 2 Panel Door    Bastille Bedroom Top Open Frame    Bastille Bedroom Frame    Bastille Bedroom 2 Panel Curved Door



Bastille Bedroom Single Panel Door No mid-rails included\*    Bastille Bedroom 3 Panel Door Includes 2 separate mid-rail pieces\*    Bastille Bedroom 4 Panel Door Includes 3 separate mid-rail pieces\*    Bastille Bedroom 5 Panel Door Includes 4 separate mid-rail pieces\*

**Bastille Kitchen Doors:**  
Kitchen Door sizes between 283 - 2400mm high are supplied 5-piece as standard. The centre panel grain direction will always be vertical.

Minimum Door width 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM in height only.  
Mid-Rails are available.

**Bastille Drawers:**  
Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See drawer visual for reference).

MTM height Drawers are manufactured from the next nearest profile size (115, 140, 146, 175 and 215mm high) with the bottom cut and edged. This edge should always be placed at the bottom during installation. Drawers are supplied with horizontal grain.

Minimum Drawer width 246mm. Drawers are not available between 216 - 283mm high.  
Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. The centre panel grain direction will always be vertical. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Bastille Frames:**  
Full Open Frames between 283 - 2400mm high are supplied as single panels as standard. It's important to always specify either Full Open Frame when ordering to ensure your order is processed correctly.

Top Open Frames are available.  
Georgian Frames are not available.

Standard Kitchen Frame sizes are supplied glazed.  
Non-Standard Frame Sizes are supplied unglazed.

Non-Standard MTM Frames are supplied as individual pieces and require manual assembly.

Minimum Frame width is 246mm.

**Bastille Curved Doors:**  
Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Doors are supplied as single panels as standard. The centre panel grain direction will always be vertical.

Mid-Rails are available.  
Concave Doors are not available.

**Bastille Bedroom Doors:**  
Bedroom Door sizes between 1735 - 2400mm high are supplied as single panels with a separate 105mm mid-rail as standard. The mid-rail must then be attached manually during installation.

\*Panelled Bedroom Doors must clearly state 3, 4 or 5 when ordering to ensure the extra 105mm mid-rail pieces are included with your order.


The centre panel grain direction will always be vertical. Minimum Door width is 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM height only.

**Drilling:**  
All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.



**Angled Doors and Frames are not available.**

# Bastille | Technical Specifications

## Bastille Door Cross Section













































## Bastille Stile Cross Section



5 Piece | Ex-Stock and MTO

5 Piece | Ex-Stock and MTO

 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Cornice Quadrant</b> 88mm (L) x 88mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM</p>	
 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS Limited Finishes. See Page 46.</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM</p>	
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)</p> <p>EXS</p>


 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll.</p> <p>EXS Not available in Legno White Grey, Legno Taupe, Legno Marine Blue, Legno Indigo and Legno Evergreen</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS Not available in Legno Indigo and Legno Evergreen</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS</p>													
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM</p>	 <p><b>Wall Quad / Base Quad</b> MTM</p> <p>MTM</p>	 <p><b>Stool</b> 400mm (L) x 350mm (W) x 470mm (H)</p> <p>MTM</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>												
See page 88 for all full mirror dimensions																
 <p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>	 <p><b>Modern Canopy</b> 1000mm (L) x 193mm (D) x 525mm (H)</p> <p>MTM</p>	 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Moulded Top</b> Made to Measure per m2</p> <p>MTM</p>												
 <p><b>Flat Laminated Panel</b> 18mm Thick</p> <p><b>Standard Size MM:</b> 785X380 960X650 965X380 2400X650</p> <p>EXS</p>	 <p><b>Headboards</b> MTM per m2.</p> <p>5Piece Headboards are supplied as single panels in design of your chosen door style as standard. Panelled Headboards must be clearly specified when ordering.</p> <p>Height Range: 500mm - 900mm Width Range: 915mm - 1830mm</p>	<table border="1"> <thead> <tr> <th>Standard Size MM:</th> <th>Panel Availability:</th> </tr> </thead> <tbody> <tr> <td>3ft Headboard / 915mm</td> <td>Single Panel</td> </tr> <tr> <td>4ft Headboard / 1208mm</td> <td>Single Panel</td> </tr> <tr> <td>4.6ft Headboard / 1371mm</td> <td>Single Panel</td> </tr> <tr> <td>5ft Headboard / 1510mm</td> <td>Single Panel</td> </tr> <tr> <td>6ft Headboard / 1830mm</td> <td>Single Panel</td> </tr> </tbody> </table>			Standard Size MM:	Panel Availability:	3ft Headboard / 915mm	Single Panel	4ft Headboard / 1208mm	Single Panel	4.6ft Headboard / 1371mm	Single Panel	5ft Headboard / 1510mm	Single Panel	6ft Headboard / 1830mm	Single Panel
Standard Size MM:	Panel Availability:															
3ft Headboard / 915mm	Single Panel															
4ft Headboard / 1208mm	Single Panel															
4.6ft Headboard / 1371mm	Single Panel															
5ft Headboard / 1510mm	Single Panel															
6ft Headboard / 1830mm	Single Panel															

## 5 Piece | Curved Door Specifications

5Piece Curved Doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

Curved Doors are supplied with a single mid-rail positioned at 660mm high as standard. This is measured from the bottom of the door to the bottom of the mid-rail. The mid-rail position can be changed if necessary and must be clearly stated when ordered as it cannot be moved afterwards.

5 Piece Concave Doors are not available.



## 5 Piece | RAL Colour Match References

O&S Doors Vinyl Colour	RAL Colour Match
Legno White (Fenwick)	RAL 9003
Legno Ivory (Fenwick)	RAL 095 93 05
Legno Taupe (Harlem / Fenwick / Bastille)	RAL 090 85 05
Legno White Grey (Harlem / Fenwick / Bastille)	RAL 000 90 00
Legno Light Grey (Harlem / Fenwick / Bastille)	RAL 000 80 00
Legno Dust Grey (Harlem / Fenwick / Bastille)	RAL 000 60 00
Legno Graphite (Fenwick / Bastille)	RAL 000 30 00
Legno Marine Blue (Fenwick)	RAL 260 20 15
Legno Indigo (Harlem / Bastille)	RAL 280 20 05
Legno Reed Green (Harlem / Bastille)	RAL 1406005
Legno Evergreen (Harlem / Bastille)	RAL 180 20 10
Legno Black (Harlem)	RAL 000 15 00
Urban Oak Woodgrain	N/A

O&S Doors Vinyl Colour	RAL Colour Match
Matt White Grey (Dylan)	RAL 000 90 00
Matt Light Grey (Dylan)	RAL 080 80 00
Matt Dust Grey (Dylan)	RAL 000 65 00
Matt Taupe (Dylan)	RAL 080 80 05
Matt Indigo (Dylan)	RAL 280 20 05
Matt Reed Green (Dylan)	RAL 1406005

**Important Notice:** These RAL Colour match references are suggested options only. They are the closest RAL colour match to our vinyl colour, but please note they are not exact matches. Customers are strongly advised to obtain swatch samples to confirm a satisfactory colour match.

The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes without prior notice.


## 5 Piece | Moulding Specifications

Moulding Finish Availability Index		Classic Cornice	Modern Cornice / Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Plaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
Harlem	Legno White Grey	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Taupe	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Indigo	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Reed Green	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Evergreen	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Black	●	●	●	●	●	●	●	●	●	●	×	●	●
Urban Oak	●	●	●	●	●	●	●	●	●	●	×	×	●	
Dylan	Matt White Grey	●	●	●	●	●	●	×	●	×	●	●	●	●
	Matt Taupe	●	●	●	●	●	●	×	●	×	●	●	●	●
	Matt Light Grey	●	●	●	●	●	●	●	●	×	●	●	●	●
	Matt Dust Grey	●	●	●	●	●	●	×	●	×	●	●	●	●
	Matt Indigo	●	●	●	●	●	●	×	●	×	●	●	●	●
	Matt Reed Green	●	●	●	●	●	●	×	●	×	●	●	●	●
Fenwick	Legno White	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Ivory	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Taupe	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno White Grey	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Graphite	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Marine Blue	●	●	●	●	●	●	●	●	●	●	×	●	×
Bastille	Legno White Grey	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Taupe	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Graphite	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Indigo	●	●	●	●	●	●	●	●	●	●	×	●	●
Legno Reed Green	●	●	●	●	●	●	●	●	●	●	×	●	●	
Legno Evergreen	●	●	●	●	●	●	●	●	●	●	×	●	●	


● Available Ex.Stock    × Not Available    ● Available Pressed to Order

\*Edging Tape matches for Superior Matt finishes are colour matches only. They do not have a super smooth matt laminate effect finish.


## 5 Piece | Moulding Specifications




**Classic Cornice**  
3050mm Lengths




**Curved Classic Cornice**  
386mm (L) x 386mm (W) x 63mm (H)




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W) x 63mm (H)




**Tangent Cornice**  
3050mm (L) x 72mm (W) x 44mm (H)




**Curved Tangent Cornice**  
400mm (L) x 400mm (W) x 44mm (H)




**Tangent Cornice Quadrant**  
88mm (L) x 88mm (W) x 44mm (H)




**Modern Cornice / Pelmet**  
3050mm Lengths




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W) x 30mm (H)




**Modern Cornice / Pelmet Quadrant**  
220mm (L) x 220mm (W) x 30mm (H)




**Plain Plinth**  
3050mm Lengths



**Curved Plain Plinth**  
300mm (L) x 300mm (W) x 150mm (H)




**Torus Plinth**  
3050mm Lengths




**Curved Torus Plinth**  
300mm (L) x 300mm (W) x 150mm (H)


## 5 Piece | Moulding Specifications




**Radius Profile**  
3050mm Lengths




**Square Pilaster**  
3050mm Lengths




**MTM Corner Post**  
715mm (150 x 150mm Max)




**Tangent Pelmet**  
3050mm Lengths




**Curved Tangent Pelmet**  
300mm (L) x 300mm (W) x 150mm (H)




**Shelf Bracket**  
180mm (L) x 37mm (W) 210mm (H)




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)



**Fluted Rail**  
2500mm (L) x 18mm (W) x 60mm (H)



**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)







**Modern Canopy**  
1000mm (W) x 193mm (D) x 525mm (H)


5 Piece | ExStock and MTO

5 Piece | ExStock and MTO


## 5 Piece | Bedroom Accessory Specifications

5Piece Headboard Specifications		
Headboard Type		Height Range MM
Single Panel		500mm — 900mm 915mm — 1830mm
2 Panel		500mm — 900mm 915mm — 1830mm
3 Panel		500mm — 900mm 1371mm — 1830mm
4 Panel		500mm — 900mm 1510mm — 1830mm

**Headboards:** All Headboards are supplied rectangular using the design of door style ordered. All Headboards will be supplied as single panels unless otherwise specified.  
**Bastille Headboards** - Available as single panels ONLY.



**Single Square Mirror:** Single Square Mirrors are supplied fully assembled.



**Oval Mirror:** Oval Mirrors are supplied fully assembled.

## 5 Piece | Board Match Specifications

MDF Board Match References		Recommended MFC Board Match References				
Vinyl Colour	Egger	Kronospan	Pfleiderer	Finsa	Sonae	
Harlem	Legno White	W980 ST19	0101 GC	<b>U11015 MO*</b>	White 020	B020
	Legno Light Grey	U708 ST19	0112 GC	<b>U12204 MO*</b>	Natural Grey U12	-
	Legno Dust Grey	-	<b>0171 GC*</b>	U12150 MO	Gris Tormenta S.3	-
	Legno Taupe	<b>U750 ST19*</b>	-	-	-	-
	Legno Indigo	<b>U599 ST19*</b>	-	-	-	-
	Legno Reed Green	-	-	-	-	-
	Legno Evergreen	<b>U699 ST19*</b>	-	-	-	-
	Legno Black	<b>U999 ST19*</b>	-	-	-	-
	Urban Oak	-	<b>K005 PW</b>	-	-	-
Dylan	Matt White Grey	<b>U775 ST9*</b>	-	-	-	-
	Matt Taupe	<b>U750 ST9*</b>	-	-	-	-
	Matt Light Grey	<b>U708 ST9*</b>	0112 PE	U12204 MP	Natural Grey U12	-
	Matt Dust Grey	U732 ST9	0171 PE	-	<b>Gris Tormenta S.3*</b>	-
	Matt Indigo	-	-	-	<b>Azul Nautico Smooth*</b>	-
	Matt Reed Green	-	-	-	-	-
Fenwick	Legno White	W980 ST27	0101 GC	<b>U11015 MO*</b>	White 020	B020
	Legno Ivory	U104 ST27	<b>7031 GC*</b>	U11506 MO	Contempo Ivory 88V	L402
	Legno Taupe	<b>U750 ST19*</b>	-	-	-	-
	Legno White Grey	<b>U775 ST19*</b>	-	-	-	-
	Legno Light Grey	U708 ST27	0112 GC	<b>U12204 MO*</b>	Natural Grey U12	-
	Legno Dust Grey	-	<b>0171 GC*</b>	U12150 MO	Gris Tormenta S.3	-
	Legno Graphite	<b>U961 ST19*</b>	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
	Legno Marine Blue	-	-	-	<b>Azul Nautico Grained*</b>	-
Bastille	Legno White Grey	<b>U775 ST19*</b>	-	-	-	-
	Legno Light Grey	U708 ST27	0112 GC	<b>U12204 MO*</b>	Natural Grey U12	-
	Legno Dust Grey	-	<b>0171 GC*</b>	U12150 MO	Gris Tormenta S.3	-
	Legno Taupe	<b>U750 ST19*</b>	-	-	-	-
	Legno Graphite	<b>U961 ST19*</b>	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
	Legno Indigo	<b>U599 ST19*</b>	-	-	-	-
	Legno Evergreen	<b>U699 ST19*</b>	-	-	-	-

\*All MFC Board Matches marked in bold are available to order from O&S Doors Ltd, only supplied to Island of Ireland.

**Important Notice:** These board match references are only suggested options. Customers are strongly advised to obtain samples from their board or cabinet supplier in order to confirm a satisfactory match between the cabinet MFC and 5 Piece door finish.


O&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction between the board and door match. The listed finishes and board matches are correct at time of printing. Due to unforeseen changes in the supply chain, O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes and reverse boards without prior notice. If a match is of the essence a sample should always be sought first for final approval.

We recommend Pressed or Laminated Panels for the closest match.

# Distinctive Edging. Streamlined Aesthetics. Premium Finishes. Choose Edged.



The Edged Collection provides a range of contemporary door styles, designed with versatility and functionality in mind. Each door is compatible with the integrated Zenith handle.



**Phoenix**  
High Gloss Acrylic Finishes  
See Page 92



**Tribeca**  
Superior Matt Finishes  
Page 98




**Vaasa**  
MFC Finishes  
See Page 104



**Mather**  
Legno MFC Finishes  
Page 110






**Door Specification**

Description	Flat Bonded Gloss Foil Laminated Door
Finish	Available in Ultra High Gloss and Metallic Finishes.
Door Thickness	18mm Thick
Base Material	MDF Core
Special Features	High Scratch Resistance and Highly Durable Core
Edge	1mm ABS Edge with a choice of Matching, Multiplex or Glass Effect.

-   
**Available Made to Measure**
-   
**8 High Gloss Finishes**
-   
**High Gloss Finish**
-   
**Various Edging Options**
-   
**Integrated Handle Options**

**Edging Options**




Featured in Ethos Edged Brochure



**Compatible with the integrated Zenith Handle**

See page 232 for sizes and technical specifications.



**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

# Phoenix | Door and Drawer Sizes



## Kitchen Door Sizes

Doors and Drawer Sizes		
115 x 596	355 x 496	715 x 546
140 x 296	355 x 596	715 x 596
140 x 396	355 x 796	895 x 296
140 x 446	355 x 896	895 x 396
140 x 496	355 x 996	895 x 446
140 x 596	450 x 596	895 x 496
140 x 796	500 x 596	895 x 596
140 x 896	570 x 296	980 x 596
140 x 996	570 x 396	1060 x 396
175 x 396	570 x 446	1060 x 496
175 x 496	570 x 496	1060 x 596
175 x 596	570 x 596	1245 x 296
175 x 796	715 x 146	1245 x 396
175 x 896	715 x 246	1245 x 446
175 x 996	715 x 296	1245 x 496
283 x 496	715 x 313	1245 x 596
283 x 596	715 x 346	
283 x 796	715 x 396	
283 x 896	715 x 446	
283 x 996	715 x 496	

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H)  
**Maximum Width MTM** - 1200mm (W)  
**Drilling** - Additional charge per hole.

**Curved Kitchen Doors Not Available.**  
**Concave Kitchen Doors Not Available.**

**Kitchen Frames Not Available**  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Zenith Handle Rebate** - Priced as door size plus 7.5%.  
**Letterbox Routing** - Priced as door size plus 4%.

## Bedroom Door Sizes

Doors and Drawer Sizes		
215 x 296	650 x 396	2150 x 396
215 x 396	650 x 446	2150 x 446
215 x 446	650 x 496	2150 x 496
215 x 496	650 x 596	2150 x 596
215 x 546	1495 x 296	2250 x 296
215 x 596	1495 x 396	2250 x 396
215 x 796	1495 x 446	2250 x 446
215 x 896	1495 x 496	2250 x 496
215 x 996	1495 x 596	2250 x 596
415 x 296	1595 x 296	2400 x 296
415 x 396	1595 x 396	2400 x 396
415 x 446	1595 x 446	2400 x 446
415 x 496	1595 x 496	2400 x 496
415 x 596	1595 x 596	2400 x 596
535 x 296	1735 x 296	
535 x 396	1735 x 396	
535 x 446	1735 x 446	
535 x 496	1735 x 496	
535 x 596	1735 x 596	
650 x 296	2150 x 296	

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H)  
**Maximum Width MTM** - 1200mm (W)  
**Drilling** - Additional charge per hole.

**Curved Bedroom Doors Not Available.**  
**Concave Bedroom Doors Not Available.**

**Bedroom Frames Not Available**  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.


# Phoenix | Handleless Rail System Door Sizes




## Handleless Rail System Door Sizes

Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.



**Plain Panel**  
(18mm thick)



**Cloaking End Panel**  
80mm Minimum End Width



See page 240 for order form



**Internal Corner Post**  
685 x 70 x 70mm



**External Corner Post**  
685 x 46 x 46mm



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 226 for full range of heat deflector sizes.




## Phoenix | Door Specifications



## Phoenix | Technical Specifications



## Phoenix | Accessories



Phoenix Kitchen Featured in High Gloss Cashmere



Edged | MTM

Edged | MTM



**Door Specification**

Description	Flat Bonded Door
Finish	Available in a range of Superior Matt Finishes
Door Thickness	18mm Thick
Base Material	18mm E1 Grade MDF Board
Special Features	High Scratch Resistance, Highly Durable Core, Anti-Fingerprint Surface
Edge	1mm ABS Edging with a choice of Matching or Multiplex Finish

-   
 Available Made to Measure
-   
 14 Superior Matt Finishes
-   
 Silky Smooth Soft Touch
-   
 Various Edging Options
-   
 Integrated Handle Options



Superior Matt Porcelain

Superior Matt White Grey

Superior Matt Taupe Grey

Superior Matt Pebble

NEW

Superior Matt Stone Grey

Superior Matt Antique Rose

Superior Matt Light Grey

Superior Matt Dust Grey

NEW

Superior Matt Graphite

Superior Matt Reed Green


Superior Matt Heritage Green

Superior Matt Marine Blue

Superior Matt Indigo

Superior Matt Black

**Edging Options**



Compatible with the integrated Zenith Handle

See page 232 for sizes and technical specifications.



# Tribeca | Door and Drawer Sizes



## Kitchen Door Sizes

Doors and Drawer Sizes		
115 x 596	355 x 496	715 x 546
140 x 296	355 x 596	715 x 596
140 x 396	355 x 796	895 x 296
140 x 446	355 x 896	895 x 396
140 x 496	355 x 996	895 x 446
140 x 596	450 x 596	895 x 496
140 x 796	500 x 596	895 x 596
140 x 896	570 x 296	980 x 596
140 x 996	570 x 396	1060 x 396
175 x 396	570 x 446	1060 x 496
175 x 496	570 x 496	1060 x 596
175 x 596	570 x 596	1245 x 296
175 x 796	715 x 146	1245 x 396
175 x 896	715 x 246	1245 x 446
175 x 996	715 x 296	1245 x 496
283 x 496	715 x 313	1245 x 596
283 x 596	715 x 346	
283 x 796	715 x 396	
283 x 896	715 x 446	
283 x 996	715 x 496	

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H).  
**Maximum Width MTM** - 1200mm (W).

**Curved Kitchen Doors Not Available.**  
**Concave Kitchen Doors Not Available.**

**Kitchen Frames Not Available.**  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Zenith Handle Rebate** - Priced as door size plus 7.5%.  
**Letterbox Routering** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

## Bedroom Door Sizes

Doors and Drawer Sizes		
215 x 296	650 x 396	2150 x 396
215 x 396	650 x 446	2150 x 446
215 x 446	650 x 496	2150 x 496
215 x 496	650 x 596	2150 x 596
215 x 546	1495 x 296	2250 x 296
215 x 596	1495 x 396	2250 x 396
215 x 796	1495 x 446	2250 x 446
215 x 896	1495 x 496	2250 x 496
215 x 996	1495 x 596	2250 x 596
415 x 296	1595 x 296	2400 x 296
415 x 396	1595 x 396	2400 x 396
415 x 446	1595 x 446	2400 x 446
415 x 496	1595 x 496	2400 x 496
415 x 596	1595 x 596	2400 x 596
535 x 296	1735 x 296	
535 x 396	1735 x 396	
535 x 446	1735 x 446	
535 x 496	1735 x 496	
535 x 596	1735 x 596	
650 x 296	2150 x 296	

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H).  
**Maximum Width MTM** - 1200mm (W).

**Curved Bedroom Doors Not Available.**  
**Concave Bedroom Doors Not Available.**

**Bedroom Frames Not Available.**  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routering** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

**MTM** Available Made to Measure.  
 Ready for despatch in 5 working days.

# Tribeca | Handleless Rail System Door Sizes



## Handleless Rail System Door Sizes

Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	


See page 236 for Handleless Rail System Kitchen and Bedroom Matrix.  
**Drilling** - Additional charge per hole.

Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)




**Plain Panel**  
 (18mm thick)




**Cloaking End Panel**  
 80mm Minimum End Width



See page 240 for order form



**Internal Corner Post**  
 685 x 70 x 70mm



**External Corner Post**  
 685 x 46 x 46mm



**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 226 for full range of heat deflector sizes.




Edged | MTM

Edged | MTM


## Tribeca | Door Specifications



## Tribeca | Technical Specifications



## Tribeca | Accessories













Door Specification	
Description	Flat Bonded Melamine Door
Finish	Available in a range of Gloss, Smooth Matt and Tactile Finishes
Door Thickness	18mm Thick
Base Material	MFC Core
Special Features	High Scratch Resistance and Highly Durable Core
Edge	Matching 0.8mm ABS Edging.

-   
**Available Made to Measure**
-   
**24 MFC Finishes**
-   
**Embossed Textures**
-   
**Integrated Handle Options**
-   
**High Scratch Resistance**



Material Effect / Available MTM

				
Sand Grey Halifax Oak H1336 ST37	White Halifax Oak H1176 ST37	Shorewood H3090 ST22	Natural Halifax Oak H1180 ST37	Natural Kendal Oak H3170 ST12
				
Urban Oak K005PW	Grey Bardolino Oak H1146 ST10	Lincoln Walnut H1714 ST19	Anthracite Metal Fabric F461 ST10 While Stock Lasts	Light Grey Concrete F186 ST9
				
Cupria Slate F237 ST76				

Matt / Available MTM

				
Premium White W1000 ST9	Porcelain W1200 ST9	White Grey U775 ST9	Light Grey U708 ST9	Dust Grey U732 ST9
				
Alabaster U104 ST9	Pebble U201 ST9	Taupe Grey U750 ST9	Cashmere Grey U702 ST9	Stone Grey U727 ST9
				
Denim Blue U540 ST9	Indigo Blue U599 ST9	NEW Fir Green (Evergreen) U699 ST9	NEW Reed Green U604 ST9	

Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

# Vaasa | Door and Drawer Sizes



## Kitchen Door Sizes

Doors and Drawer Sizes		
115 x 596	355 x 496	715 x 546
140 x 296	355 x 596	715 x 596
140 x 396	355 x 796	895 x 296
140 x 446	355 x 896	895 x 396
140 x 496	355 x 996	895 x 446
140 x 596	450 x 596	895 x 496
140 x 796	500 x 596	895 x 596
140 x 896	570 x 296	980 x 596
140 x 996	570 x 396	1060 x 396
175 x 396	570 x 446	1060 x 496
175 x 496	570 x 496	1060 x 596
175 x 596	570 x 596	1245 x 296
175 x 796	715 x 146	1245 x 396
175 x 896	715 x 246	1245 x 446
175 x 996	715 x 296	1245 x 496
283 x 496	715 x 313	1245 x 596
283 x 596	715 x 346	
283 x 796	715 x 396	
283 x 896	715 x 446	
283 x 996	715 x 496	

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2750mm (H).  
**Maximum Width MTM** - 2000mm (W).  
**Horizontal Grain** - Priced as door size plus 20%.

**Curved Kitchen Doors Not Available.**  
**Concave Kitchen Doors Not Available.**

**Kitchen Frames Not Available.**  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Zenith Handle Rebate** - Priced as door size plus 7.5%.  
**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

## Bedroom Door Sizes

Doors and Drawer Sizes		
215 x 296	650 x 396	2150 x 396
215 x 396	650 x 446	2150 x 446
215 x 446	650 x 496	2150 x 496
215 x 496	650 x 596	2150 x 596
215 x 546	1495 x 296	2250 x 296
215 x 596	1495 x 396	2250 x 396
215 x 796	1495 x 446	2250 x 446
215 x 896	1495 x 496	2250 x 496
215 x 996	1495 x 596	2250 x 596
415 x 296	1595 x 296	2400 x 296
415 x 396	1595 x 396	2400 x 396
415 x 446	1595 x 446	2400 x 446
415 x 496	1595 x 496	2400 x 496
415 x 596	1595 x 596	2400 x 596
535 x 296	1735 x 296	
535 x 396	1735 x 396	
535 x 446	1735 x 446	
535 x 496	1735 x 496	
535 x 596	1735 x 596	
650 x 296	2150 x 296	

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2750mm (H).  
**Maximum Width MTM** - 2000mm (W).  
**Horizontal Grain** - Priced as door size plus 20%.

**Curved Bedroom Doors Not Available.**  
**Concave Bedroom Doors Not Available.**

**Bedroom Frames Not Available.**  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.

**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

# Vaasa | Handleless Rail System Door Sizes




## Handleless Rail System Door Sizes

Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	


**Drilling** - Additional charge per hole.

Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)



**Plain Panel**  
(18mm thick)



**Cloaking End Panel**  
80mm Minimum End Width



See page 240 for order form



**Internal Corner Post**  
685 x 70 x 70mm



**External Corner Post**  
685 x 46 x 46mm



Compatible with the integrated **Zenith Handle**


See page 232 for sizes and technical specifications.

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 226 for full range of heat deflector sizes.




## Vaasa | Door Specifications



## Vaasa | Technical Specifications



## Vaasa | Accessories







Vaasa Kitchen Featured in Shorewood H3090 ST22





Featured in Ethos Edged Brochure

Door Specification	
Description	Flat Bonded Melamine Door
Finish	Available in a range of Uni-Colour, Legno Grain Embossed Finishes.
Door Thickness	18mm Thick
Base Material	MFC Core
Special Features	Tactile Surface
Edge	Matching 1mm ABS Edge.

-   
 Available Made to Measure
-   
 12 Legno Finishes
-   
 Embossed Texture
-   
 Integrated Handle Options



Compatible with the integrated Zenith Handle

See page 232 for sizes and technical specifications.



Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.



# Mather | Door and Drawer Sizes



## Kitchen Door Sizes

Doors and Drawer Sizes		
115 x 596	355 x 496	715 x 546
140 x 296	355 x 596	715 x 596
140 x 396	355 x 796	895 x 296
140 x 446	355 x 896	895 x 396
140 x 496	355 x 996	895 x 446
140 x 596	450 x 596	895 x 496
140 x 796	500 x 596	895 x 596
140 x 896	570 x 296	980 x 596
140 x 996	570 x 396	1060 x 396
175 x 396	570 x 446	1060 x 496
175 x 496	570 x 496	1060 x 596
175 x 596	570 x 596	1245 x 296
175 x 796	715 x 146	1245 x 396
175 x 896	715 x 246	1245 x 446
175 x 996	715 x 296	1245 x 496
283 x 496	715 x 313	1245 x 596
283 x 596	715 x 346	
283 x 796	715 x 396	
283 x 896	715 x 446	
283 x 996	715 x 496	

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2750mm (H).  
**Maximum Width MTM** - 2000mm (W).  
**Horizontal Grain** - Priced as door size plus 20%.

**Curved Kitchen Doors Not Available.**  
**Concave Kitchen Doors Not Available.**

**Kitchen Frames Not Available.**  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Zenith Handle Rebate** - Priced as door size plus 7.5%.  
**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

## Bedroom Door Sizes

Doors and Drawer Sizes		
215 x 296	650 x 396	2150 x 396
215 x 396	650 x 446	2150 x 446
215 x 446	650 x 496	2150 x 496
215 x 496	650 x 596	2150 x 596
215 x 546	1495 x 296	2250 x 296
215 x 596	1495 x 396	2250 x 396
215 x 796	1495 x 446	2250 x 446
215 x 896	1495 x 496	2250 x 496
215 x 996	1495 x 596	2250 x 596
415 x 296	1595 x 296	2400 x 296
415 x 396	1595 x 396	2400 x 396
415 x 446	1595 x 446	2400 x 446
415 x 496	1595 x 496	2400 x 496
415 x 596	1595 x 596	2400 x 596
535 x 296	1735 x 296	
535 x 396	1735 x 396	
535 x 446	1735 x 446	
535 x 496	1735 x 496	
535 x 596	1735 x 596	
650 x 296	2150 x 296	

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2750mm (H).  
**Maximum Width MTM** - 2000mm (W).  
**Horizontal Grain** - Priced as door size plus 20%.

**Curved Bedroom Doors Not Available.**  
**Concave Bedroom Doors Not Available.**

**Bedroom Frames Not Available.**  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

**MTM** Available Made to Measure.  
 Ready for despatch in 5 working days.

# Mather | Handleless Rail System Door Sizes




## Handleless Rail System Door Sizes

Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	


**Drilling** - Additional charge per hole.

Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)



**Plain Panel**  
 (18mm thick)



**Cloaking End Panel**  
 80mm Minimum End Width



See page 240 for order form



**Internal Corner Post**  
 685 x 70 x 70mm



**External Corner Post**  
 685 x 46 x 46mm




**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 226 for full range of heat deflector sizes.




## Mather | Door Specifications



## Mather | Accessories




## Mather | Technical Specifications



# Wide Colour Choice. MTM Flexibility. Crafted Aesthetic. Choose MDF Painted.



Our MDF Painted Collection has been carefully selected to provide you with the most sought after door styles and colours. We only use the best quality, highest performing and durable paints to ensure you get colour that lasts.



**Arena**  
MDF Matt Painted (Smooth)  
Page 118



**Parker**  
MDF Matt Painted (Smooth)  
Page 124



**Hartford**  
MDF Matt Painted (Smooth)  
Page 130



**Wellington**  
MDF Matt Painted (Smooth)  
Page 138

**NEW**



**Belair**  
MDF Matt Painted (Smooth)  
Page 146



**Gladstone**  
MDF Matt Painted (Smooth)  
Page 154



MDF Painted

# Arena | MDF Matt Painted (Smooth)

MDF Painted | Ex.Stock and MTM



Featured in Ethos Painted Brochure

Door Specification	
Description	J-Pull Handleless Door with 40mm Deep Handle Cavity
Finish	Smooth Matt Painted Finish
Door Thickness	22mm Thick
Base Material	MDF Core

**EXS**  
4 Ex.Stock Colours

31 Painted Colours

**PTO**  
Available Painted to Order standard sizes.

**MTM**  
Available Made to Measure Unfinished Only\*

Available Primed / Unfinished\*

Smooth Surface



# Arena | Colours / Finishes

Colours swatches shown are approximate.  
See Painted Swatch Book for true colour match.

 Primed	 White			
 Porcelano	 Highland Grey	 Cashmere	 NEW Sea Breeze	 Light Blue
 Ivory	 Light Grey	 NEW French Chalk	 Sage	 Denim
 Mussel	 Dust Grey	 NEW Heritage Pink	 NEW Liberty Green	 Eiffel Blue
 Dakar	 Pebble	 French Lavender	 NEW Moss Green	 Nautical
 Stone Grey	 Taupe Grey	 Foraged Fruit	 NEW Heritage Green	 Marine Blue
 NEW Honeycomb	 Graphite	 NEW Heritage Red	 Conifer	 Indigo

MDF Painted | Ex.Stock and MTM

# Arena | Door and Drawer Sizes



Kitchen Door Sizes							
Doors Sizes	EXS	PTO	MTM	Corner Door sizes	EXS	PTO	MTM
115 x 596				715 x 273 / Pair L&R			
140 x 296				715 x 313 / Pair L&R			
140 x 396							
140 x 446							
140 x 496							
140 x 596							
140 x 796							
140 x 896							
140 x 996							
175 x 396							
175 x 496							
175 x 596							
283 x 496							
283 x 596							
283 x 796							
283 x 896							
283 x 996							
355 x 496							
355 x 596							
355 x 796							
355 x 896							
355 x 996							
450 x 596							
495 x 596							
570 x 296							
570 x 396							
570 x 446							

Hidden Handle Slab Door							
Doors Sizes	EXS	PTO	MTM	Corner Door sizes	EXS	PTO	MTM
1245 x 296							
1245 x 396							
1245 x 496							
1245 x 596							

Curved Door sizes							
Doors Sizes	EXS	PTO	MTM	Corner Door sizes	EXS	PTO	MTM
715 x 300							

Plain Frame Sizes							
Doors Sizes	EXS	PTO	MTM	Corner Door sizes	EXS	PTO	MTM
355 x 796 (Glazed)							
355 x 996 (Glazed)							
715 x 396 (Glazed)							
715 x 496 (Glazed)							

Primed MTM Kitchen Door Sizes are not available.  
 \*Unfinished MTM - These doors will be supplied as raw MDF.  
 Non-Standard Kitchen Door Sizes - Priced next door size up.  
 Angled Kitchen Door Sizes - Priced as door size plus 50%.

Curved Kitchen Doors available any height up to 2250mm.  
 Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.



Bedroom Door Sizes			
Doors Sizes	MTM	Corner Door sizes	MTM
215 x 296		1495 x 300	
215 x 396		1595 x 300	
215 x 446		2150 x 300	
215 x 496		2250 x 300	
215 x 546			
215 x 596			
215 x 796			
215 x 896			
215 x 996			
415 x 296			
415 x 396			
415 x 446			
415 x 496			
415 x 596			
535 x 296			
535 x 396			
535 x 446			
535 x 496			
535 x 596			
650 x 296			
650 x 396			
650 x 446			
650 x 496			
650 x 596			
1495 x 296			
1495 x 396			
1495 x 446			
1495 x 496			

Primed MTM Bedroom Door Sizes are not available.  
 \*Unfinished MTM - These doors will be supplied as raw MDF.  
 Non-Standard Bedroom Door Sizes - Priced next door size up.  
 Angled Bedroom Door Sizes - Priced as door size plus 50%.

Curved Bedroom Doors available any height up to 2250mm.  
 Non-Standard Curved Bedroom Door Sizes - Priced next door size up.


MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

# Arena | Door Specifications




Arena Kitchen Door




Arena Kitchen Frame (Glazed)




Arena Kitchen Curved Door




Arena Angled Kitchen Door



Arena Angled Flat Top Door




Arena Drawer




Arena Pan Drawer




Arena Bedroom Door



Arena Bedroom Frame (Unglazed)





Arena Bedroom Curved Door





















Arena Angled Flat Top Bedroom Door

MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM



 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) 50mm (W) x 30mm (H)</p> <p>Radius 50mm</p> <p>EXS PTO</p>	 <p><b>Radius Profile (Radius 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>Radius 141mm</p> <p>EXS PTO</p>	 <p><b>Internal J-Pull Corner Post</b> 70mm (L) x 70mm (W) x 715mm (H)</p> <p>EXS PTO</p>	 <p><b>External J-Pull Corner Post</b> 75mm (L) x 75mm (W) x 965mm (H)</p> <p>EXS PTO</p>
 <p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Chimney Canopy</b> 900mm (W) x 400mm (D) x 1130mm (H)</p> <p>PTO</p>	 <p><b>Plain Panel - Standard Sizes</b> 18mm / 785 x 360mm 18mm / 900 x 650mm 18mm / 900 x 864mm 18mm / 900 x 1160mm 18mm / 900 x 1200mm 18mm / 965 x 360mm 18mm / 2400 x 360mm 18mm / 2400 x 650mm 18mm / 2400 x 900mm</p> <p>EXS PTO</p>
 <p><b>Square Base Pilaster</b> 965mm (L) x 70mm (W) x 50mm (H) Also available in 3050mm lengths</p> <p>EXS PTO</p>	 <p><b>Square Base Pilaster Insert</b> 965mm (L) x 18mm (W) x 18mm (H)</p> <p>EXS PTO</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>PTO</p>	<p><b>Plain Panel - Non Standard Sizes</b> 18mm Thick / MTM per m2 22mm Thick / MTM per m2</p> <p>MTM</p>
 <p><b>Headboard</b> MTM per m2. / Supplied as a flat panel</p> <p>MTM</p>		 <p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>	 <p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>

# Parker | MDF Matt Painted Door (Smooth)


MDF Painted | Ex.Stock and MTM




Door Specification	
Description	Plain Shaker Style Door with 60mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core




31 Painted Colours




Available Painted to Order standard sizes.



Available Made to Measure Unfinished Only\*



Available Primed / Unfinished\*



Smooth Surface



# Parker | Colours / Finishes

Colours swatches shown are approximate.  
See Painted Swatch Book for true colour match.

				
Primed	White			
				
Porcelano	Highland Grey	Cashmere	Sea Breeze	Light Blue
				
Ivory	Light Grey	French Chalk	Sage	Denim
				
Mussel	Dust Grey	Heritage Pink	Liberty Green	Eiffel Blue
				
Dakar	Pebble	French Lavender	Moss Green	Nautical
				
Stone Grey	Taupe Grey	Foraged Fruit	Heritage Green	Marine Blue
				
Honeycomb	Graphite	Heritage Red	Conifer	Indigo

MDF Painted | Ex.Stock and MTM

# Parker | Door and Drawer Sizes



## Kitchen Door Sizes

Doors Sizes		PTO	MTM	Curved Door Sizes		PTO	MTM
115 x 596	570 x 446			715 x 300			
140 x 296	570 x 496						
140 x 396	570 x 596						
140 x 446	645 x 596			<b>Plain Frame Sizes</b>			
140 x 496	715 x 146			PTO MTM			
140 x 596	715 x 246			355 x 496 (Glazed)			
140 x 796	715 x 275			715 x 396 (Glazed)			
140 x 896	715 x 296			715 x 496 (Glazed)			
140 x 996	715 x 315			895 x 495 (Glazed)			
175 x 396	715 x 346			1060 x 49 (Glazed)			
175 x 496	715 x 396						
175 x 596	715 x 446						
283 x 496	715 x 496						
283 x 596	715 x 546						
283 x 796	715 x 596						
283 x 896	895 x 296						
283 x 996	895 x 396						
355 x 496	895 x 446						
355 x 596	895 x 496						
355 x 760	895 x 596						
355 x 796	980 x 596						
355 x 896	1245 x 296						
355 x 996	1245 x 396						
450 x 596	1245 x 496						
495 x 396	1245 x 596						
495 x 596							
570 x 296							
570 x 396							

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.

**Standard Kitchen Frame Sizes** - Supplied Glazed.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

## Bedroom Door Sizes

Doors and Drawer Sizes		MTM	Curved Door Sizes		MTM
215 x 296	1495 x 596		1495 x 300		
215 x 396	1595 x 296		1595 x 300		
215 x 446	1595 x 396		2150 x 300		
215 x 496	1595 x 446		2250 x 300		
215 x 546	1595 x 496				
215 x 596	1595 x 596				
215 x 796	1735 x 296				
215 x 896	1735 x 396				
215 x 996	1735 x 446				
415 x 296	1735 x 496				
415 x 396	1735 x 596				
415 x 446	2150 x 296				
415 x 496	2150 x 396				
415 x 596	2150 x 446				
535 x 296	2150 x 496				
535 x 396	2150 x 596				
535 x 446	2250 x 296				
535 x 496	2250 x 396				
535 x 596	2250 x 446				
650 x 296	2250 x 496				
650 x 396	2250 x 596				
650 x 446	2400 x 296				
650 x 496	2400 x 396				
650 x 596	2400 x 446				
1495 x 296	2400 x 496				
1495 x 396	2400 x 596				
1495 x 446					
1495 x 496					

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.

**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

# Parker | Handleless Rail System Door Sizes



## Handleless Rail System Door Sizes

Kitchen Door Sizes		MTM	Bedroom Door Sizes			MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563	
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581	
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263	
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281	
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313	
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331	
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363	
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381	
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413	
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431	
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463	
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481	
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513	
			1400 x 581	2150 x 381	2250 x 531	
			1500 x 263	2150 x 413	2250 x 563	
			1500 x 281	2150 x 431	2250 x 581	
			1500 x 313	2150 x 463		
			1500 x 331	2150 x 481		
			1500 x 363	2150 x 513		
			1500 x 381	2150 x 531		

**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Internal Corner Post  
685 x 70 x 70mm



External Corner Post  
685 x 46 x 46mm



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 226 for full range of heat deflector sizes.



# Parker | Door Specifications



**Parker Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

**Parker Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Parker Frames:**  
Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

**Parker Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions).

The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.




Concave doors are not available.

**Parker Bedroom Doors:**  
Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


Minimum Bedroom Door width is 246mm.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.





# Parker | Technical Specifications

## Parker Door Cross Section



## Parker Stile Cross Section



MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM

# Hartford | MDF Matt Painted Door (Smooth)

MDF Painted | Ex.Stock and MTM



Door Specification	
Description	Plain Shaker Style Door with 90mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core

**EXS** 4 Ex.Stock Colours    
  31 Painted Colours    
 **PTO** Available Painted to Order standard sizes.    
 **MTM** Available Made to Measure Unfinished Only\*    
  Available Primed / Unfinished\*    
  Smooth Surface



# Hartford | Colours / Finishes

MDF Painted | Ex.Stock and MTM

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

Primed	White			
Porcelano	Highland Grey	Cashmere	<b>NEW</b> Sea Breeze	Light Blue
Ivory	Light Grey	<b>NEW</b> French Chalk	Sage	Denim
Mussel	Dust Grey	<b>NEW</b> Heritage Pink	<b>NEW</b> Liberty Green	Eiffel Blue
Dakar	Pebble	French Lavender	<b>NEW</b> Moss Green	Nautical
Stone Grey	Taupe Grey	Foraged Fruit	<b>NEW</b> Heritage Green	Marine Blue
<b>NEW</b> Honeycomb	Graphite	<b>NEW</b> Heritage Red	Conifer	Indigo

# Hartford | Door and Drawer Sizes



## Kitchen Door Sizes

Doors Sizes		EXS	PTO	MTM	Curved Door sizes		EXS	PTO	MTM
115 x 596	570 x 446				715 x 300				
140 x 296	570 x 496								
140 x 396	570 x 596								
140 x 446	645 x 596								
140 x 496	715 x 146								
140 x 596	715 x 246								
140 x 796	715 x 275								
140 x 896	715 x 296								
140 x 996	715 x 315								
175 x 396	715 x 346								
175 x 496	715 x 396								
175 x 596	715 x 446								
283 x 496	715 x 496								
283 x 596	715 x 546								
283 x 796	715 x 596								
283 x 896	895 x 296								
283 x 996	895 x 396								
355 x 496	895 x 446								
355 x 596	895 x 496								
355 x 760	895 x 596								
355 x 796	980 x 596								
355 x 896	1245 x 296								
355 x 996	1245 x 396								
450 x 596	1245 x 496								
495 x 396	1245 x 596								
495 x 596									
570 x 296									
570 x 396									

## Bedroom Door Sizes

Doors and Drawer Sizes		MTM	Curved Door Sizes		MTM
215 x 296	1495 x 596		1495 x 300		
215 x 396	1595 x 296		1595 x 300		
215 x 446	1595 x 396		2150 x 300		
215 x 496	1595 x 446		2250 x 300		
215 x 546	1595 x 496				
215 x 596	1595 x 596				
215 x 796	1735 x 296				
215 x 896	1735 x 396				
215 x 996	1735 x 446				
415 x 296	1735 x 496				
415 x 396	1735 x 596				
415 x 446	2150 x 296				
415 x 496	2150 x 396				
415 x 596	2150 x 446				
535 x 296	2150 x 496				
535 x 396	2150 x 596				
535 x 446	2250 x 296				
535 x 496	2250 x 396				
535 x 596	2250 x 446				
650 x 296	2250 x 496				
650 x 396	2250 x 596				
650 x 446	2400 x 296				
650 x 496	2400 x 396				
650 x 596	2400 x 446				
1495 x 296	2400 x 496				
1495 x 396	2400 x 596				
1495 x 446					
1495 x 496					

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.  
**Standard Kitchen Frame Sizes** - Supplied Glazed.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.  
**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.


# Hartford | Handleless Rail System Door Sizes



## Handleless Rail System Door Sizes

Kitchen Door Sizes		MTM	Bedroom Door Sizes			MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563	
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581	
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263	
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281	
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313	
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331	
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363	
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381	
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413	
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431	
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463	
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481	
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513	
			1500 x 581	2150 x 381	2250 x 531	
			1500 x 263	2150 x 413	2250 x 563	
			1500 x 281	2150 x 431	2250 x 581	
			1500 x 313	2150 x 463		
			1500 x 331	2150 x 481		
			1500 x 363	2150 x 513		
			1500 x 381	2150 x 531		

**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Internal Corner Post  
685 x 70 x 70mm



External Corner Post  
685 x 46 x 46mm




Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 226 for full range of heat deflector sizes.



**Hartford Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

**Hartford Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Hartford Frames:**  
Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

**Hartford Curved Doors:**

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.

Concave doors are not available.

**Hartford Bedroom Doors:**




Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


Minimum Bedroom Door width is 246mm.

**Drilling:**



All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.



## Hartford Door Cross Section



## Hartford Stile Cross Section



































MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM



MDF Painted | Ex.Stock and MTM



 <p><b>Classic Cornice</b> 102mm (W) x 70mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Classic Cornice</b> 419mm (L) x 419mm (W) x 70mm (H)</p> <p>EXS PTO</p>	 <p><b>Classic Cornice Quadrant</b> 98mm (L) x 98mm (W) x 70mm (H)</p> <p>EXS PTO</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p>Radius 141mm</p> <p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p>Radius 50mm</p> <p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>
 <p><b>Under Cornice</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Under Cornice</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Under Cornice Quadrant</b> 53mm (L) x 53mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM PTO</p>
 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM PTO</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Square Base Pilaster Insert</b> 965mm (L) x 18mm (W) x 18mm (H)</p> <p>EXS PTO</p>
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Chimney Canopy</b> 900mm (W) x 400mm (D) x 1130mm (H)</p> <p>EXS PTO</p>	

 <p><b>Plate Cot (Pair) /</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	 <p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	 <p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	 <p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>
 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	●	●	×	×
Plain Panel	18mm / 900 x 360mm	●	●	×	×
Plain Panel	18mm / 900x 650mm	●	●	×	×
Plain Panel	18mm / 900 x 864mm	●	●	×	×
Plain Panel	18mm / 900 x 1160mm	●	●	×	×
Plain Panel	18mm / 900 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 360mm	●	●	×	×
Plain Panel	18mm / 2400 x 360mm	●	●	×	×
Plain Panel	18mm / 2400x 650mm	●	●	×	×
Plain Panel	18mm / 2400x 900mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.


 <p><b>Plain Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>	 <p><b>T&amp;G Panel / 18mm Thick</b></p> <p>MTM</p>
--	--

 <p>125mm, 900mm, 600mm, 90mm, 270mm</p> <p><b>Single Feature Panel</b> 900mm (H) x 600mm (W)</p> <p>EXS PTO</p> <p>Not available Primed. Standard Sizes Only.</p>	 <p>125mm, 900mm, 864mm / 1160mm, 90mm, 270mm</p> <p><b>Double Feature Panel</b> 900mm (H) x 864mm (W) / 900mm (H) x 1160mm (W)</p> <p>EXS PTO</p> <p>Not available Primed. Standard Sizes Only.</p>
---	---

**Headboards**  
MTM per m2. Hartford Headboards are supplied as single panels as standard unless otherwise specified.

Height Range: 500mm - 900mm  
Width Range: 915mm - 1830mm

MTM



Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel

# Wellington | MDF Matt Painted Door (Smooth)

MDF Painted | Ex.Stock and MTM



### Door Specification

Description	Mock In-Frame Style Door with 90mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core

-  **31 Painted Colours**
-  **Available Made to Order**
-  **Available Painted to Order standard sizes.**
-  **Available Made to Measure Unfinished Only\***
-  **Available Primed / Unfinished\***
-  **Smooth Surface**



Featured in Ethos Painted Brochure

# Wellington | Colours / Finishes

MDF Painted | Ex.Stock and MTM

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

 Ex.Stock				
Primed	White			
			 NEW	
Porcelano	Highland Grey	Cashmere	Sea Breeze	Light Blue
		 NEW		
Ivory	Light Grey	French Chalk	Sage	Denim
		 NEW	 NEW	
Mussel	Dust Grey	Heritage Pink	Liberty Green	Eiffel Blue
			 NEW	
Dakar	Pebble	French Lavender	Moss Green	Nautical
			 NEW	
Stone Grey	Taupe Grey	Foraged Fruit	Heritage Green	Marine Blue
 NEW		 NEW		
Honeycomb	Graphite	Heritage Red	Conifer	Indigo

# Wellington | Door and Drawer Sizes



## Kitchen Door Sizes

Doors Sizes		EXS	PTO	MTM	Curved Door sizes		EXS	PTO	MTM
115 x 596	570 x 446				715 x 300				
140 x 296	570 x 496								
140 x 396	570 x 596								
140 x 446	645 x 596				<b>Plain Frame Sizes</b>		EXS	PTO	MTM
140 x 496	715 x 146								
140 x 596	715 x 246				355 x 496 (Glazed)				
140 x 796	715 x 275				715 x 396 (Glazed)				
140 x 896	715 x 296				715 x 496 (Glazed)				
140 x 996	715 x 315				895 x 496 (Glazed)				
175 x 396	715 x 346				1060 x 496 (Glazed)				
175 x 496	715 x 396								
175 x 596	715 x 446								
283 x 496	715 x 496								
283 x 596	715 x 546								
283 x 796	715 x 596								
283 x 896	895 x 296								
283 x 996	895 x 396								
355 x 496	895 x 446								
355 x 596	895 x 496								
355 x 760	895 x 596								
355 x 796	980 x 596								
355 x 896	1245 x 296								
355 x 996	1245 x 396								
450 x 596	1245 x 496								
495 x 396	1245 x 596								
495 x 596									
570 x 296									
570 x 396									

## Bedroom Door Sizes

Doors and Drawer Sizes		MTM	Curved Door Sizes		MTM
215 x 296	1495 x 596		1495 x 300		
215 x 396	1595 x 296		1595 x 300		
215 x 446	1595 x 396		2150 x 300		
215 x 496	1595 x 446		2250 x 300		
215 x 546	1595 x 496				
215 x 596	1595 x 596				
215 x 796	1735 x 296				
215 x 896	1735 x 396				
215 x 996	1735 x 446				
415 x 296	1735 x 496				
415 x 396	1735 x 596				
415 x 446	2150 x 296				
415 x 496	2150 x 396				
415 x 596	2150 x 446				
535 x 296	2150 x 496				
535 x 396	2150 x 596				
535 x 446	2250 x 296				
535 x 496	2250 x 396				
535 x 596	2250 x 446				
650 x 296	2250 x 496				
650 x 396	2250 x 596				
650 x 446	2400 x 296				
650 x 496	2400 x 396				
650 x 596	2400 x 446				
1495 x 296	2400 x 496				
1495 x 396	2400 x 596				
1495 x 446					
1495 x 496					

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.  
**Standard Kitchen Frame Sizes** - Supplied Glazed.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.  
**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.


# Wellington | Handleless Rail System Door Sizes




## Handleless Rail System Door Sizes

Kitchen Door Sizes		MTM	Bedroom Door Sizes			MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563	
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581	
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263	
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281	
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313	
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331	
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363	
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381	
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413	
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431	
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463	
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481	
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513	
			1400 x 581	2150 x 381	2250 x 531	
			1500 x 263	2150 x 413	2250 x 563	
			1500 x 281	2150 x 431	2250 x 581	
			1500 x 313	2150 x 463		
			1500 x 331	2150 x 481		
			1500 x 363	2150 x 513		
			1500 x 381	2150 x 531		

**Drilling** - Additional charge per hole.



Plain Panel (18mm thick)



Internal Corner Post 685 x 70 x 70mm



External Corner Post 685 x 46 x 46mm



Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)


**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 226 for full range of heat deflector sizes.

MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM

# Wellington | Door Specifications



**Wellington Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

**Wellington Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Wellington Frames:**  
Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.  
Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

**Wellington Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.




Concave doors are not available.

**Wellington Bedroom Doors:**  
Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


Minimum Bedroom Door width is 246mm.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.





# Wellington | Technical Specifications

## Wellington Door Cross Section



























## Wellington Stile Cross Section













MDF Painted | Ex.Stock and MTM



MDF Painted | Ex.Stock and MTM



 <p><b>Classic Cornice</b> 102mm (W) x 70mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Classic Cornice</b> 419mm (L) x 419mm (W) x 70mm (H)</p> <p>EXS PTO</p>	 <p><b>Classic Cornice Quadrant</b> 98mm (L) x 98mm (W) x 70mm (H)</p> <p>EXS PTO</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p>Radius 141mm</p> <p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p>Radius 50mm</p> <p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>
 <p><b>Under Cornice</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Under Cornice</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Under Cornice Quadrant</b> 53mm (L) x 53mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM PTO</p>
 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM PTO</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Square Base Pilaster Insert</b> 965mm (L) x 18mm (W) x 18mm (H)</p> <p>EXS PTO</p>
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Chimney Canopy</b> 900mm (W) x 400mm (D) x 1130mm (H)</p> <p>EXS PTO</p>	

 <p><b>Plate Cot (Pair) /</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	 <p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	 <p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	 <p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>
 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	●	●	×	×
Plain Panel	18mm / 900 x 360mm	●	●	×	×
Plain Panel	18mm / 900x 650mm	●	●	×	×
Plain Panel	18mm / 900 x 864mm	●	●	×	×
Plain Panel	18mm / 900 x 1160mm	●	●	×	×
Plain Panel	18mm / 900 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 360mm	●	●	×	×
Plain Panel	18mm / 2400 x 360mm	●	●	×	×
Plain Panel	18mm / 2400x 650mm	●	●	×	×
Plain Panel	18mm / 2400x 900mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.


 <p><b>Plain Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>	 <p><b>T&amp;G Panel / 18mm Thick</b></p> <p>MTM</p>
--	--

 <p>125mm, 900mm, 600mm, 90mm, 270mm</p> <p><b>Single Feature Panel</b> 900mm (H) x 600mm (W)</p> <p>EXS PTO</p> <p>Not available Primed. Standard Sizes Only.</p>	 <p>125mm, 900mm, 864mm / 1160mm, 90mm, 270mm</p> <p><b>Double Feature Panel</b> 900mm (H) x 864mm (W) / 900mm (H) x 1160mm (W)</p> <p>EXS PTO</p> <p>Not available Primed. Standard Sizes Only.</p>
---	---

**Headboards**  
MTM per m2. Hartford Headboards are supplied as single panels as standard unless otherwise specified.


Height Range: 500mm - 900mm  
Width Range: 915mm - 1830mm

MTM



Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel


# Belair | MDF Matt Painted Door (Smooth)




Door Specification	
Description	Plain Slab Style Door
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core
Edge	Paint-able 1mm ABS Edging




31 Painted Colours



Available Painted to Order standard sizes.



Available Made to Measure



Available Unfinished\*



Smooth Surface



# Belair | Kitchen Door Sizes

Colours swatches shown are approximate.  
See Painted Swatch Book for true colour match.

				
Primed	White			
				
Porcelano	Highland Grey	Cashmere	Sea Breeze <b>NEW</b>	Light Blue
				
Ivory	Light Grey	French Chalk <b>NEW</b>	Sage	Denim
				
Mussel	Dust Grey	Heritage Pink <b>NEW</b>	Liberty Green <b>NEW</b>	Eiffel Blue
				
Dakar	Pebble	French Lavender	Moss Green <b>NEW</b>	Nautical
				
Stone Grey	Taupe Grey	Foraged Fruit	Heritage Green <b>NEW</b>	Marine Blue
				
Honeycomb <b>NEW</b>	Graphite	Heritage Red <b>NEW</b>	Conifer	Indigo

# Belair | Door and Drawer Sizes



## Kitchen Door Sizes

Doors and Drawer Sizes		MTM	Curved Door sizes		MTM
115 x 596	570 x 446		715 x 300		
140 x 296	570 x 496		895 x 300		
140 x 396	570 x 596		1245 x 300		
140 x 446	645 x 596		1965 x 300		
140 x 496	715 x 146				
140 x 596	715 x 246				
140 x 796	715 x 275				
140 x 896	715 x 296				
140 x 996	715 x 315				
175 x 396	715 x 346				
175 x 496	715 x 396				
175 x 596	715 x 446				
283 x 496	715 x 496				
283 x 596	715 x 546				
283 x 796	715 x 596				
283 x 896	895 x 296				
283 x 996	895 x 396				
355 x 496	895 x 446				
355 x 596	895 x 496				
355 x 760	895 x 596				
355 x 796	980 x 596				
355 x 896	1060 x 396				
355 x 996	1060 x 496				
450 x 596	1060 x 596				
495 x 396	1245 x 296				
495 x 596	1245 x 396				
570 x 296	1245 x 496				
570 x 396	1245 x 596				

## Bedroom Door Sizes

Doors and Drawer Sizes		MTM	Curved Door Sizes		MTM
215 x 296	1495 x 596		1495 x 300		
215 x 396	1595 x 296		1595 x 300		
215 x 446	1595 x 396		2150 x 300		
215 x 496	1595 x 446		2250 x 300		
215 x 546	1595 x 496				
215 x 596	1595 x 596				
215 x 796	1735 x 296				
215 x 896	1735 x 396				
215 x 996	1735 x 446				
415 x 296	1735 x 496				
415 x 396	1735 x 596				
415 x 446	2150 x 296				
415 x 496	2150 x 396				
415 x 596	2150 x 446				
535 x 296	2150 x 496				
535 x 396	2150 x 596				
535 x 446	2250 x 296				
535 x 496	2250 x 396				
535 x 596	2250 x 446				
650 x 296	2250 x 496				
650 x 396	2250 x 596				
650 x 446	2400 x 296				
650 x 496	2400 x 396				
650 x 596	2400 x 446				
1495 x 296	2400 x 496				
1495 x 396	2400 x 596				
1495 x 446					
1495 x 496					

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.  
**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.


# Belair | Handleless Rail System Door Sizes



## Handleless Rail System Door Sizes

Kitchen Door Sizes		MTM	Bedroom Door Sizes			MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563	
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581	
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263	
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281	
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313	
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331	
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363	
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381	
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413	
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431	
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463	
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481	
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513	
			1500 x 581	2150 x 381	2250 x 531	
			1500 x 263	2150 x 413	2250 x 563	
			1500 x 281	2150 x 431	2250 x 581	
			1500 x 313	2150 x 463		
			1500 x 331	2150 x 481		
			1500 x 363	2150 x 513		
			1500 x 381	2150 x 531		

**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Internal Corner Post  
685 x 70 x 70mm



External Corner Post  
685 x 46 x 46mm



Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)




**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 226 for full range of heat deflector sizes.

MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM

# Belair | Door Specifications



**Belair Kitchen Doors:**  
Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

**Belair Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Belair Frames:**  
Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.


If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

**Belair Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

**Belair Bedroom Doors:**  
Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

# Belair | Technical Specifications




MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM


# Belair | Accessories

MDF Painted | Ex.Stock and MTM




**Classic Cornice**  
102mm (W) x 70mm (H)  
3050mm Lengths

EXS PTO




**Curved Classic Cornice**  
419mm (L) x 419mm (W)  
x 70mm (H)

EXS PTO




**Classic Cornice Quadrant**  
98mm (L) x 98mm (W)  
x 70mm (H)

EXS PTO




**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO




**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

EXS PTO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO



**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W) x 30mm (H)

EXS PTO




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO



**Curved Torus Plinth**  
300mm (L) x 300mm (W)  
x 150mm (H)

EXS PTO




**Under Cornice**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO



**Curved Under Cornice**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO



**Under Cornice Quadrant**  
53mm (L) x 53mm (W)  
x 30mm (H)

EXS PTO



**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO




**Square Base Pilaster**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO




**Square Base Pilaster Insert**  
965mm (L) x 18mm (W)  
x 18mm (H)

EXS PTO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS PTO




**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

EXS PTO



**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

EXS PTO




**Chimney Canopy**  
900mm (W) x 400mm (D) x 1130mm (H)

PTO


# Belair | Accessories

MDF Painted | Ex.Stock and MTM




**Plate Cot (Pair) /**  
1000mm (L) x 23mm (W) x 308mm (H)

EXS PTO



**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)


EXS PTO



**Touch Up Paint**  
Available 30ml or 1 Litre volumes.


Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	●	●	×	●
Plain Panel	18mm / 900 x 360mm	●	●	×	●
Plain Panel	18mm / 900x 650mm	●	●	×	●
Plain Panel	18mm / 900 x 864mm	●	●	×	●
Plain Panel	18mm / 900 x 1160mm	●	●	×	●
Plain Panel	18mm / 900 x 1200mm	●	●	×	●
Plain Panel	18mm / 965 x 360mm	●	●	×	●
Plain Panel	18mm / 2400 x 360mm	●	●	×	●
Plain Panel	18mm / 2400x 650mm	●	●	×	●
Plain Panel	18mm / 2400x 900mm	●	●	×	●
Plain Panel	Made to Measure per m2	×	●	●	●
T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.




**Plain Panel / 18mm Thick**

EXS PTO MTM




**T&G Panel / 18mm Thick**

MTM



**Single Square Mirror**  
485mm (W) x 570mm (H)

EXS PTO



**Single Oval Mirror**  
485mm (W) x 570mm (H)

EXS PTO



**Headboard**  
MTM per m2. / Supplied as a flat panel


MTM

# Gladstone | MDF Matt Painted Door (Smooth)


MDF Painted | Ex.Stock and MTM



Door Specification	
Description	Faux In-frame slab door style with 28mm border
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core
Edge	1mm ABS Edge




31 Painted Colours




Available Painted to Order standard sizes.



Available Made to Measure



Available Primed / Unfinished\*



Smooth Surface



Featured in Ethos Painted Brochure

# Gladstone | Colours / Finishes

Colours swatches shown are approximate.

See Painted Swatch Book for true colour match.

  
Primed

  
White

  
Porcelano

  
Highland Grey

  
Cashmere

  
Sea Breeze

  
Light Blue

  
Ivory

  
Light Grey

  
French Chalk

  
Sage

  
Denim

  
Mussel

  
Dust Grey

  
Heritage Pink

  
Liberty Green

  
Eiffel Blue

  
Dakar

  
Pebble

  
French Lavender

  
Moss Green

  
Nautical

  
Stone Grey

  
Taupe Grey

  
Foraged Fruit

  
Heritage Green

  
Marine Blue

  
Honeycomb

  
Graphite

  
Heritage Red

  
Conifer

  
Indigo

MDF Painted | Ex.Stock and MTM

# Gladstone | Door and Drawer Sizes



## Kitchen Door Sizes

Doors and Drawer Sizes		MTM	Curved Door sizes		MTM
115 x 596	570 x 446		715 x 300		
140 x 296	570 x 496		895 x 300		
140 x 396	570 x 596		1245 x 300		
140 x 446	645 x 596		1965 x 300		
140 x 496	715 x 146				
140 x 596	715 x 246				
140 x 796	715 x 275				
140 x 896	715 x 296				
140 x 996	715 x 315				
175 x 396	715 x 346				
175 x 496	715 x 396				
175 x 596	715 x 446				
283 x 496	715 x 496				
283 x 596	715 x 546				
283 x 796	715 x 596				
283 x 896	895 x 296				
283 x 996	895 x 396				
355 x 496	895 x 446				
355 x 596	895 x 496				
355 x 760	895 x 596				
355 x 796	980 x 596				
355 x 896	1060 x 396				
355 x 996	1060 x 496				
450 x 596	1060 x 596				
495 x 396	1245 x 296				
495 x 596	1245 x 396				
570 x 296	1245 x 496				
570 x 396	1245 x 596				

## Bedroom Door Sizes

Doors and Drawer Sizes		MTM	Curved Door Sizes		MTM
215 x 296	1495 x 596		1495 x 300		
215 x 396	1595 x 296		1595 x 300		
215 x 446	1595 x 396		2150 x 300		
215 x 496	1595 x 446		2250 x 300		
215 x 546	1595 x 496				
215 x 596	1595 x 596				
215 x 796	1735 x 296				
215 x 896	1735 x 396				
215 x 996	1735 x 446				
415 x 296	1735 x 496				
415 x 396	1735 x 596				
415 x 446	2150 x 296				
415 x 496	2150 x 396				
415 x 596	2150 x 446				
535 x 296	2150 x 496				
535 x 396	2150 x 596				
535 x 446	2250 x 296				
535 x 496	2250 x 396				
535 x 596	2250 x 446				
650 x 296	2250 x 496				
650 x 396	2250 x 596				
650 x 446	2400 x 296				
650 x 496	2400 x 396				
650 x 596	2400 x 446				
1495 x 296	2400 x 496				
1495 x 396	2400 x 596				
1495 x 446					
1495 x 496					

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.  
**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.


# Gladstone | Handleless Rail System Door Sizes



## Handleless Rail System Door Sizes

Kitchen Door Sizes		MTM	Bedroom Door Sizes			MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563	
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581	
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263	
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281	
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313	
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331	
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363	
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381	
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413	
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431	
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463	
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481	
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513	
			1400 x 581	2150 x 381	2250 x 531	
			1500 x 263	2150 x 413	2250 x 563	
			1500 x 281	2150 x 431	2250 x 581	
			1500 x 313	2150 x 463		
			1500 x 331	2150 x 481		
			1500 x 363	2150 x 513		
			1500 x 381	2150 x 531		

**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Internal Corner Post  
685 x 70 x 70mm



External Corner Post  
685 x 46 x 46mm




Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)


**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 226 for full range of heat deflector sizes.


# Gladstone | Door Specifications



Gladstone Kitchen Door



Gladstone Kitchen Frame (Unglazed) 70mm stile




Gladstone Kitchen Curved Door




Gladstone Pan Drawer




Gladstone Drawer



Gladstone Bedroom Door



Gladstone Bedroom Full Open Frame



Gladstone Bedroom Curved Door

### Gladstone Kitchen Doors:

Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

### Gladstone Drawers:

Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

### Gladstone Frames:

Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

### Gladstone Curved Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.


### Gladstone Bedroom Doors:

Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.

### Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.























# Gladstone | Technical Specifications








MDF Painted | Ex.Stock and MTM



MDF Painted | Ex.Stock and MTM




 <p><b>Classic Cornice</b> 102mm (W) x 70mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Classic Cornice</b> 419mm (L) x 419mm (W) x 70mm (H)</p> <p>EXS PTO</p>	 <p><b>Classic Cornice Quadrant</b> 98mm (L) x 98mm (W) x 70mm (H)</p> <p>EXS PTO</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p>Radius 141mm</p> <p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p>Radius 50mm</p> <p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>EXS PTO</p>
 <p><b>Under Cornice</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Under Cornice</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Under Cornice Quadrant</b> 53mm (L) x 53mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>
 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Square Base Pilaster Insert</b> 965mm (L) x 18mm (W) x 18mm (H)</p> <p>EXS PTO</p>	 <p><b>Chimney Canopy</b> 900mm (W) x 400mm (D) x 1130mm (H)</p> <p>PTO</p>	
 <p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	 <p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	 <p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p>		

 <p><b>Plate Cot (Pair) /</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	 <p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
---	--	---

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	●	●	●	●
Plain Panel	18mm / 900 x 360mm	●	●	●	●
Plain Panel	18mm / 900x 650mm	●	●	●	●
Plain Panel	18mm / 900 x 864mm	●	●	●	●
Plain Panel	18mm / 900 x 1160mm	●	●	●	●
Plain Panel	18mm / 900 x 1200mm	●	●	●	●
Plain Panel	18mm / 965 x 360mm	●	●	●	●
Plain Panel	18mm / 2400 x 360mm	●	●	●	●
Plain Panel	18mm / 2400x 650mm	●	●	●	●
Plain Panel	18mm / 2400x 900mm	●	●	●	●
Plain Panel	Made to Measure per m2	×	●	●	●
T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.

 <p><b>Plain Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>	 <p><b>T&amp;G Panel / 18mm Thick</b></p> <p>MTM</p>
---	---

 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p>	 <p><b>Headboard</b> MTM per m2. / Supplied as a flat panel</p> <p>MTM</p>
---	---	---

# Crafted Aesthetic. MTM Flexibility. One Simple Price. Choose Timber Painted.



With 6 Solid Timber Painted Door Styles and a wide colour range to choose from, you can give your customers the kitchen they've always wanted. Better yet, they all retail at the same price and are now available Made to Measure.



**Campbell**  
Solid Timber Painted  
Page 164



**Rainey**  
Solid Timber Painted  
Page 170



**Edison**  
Solid Timber Painted  
Page 176



**Monroe**  
Solid Timber Painted  
Page 182



**Albany**  
Solid Timber Painted  
Page 188



**Hampton**  
Solid Timber Painted  
Page 194



**Greenwich Ash**  
Solid Timber Painted  
Page 200



**Greenwich Oak**  
Solid Timber Painted  
Page 206



**Hyde**  
MDF Matt Painted (Grained)  
Page 212



Solid Timber Painted | Ex-Stock and MTM

# Campbell | Solid Timber Matt Painted Door

Solid Timber Painted | Ex.Stock and MTM



## Door Specification

Description	Plain Shaker Door with 75mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.



32 Painted Colours



Available Made to Order.



Available Painted to Order standard sizes.



Available Made to Measure



Solid Ash Timber



Campbell Door



Campbell Frame



Campbell Curved Door



Campbell Pan Drawer



Campbell Drawer

# Campbell | Colours / Finishes

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

 Primed	 White	 Taupe Grey		
 Porcelano	 Highland Grey	 Cashmere	 Sea Breeze	 Light Blue
 Ivory	 Light Grey	 French Chalk	 Sage	 Denim
 Mussel	 Dust Grey	 Heritage Pink	 Liberty Green	 Eiffel Blue
 Dakar	 Pebble	 French Lavender	 Moss Green	 Nautical
 Stone Grey	 Graphite	 Foraged Fruit	 Heritage Green	 Marine Blue
 Honeycomb	 Carbon Black	 Heritage Red	 Conifer	 Indigo

Solid Timber Painted | Ex.Stock and MTM



## Kitchen Door Sizes

Doors Sizes	PTO	MTM	Curved Door sizes	PTO
115 x 596			716 x 300	
140 x 296			896 x 300	
140 x 396				
140 x 446				
140 x 496				
140 x 596				
140 x 796				
140 x 896				
140 x 996				
176 x 396				
176 x 496				
176 x 596				
284 x 496				
284 x 596				
284 x 796				
284 x 896				
284 x 996				
356 x 496				
356 x 596				
356 x 796				
356 x 896				
356 x 996				
450 x 596				
496 x 396				
496 x 596				
570 x 296				

## Handleless Rail System / Door Sizes

Kitchen Door Sizes			MTM
160 x 296	325 x 596	685 x 146	
160 x 396	325 x 796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

**Drilling** - Additional charge per hole.

**Non-Standard Kitchen Door Sizes** - Priced as MTM  
**Angled Doors are not available.**

**Primed MTM Sizes are not available.**  
**MTM timber doors cannot be cancelled once ordered.**  
**MTM Timber doors are non-returnable.**

**Non-Standard Curved Door Sizes are not available.**  
**Concave Doors are not available.**

**Standard Plain Frame Sizes** - Supplied Glazed.  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.  
**Georgian Frame Sizes are not available.**

**Drilling** - Additional charge per hole.

### Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

### Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

### Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.  
Angled Frames are not available.

### Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available.  
Concave doors are not available.



### Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

### Campbell Door Cross Section



### Campbell Stile Cross Section



Solid Timber Painted | Ex:Stock and MTM

Solid Timber Painted | Ex:Stock and MTM

<p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Tangent Light Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>EXS PTO</p>
<p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Modern Cornice Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 2850mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
<p><b>Turned Pilaster</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	<p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Radius Profile</b> (R 48mm) 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
			<p><b>Square Profile Pilaster</b> 3050mm (L) x 70mm (W) x 50mm (H)</p> <p>EXS PTO</p>	<p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 19mm (W) x 19mm (H)</p> <p>EXS PTO</p>
<p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	<p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel Back Panel</b> 284mm (W) x 18mm (W) x 296mm (H)</p> <p>EXS PTO</p>	<p><b>Mantle Shelf</b> 1784mm (L) x 180mm (W) x 18mm (H)</p> <p>EXS PTO</p>

<p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	<p><b>Plate Cot (Pair)</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	<p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
<p><b>Campbell Overmantle Kit</b> Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf</p>		
		<p><b>Modern Canopy</b> 1000mm (W) x 228mm (D) x 525mm (H)</p> <p>EXS PTO</p>
		<p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>

Panel	Size MM	Primed Ex:Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 864mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1160mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1200mm	●	●	●	●
Plain / T&G Panel	18mm / 965 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 2400x 900mm	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.






<p><b>Plain Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>	<p><b>T&amp;G Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>
---	---

# Rainey | Solid Timber Matt Painted Door

Solid Timber Painted | Ex:Stock and MTM



Door Specification	
Description	Beaded Shaker Door with 84mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel

 32 Painted Colours
  Available Made to Order.
  Available Painted to Order standard sizes.
  Available Made to Measure
  Solid Ash Timber



Rainey Door



Rainey Georgian Frame



Rainey Curved Door



Rainey Pan Drawer



Rainey Drawer

# Rainey | Colours / Finishes

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

 Primed	 White	 Taupe Grey		
 Porcelano	 Highland Grey	 Cashmere	 Sea Breeze	 Light Blue
 Ivory	 Light Grey	 French Chalk	 Sage	 Denim
 Mussel	 Dust Grey	 Heritage Pink	 Liberty Green	 Eiffel Blue
 Dakar	 Pebble	 French Lavender	 Moss Green	 Nautical
 Stone Grey	 Graphite	 Forged Fruit	 Heritage Green	 Marine Blue
 Honeycomb	 Carbon Black	 Heritage Red	 Conifer	 Indigo

Solid Timber Painted | Ex:Stock and MTM



## Kitchen Door Sizes

Doors Sizes	PTO	MTM	Curved Door sizes	PTO
115 x 596			716 x 300	
140 x 296			896 x 300	
140 x 396				
140 x 446				
140 x 496				
140 x 596				
140 x 796				
140 x 896				
140 x 996				
176 x 396				
176 x 496				
176 x 596				
284 x 496				
284 x 596				
284 x 796				
284 x 896				
284 x 996				
356 x 496				
356 x 596				
356 x 796				
356 x 896				
356 x 996				
450 x 596				
496 x 396				
496 x 596				
570 x 296				

## Handleless Rail System / Door Sizes

Kitchen Door Sizes			MTM
160 x 296	325 x 596	685 x 146	
160 x 396	325 x 796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

**Drilling** - Additional charge per hole.

**Non-Standard Kitchen Door Sizes** - Priced as MTM  
Angled Doors are not available.

**Primed MTM Sizes are not available.**  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

**Non-Standard Curved Door Sizes are not available.**  
Concave Doors are not available.

**Standard Georgian Frame Sizes** - Supplied Glazed.  
**Non Standard Georgian Frame Sizes are not available.**  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.

**Drilling** - Additional charge per hole.

## Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

## Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

## Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.  
Angled Frames are not available.

## Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available.  
Concave doors are not available.



## Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

## Rainey Door Cross Section



## Rainey Stile Cross Section



<p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Tangent Light Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>EXS PTO</p>
<p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Modern Cornice Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 2850mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
<p><b>Turned Pilaster</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	<p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Radius Profile</b> (R 48mm) 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
			<p><b>Square Profile Pilaster</b> 3050mm (L) x 70mm (W) x 50mm (H)</p> <p>EXS PTO</p>	<p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 19mm (W) x 19mm (H)</p> <p>EXS PTO</p>
<p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	<p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel Back Panel</b> 284mm (W) x 18mm (H) x 296mm (H)</p> <p>EXS PTO</p>	<p><b>Mantle Shelf</b> 1784mm (L) x 180mm (W) x 18mm (H)</p> <p>EXS PTO</p>

<p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	<p><b>Plate Cot (Pair)</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	<p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
--	---	---

**Rainey Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf

**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

EXS PTO

**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM

Panel	Size MM	Primed Ex:Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 864mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1160mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1200mm	●	●	●	●
Plain / T&G Panel	18mm / 965 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 2400x 900mm	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.

**Plain Panel / 18mm Thick**

EXS PTO MTM

**T&G Panel / 18mm Thick**

EXS PTO MTM



# Edison | Solid Timber Matt Painted Door

Solid Timber Painted | Ex.Stock and MTM



Door Specification	
Description	Beaded Shaker Door with 84mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel



# Edison | Colours / Finishes

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

Primed	White	Taupe Grey		
Porcelano	Highland Grey	Cashmere	Sea Breeze	Light Blue
Ivory	Light Grey	French Chalk	Sage	Denim
Mussel	Dust Grey	Heritage Pink	Liberty Green	Eiffel Blue
Dakar	Pebble	French Lavender	Moss Green	Nautical
Stone Grey	Graphite	Foraged Fruit	Heritage Green	Marine Blue
Honeycomb	Carbon Black	Heritage Red	Conifer	Indigo

Solid Timber Painted | Ex.Stock and MTM



## Kitchen Door Sizes

Doors Sizes	EXS	PTO	MTM	Curved Door sizes	PTO
115 x 596				716 x 300	
140 x 296				896 x 300	
140 x 396					
140 x 446					
140 x 496					
140 x 596					
176 x 396					
176 x 496					
176 x 596					
284 x 496					
284 x 596					
284 x 796					
284 x 896					
284 x 996					
356 x 496					
356 x 596					
356 x 796					
356 x 896					
356 x 996					
450 x 596					
496 x 396					
496 x 596					
570 x 296					

## Handleless Rail System / Door Sizes

Kitchen Door Sizes			MTM
160 x 296	325 x 596	685 x 146	
160 x 396	325 x 796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

**Drilling** - Additional charge per hole.

**Non-Standard Kitchen Door Sizes** - Priced as MTM  
Angled Doors are not available.

**Primed MTM Sizes are not available.**  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

**Non-Standard Curved Door Sizes are not available.**  
Concave Doors are not available.

**Standard Georgian Frame Sizes** - Supplied Glazed.  
**Non Standard Georgian Frame Sizes are not available.**  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.

**Drilling** - Additional charge per hole.

## Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

## Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

## Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.  
Angled Frames are not available.

## Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available.  
Concave doors are not available.



## Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

## Edison Door Cross Section































## Edison Stile Cross Section



Solid Timber Painted | Ex:Stock and MTM



Solid Timber Painted | Ex:Stock and MTM

 <p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>PTO</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>PTO</p>	 <p><b>Tangent Light Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>PTO</p>
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Modern Cornice Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>PTO</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>PTO</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 2850mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>PTO</p>
 <p><b>Turned Pilaster</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>PTO</p>	 <p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>PTO</p>	 <p><b>Radius Profile</b> (R 48mm) 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>PTO</p>
			 <p><b>Square Profile Pilaster</b> 3050mm (L) x 70mm (W) x 50mm (H)</p> <p>PTO</p>	 <p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 19mm (W) x 19mm (H)</p> <p>PTO</p>
 <p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>PTO</p>	 <p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>PTO</p>	 <p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>PTO</p>	 <p><b>Corbel Back Panel</b> 284mm (W) x 18mm (W) x 296mm (H)</p> <p>PTO</p>	 <p><b>Mantle Shelf</b> 1784mm (L) x 180mm (W) x 18mm (H)</p> <p>PTO</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>PTO</p>	 <p><b>Plate Cot (Pair)</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>PTO</p>	 <p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
 <p><b>Edison Overmantle Kit</b> Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf</p>		 <p><b>Modern Canopy</b> 1000mm (W) x 228mm (D) x 525mm (H)</p> <p>PTO</p>
		 <p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>

Panel	Size MM	Primed Ex:Stock	Ex:Stock Colours	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 380mm	●	●	●	●	●
Plain / T&G Panel	18mm / 930 x 650mm	●	●	●	●	●
Plain / T&G Panel	18mm / 930 x 1200mm	●	●	●	●	●
Plain / T&G Panel	18mm / 965 x 380mm	●	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 650mm	●	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.

 <p><b>Plain Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>	 <p><b>T&amp;G Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>
---	---

# Monroe | Solid Timber Matt Painted Door

Solid Timber Painted | Ex.Stock and MTM



## Door Specification

Description	Plain Shaker Door with 75mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.

Available Ex.Stock in 4 Colours + Primed

32 Painted Colours

Available Painted to Order standard sizes.

Available Made to Measure

Solid Ash Timber



Monroe Door




Monroe Frame



Monroe Curved Door



Monroe Pan Drawer



Monroe Drawer

# Monroe | Colours / Finishes

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

 Primed	 White	 Taupe Grey		
 Porcelano	 Highland Grey	 Cashmere	 Sea Breeze	 Light Blue
 Ivory	 Light Grey	 French Chalk	 Sage	 Denim
 Mussel	 Dust Grey	 Heritage Pink	 Liberty Green	 Eiffel Blue
 Dakar	 Pebble	 French Lavender	 Moss Green	 Nautical
 Stone Grey	 Graphite	 Foraged Fruit	 Heritage Green	 Marine Blue
 Honeycomb	 Carbon Black	 Heritage Red	 Conifer	 Indigo

Solid Timber Painted | Ex.Stock and MTM

# Monroe | Door and Drawer Sizes



Kitchen Door Sizes		
Doors Sizes	EXS PTO MTM	Curved Door sizes PTO
115 x 596	570 x 396	716 x 300
140 x 296	570 x 446	896 x 300
140 x 396	570 x 496	
140 x 446	570 x 596	
140 x 496	645 x 596	
140 x 596	716 x 146	
140 x 796	716 x 256	
140 x 896	716 x 275	716 x 396 (Glazed)
140 x 996	716 x 296	716 x 496 (Glazed)
176 x 396	716 x 315	896 x 496 (Glazed)
176 x 496	716 x 346	1060 x 496 (Glazed)
176 x 596	716 x 396	
284 x 496	716 x 446	
284 x 596	716 x 496	
284 x 796	716 x 546	
284 x 896	716 x 596	
284 x 996	896 x 296	
356 x 496	896 x 396	
356 x 596	896 x 446	
356 x 796	896 x 496	
356 x 896	896 x 596	
356 x 996	980 x 596	
450 x 596	1245 x 296	
496 x 396	1245 x 396	
496 x 596	1245 x 496	
570 x 296	1245 x 596	

Handleless Rail System / Door Sizes			
Kitchen Door Sizes MTM			
160 x 296	325 x 596	685 x 146	
160 x 396	325 x 796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

**Drilling** - Additional charge per hole.

**Non-Standard Kitchen Door Sizes** - Priced as MTM  
**Angled Doors are not available.**

**Primed MTM Sizes are not available.**  
**MTM timber doors cannot be cancelled once ordered.**  
**MTM Timber doors are non-returnable.**

**Non-Standard Curved Door Sizes are not available.**  
**Concave Doors are not available.**

**Standard Plain Frame Sizes** - Supplied Glazed.  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.  
**Georgian Frame Sizes are not available.**

**Drilling** - Additional charge per hole.

# Monroe | Technical Specification

**Solid Timber Doors:**  
 Door sizes between 283mm - 1245mm high are supplied as single panels as standard.  
 Maximum Door Width is 996mm  
 Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

**Solid Timber Drawers:**  
 Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard.  
 Maximum Drawer width is 1196mm.  
 Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard.  
 Maximum Pan Drawer width is 1196mm.  
 Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

**Solid Timber Frames:**  
 Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard.  
 Maximum Plain Frame width is 996mm.  
 Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed.  
 Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.


MTM Georgian Frames not available.  
 Angled Frames are not available.

**Solid Timber Curved Doors:**  
 Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.



MTM Solid Timber Doors are not available.  
 Concave doors are not available.

**Drilling:**  
 All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

## Monroe Door Cross Section



## Monroe Stile Cross Section



Solid Timber Painted | Ex:Stock and MTM

Solid Timber Painted | Ex:Stock and MTM

<p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>PTO</p>	<p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>PTO</p>	<p><b>Tangent Light Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>PTO</p>
<p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Modern Cornice Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>PTO</p>	<p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>PTO</p>	<p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 2850mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>PTO</p>
<p><b>Turned Pilaster</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>PTO</p>	<p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	<p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>PTO</p>	<p><b>Radius Profile</b> (R 48mm) 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>PTO</p>
			<p><b>Square Profile Pilaster</b> 3050mm (L) x 70mm (W) x 50mm (H)</p> <p>PTO</p>	<p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 19mm (W) x 19mm (H)</p> <p>PTO</p>
<p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>PTO</p>	<p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>PTO</p>	<p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>PTO</p>	<p><b>Corbel Back Panel</b> 284mm (W) x 18mm (W) x 296mm (H)</p> <p>PTO</p>	<p><b>Mantle Shelf</b> 1784mm (L) x 180mm (W) x 18mm (H)</p> <p>PTO</p>

<p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>PTO</p>	<p><b>Plate Cot (Pair)</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>PTO</p>	<p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
<p><b>Monroe Overmantle Kit</b> Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf</p>		
	<p><b>Modern Canopy</b> 1000mm (W) x 228mm (D) x 525mm (H)</p> <p>PTO</p>	<p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>

Panel	Size MM	Primed Ex:Stock	Ex:Stock Colours	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 380mm	●	●	●	●	●
Plain / T&G Panel	18mm / 930 x 650mm	●	●	●	●	●
Plain / T&G Panel	18mm / 930 x 1200mm	●	●	●	●	●
Plain / T&G Panel	18mm / 965 x 380mm	●	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 650mm	●	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.

<p><b>Plain Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>	<p><b>T&amp;G Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>
---	---

# Albany | Solid Timber Matt Painted Door



Solid Timber Painted | Ex:Stock and MTM

Solid Timber Painted | Ex:Stock and MTM



Door Specification	
Description	Lined Shaker Door with 105mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.



# Albany | Kitchen Door Sizes

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

Ex:Stock				
Primed	White	Taupe Grey		
			NEW	
Porcelano	Highland Grey	Cashmere	Sea Breeze	Light Blue
		NEW		
Ivory	Light Grey	French Chalk	Sage	Denim
		NEW	NEW	
Mussel	Dust Grey	Heritage Pink	Liberty Green	Eiffel Blue
			NEW	
Dakar	Pebble	French Lavender	Moss Green	Nautical
			NEW	
Stone Grey	Graphite	Foraged Fruit	Heritage Green	Marine Blue
NEW	NEW	NEW		
Honeycomb	Carbon Black	Heritage Red	Conifer	Indigo



Kitchen Door Sizes		
Doors Sizes	EXS PTO MTM	Curved Door sizes
115 x 596		716 x 300
140 x 296		896 x 300
140 x 396		
140 x 446		
140 x 496		
140 x 596		
176 x 396		
176 x 496		
176 x 596		
284 x 496		
284 x 596		
284 x 796		
284 x 896		
284 x 996		
356 x 496		
356 x 596		
356 x 796		
356 x 896		
356 x 996		
450 x 596		
496 x 396		
496 x 596		
570 x 296		

Handleless Rail System / Door Sizes		
Kitchen Door Sizes		
160 x 296	325 x 596	685 x 146
160 x 396	325 x 796	685 x 296
160 x 446	325 x 896	685 x 315
160 x 496	325 x 996	685 x 346
160 x 596	490 x 296	685 x 396
160 x 796	490 x 396	685 x 446
160 x 896	490 x 446	685 x 496
160 x 996	490 x 496	685 x 596
325 x 496	490 x 596	

**Non-Standard Kitchen Door Sizes** - Priced as MTM  
**Angled Doors are not available.**

**Primed MTM Sizes are not available.**  
**MTM timber doors cannot be cancelled once ordered.**  
**MTM Timber doors are non-returnable.**

**Non-Standard Curved Door Sizes are not available.**  
**Concave Doors are not available.**

**Standard Plain Frame Sizes** - Supplied Glazed.  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.  
**Georgian Frame Sizes are not available.**

**Drilling** - Additional charge per hole.

Handleless Rail System / Door Sizes		
Kitchen Door Sizes		
160 x 296	325 x 596	685 x 146
160 x 396	325 x 796	685 x 296
160 x 446	325 x 896	685 x 315
160 x 496	325 x 996	685 x 346
160 x 596	490 x 296	685 x 396
160 x 796	490 x 396	685 x 446
160 x 896	490 x 446	685 x 496
160 x 996	490 x 496	685 x 596
325 x 496	490 x 596	

**Drilling** - Additional charge per hole.

## Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

## Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

## Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.  
 Angled Frames are not available.

## Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available.  
 Concave doors are not available.



## Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

## Albany Door Cross Section

























## Albany Stile Cross Section









Solid Timber Painted | Ex:Stock and MTM


Solid Timber Painted | Ex:Stock and MTM

 <p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>EXS PTO</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>EXS PTO</p>	 <p><b>Tangent Light Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>EXS PTO</p>
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Modern Cornice Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 2850mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
 <p><b>Turned Pilaster</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Radius Profile</b> (R 48mm) 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
			 <p><b>Square Profile Pilaster</b> 3050mm (L) x 70mm (W) x 50mm (H)</p> <p>EXS PTO</p>	 <p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 19mm (W) x 19mm (H)</p> <p>EXS PTO</p>
 <p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	 <p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	 <p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p>	 <p><b>Corbel Back Panel</b> 284mm (W) x 18mm (W) x 296mm (H)</p> <p>EXS PTO</p>	 <p><b>Mantle Shelf</b> 1784mm (L) x 180mm (W) x 18mm (H)</p> <p>EXS PTO</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	 <p><b>Plate Cot (Pair)</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	 <p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
--	---	---




**Albany Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

EXS PTO




**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM


Panel	Size MM	Primed Ex:Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 864mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1160mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1200mm	●	●	●	●
Plain / T&G Panel	18mm / 965 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 900mm	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.



**Plain Panel / 18mm Thick**

EXS PTO MTM



**T&G Panel / 18mm Thick**

EXS PTO MTM

# Hampton | Solid Timber Matt Painted Door

Solid Timber Painted | Ex.Stock and MTM



### Door Specification

Description	Raised Panel Door with 105mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.



Hampton Door




Hampton Georgian Frame



Hampton Curved Door



Hampton Pan Drawer



Hampton Drawer

# Hampton | Colours / Finishes

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

Primed	White	Taupe Grey		
Porcelano	Highland Grey	Cashmere	Sea Breeze <b>NEW</b>	Light Blue
Ivory	Light Grey	French Chalk <b>NEW</b>	Sage	Denim
Mussel	Dust Grey	Heritage Pink <b>NEW</b>	Liberty Green <b>NEW</b>	Eiffel Blue
Dakar	Pebble	French Lavender	Moss Green <b>NEW</b>	Nautical
Stone Grey	Graphite	Foraged Fruit	Heritage Green <b>NEW</b>	Marine Blue
Honeycomb <b>NEW</b>	Carbon Black <b>NEW</b>	Heritage Red <b>NEW</b>	Conifer	Indigo

Solid Timber Painted | Ex.Stock and MTM

# Hampton | Door and Drawer Sizes



## Kitchen Door Sizes

Doors Sizes		EXS	PTO	MTM	Curved Door sizes		EXS	PTO
115 x 596	570 x 396				716 x 300			
140 x 296	570 x 446				896 x 300			
140 x 396	570 x 496							
140 x 446	570 x 596							
140 x 496	645 x 596							
140 x 596	716 x 146							
140 x 796	716 x 256							
140 x 896	716 x 275				716 x 396 (Glazed)			
140 x 996	716 x 296				716 x 496 (Glazed)			
176 x 396	716 x 315				896 x 496 (Glazed)			
176 x 496	716 x 346				1060 x 496 (Glazed)			
176 x 596	716 x 396							
284 x 496	716 x 446							
284 x 596	716 x 496							
284 x 796	716 x 546							
284 x 896	716 x 596				716 x 396 (Glazed)			
284 x 996	896 x 296				716 x 496 (Glazed)			
356 x 496	896 x 396				896 x 496 (Glazed)			
356 x 596	896 x 446				1060 x 496 (Glazed)			
356 x 796	896 x 496							
356 x 896	896 x 596							
356 x 996	980 x 596							
450 x 596	1245 x 296							
496 x 396	1245 x 396							
496 x 596	1245 x 496							
570 x 296	1245 x 596							

## Handleless Rail System / Door Sizes

Kitchen Door Sizes			MTM
160 x 296	325 x 596	685 x 146	
160 x 396	325 x 796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

**Drilling** - Additional charge per hole.

**Non-Standard Kitchen Door Sizes** - Priced as MTM  
Angled Doors are not available.

**Primed MTM Sizes are not available.**  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

**Non-Standard Curved Door Sizes are not available.**  
Concave Doors are not available.

**Standard Frame Sizes** - Supplied Glazed.  
**Non Standard Georgian Frame Sizes are not available.**  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.

**Drilling** - Additional charge per hole.

# Hampton | Technical Specification

## Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

## Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

## Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.  
Angled Frames are not available.

## Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available.  
Concave doors are not available.



## Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

## Hampton Door Cross Section



## Hampton Stile Cross Section



Solid Timber Painted | Ex:Stock and MTM

Solid Timber Painted | Ex:Stock and MTM

<p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Tangent Light Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>EXS PTO</p>
<p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Modern Cornice Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 2850mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
<p><b>Turned Pilaster</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	<p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Radius Profile</b> (R 48mm) 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
			<p><b>Square Profile Pilaster</b> 3050mm (L) x 70mm (W) x 50mm (H)</p> <p>EXS PTO</p>	<p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 19mm (W) x 19mm (H)</p> <p>EXS PTO</p>
<p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	<p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel Back Panel</b> 284mm (W) x 18mm (H) x 296mm (H)</p> <p>EXS PTO</p>	<p><b>Mantle Shelf</b> 1784mm (L) x 180mm (W) x 18mm (H)</p> <p>EXS PTO</p>

<p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	<p><b>Plate Cot (Pair)</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	<p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
<p><b>Hampton Overmantle Kit</b> Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf</p>		
	<p><b>Modern Canopy</b> 1000mm (W) x 228mm (D) x 525mm (H)</p> <p>EXS PTO</p>	<p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>

Panel	Size MM	Primed Ex:Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 864mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1160mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1200mm	●	●	●	●
Plain / T&G Panel	18mm / 965 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 900mm	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.

<p><b>Plain Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>	<p><b>T&amp;G Panel / 18mm Thick</b></p> <p>EXS PTO MTM</p>
---	---

# Greenwich Ash | Solid Timber Matt Painted Door

Solid Timber Painted | Ex.Stock and MTM



ALSO AVAILABLE IN OAK



Door Specification	
Description	Flat Beaded Shaker Door with 105mm Stiles
Finish	Matt Painted Finish
Door Thickness	21mm Thick
Base Material	Solid Ash Core with a Veneered Centre Panel
Edge	1mm Bevelled Edge



# Greenwich Ash | Colours / Finishes

Solid Timber Painted | Ex.Stock and MTM

Colours swatches shown are approximate. See Painted Swatch Book for true colour match.

Ex.Stock	White	Taupe Grey		
Porcelano	Highland Grey	Cashmere	<b>NEW</b> Sea Breeze	Light Blue
Ivory	Light Grey	<b>NEW</b> French Chalk	Sage	Denim
Mussel	Dust Grey	<b>NEW</b> Heritage Pink	<b>NEW</b> Liberty Green	Eiffel Blue
Dakar	Pebble	French Lavender	<b>NEW</b> Moss Green	Nautical
Stone Grey	Graphite	Foraged Fruit	<b>NEW</b> Heritage Green	Marine Blue
<b>NEW</b> Honeycomb	<b>NEW</b> Carbon Black	<b>NEW</b> Heritage Red	Conifer	Indigo



## Kitchen Door Sizes

Doors Sizes		Curved Door sizes	
EXS	PTO	EXS	PTO
115 x 596	570 x 396	716 x 300	
140 x 296	570 x 446	896 x 300	
140 x 396	570 x 496		
140 x 446	570 x 596		
140 x 496	645 x 596		
140 x 596	716 x 146		
140 x 796	716 x 256		
140 x 896	716 x 275		
140 x 996	716 x 296		
176 x 396	716 x 315		
176 x 496	716 x 346		
176 x 596	716 x 396		
284 x 496	716 x 446		
284 x 596	716 x 496		
284 x 796	716 x 546		
284 x 896	716 x 596		
284 x 996	896 x 296		
356 x 496	896 x 396		
356 x 596	896 x 446		
356 x 796	896 x 496		
356 x 896	896 x 596		
356 x 996	980 x 596		
450 x 596	1245 x 296		
496 x 396	1245 x 396		
496 x 596	1245 x 496		
570 x 296	1245 x 596		

## Handleless Rail System / Door Sizes

Kitchen Door Sizes		
EXS	PTO	MTM
160 x 296	325 x 596	685 x 146
160 x 396	325 x 796	685 x 296
160 x 446	325 x 896	685 x 315
160 x 496	325 x 996	685 x 346
160 x 596	490 x 296	685 x 396
160 x 796	490 x 396	685 x 446
160 x 896	490 x 446	685 x 496
160 x 996	490 x 496	685 x 596
325 x 496	490 x 596	

**Drilling** - Additional charge per hole.

**Non-Standard Kitchen Door Sizes** - Priced as MTM. Angled Doors are not available.

**Primed MTM Sizes are not available.** MTM timber doors cannot be cancelled once ordered. MTM Timber doors are non-returnable.

**Non-Standard Curved Door Sizes are not available.** Concave Doors are not available.

**Standard Plain Frame Sizes** - Supplied Glazed. **Non Standard Plain Frame Sizes** - Supplied Unglazed. **Non Standard Plain Frame Sizes** - Priced as door size plus 35%. **Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%. **Georgian Frame Sizes are not available.**

**Drilling** - Additional charge per hole.

## Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

## Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

## Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available. Angled Frames are not available.

## Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available. Concave doors are not available.



## Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

## Greenwich Ash Door Cross Section



## Greenwich Ash Stile Cross Section




**Exterior Face**  
Polyurethane Painted Finish

**Interior Face**  
Polyurethane Painted Finish

**Centre Panel**  
7mm Ash Veneered Particle Board

**Construction**  
Profilled tenon joints  
Glued with PVA Adhesive

**Design**  
105mm wide stiles and rails



Solid Timber Painted | Ex.Stock and MTM

Solid Timber Painted | Ex.Stock and MTM

Solid Timber Painted | Ex:Stock and MTM

Solid Timber Painted | Ex:Stock and MTM

<p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>EXS PTO</p>	<p><b>Tangent Light Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>EXS PTO</p>
<p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Modern Cornice Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 2850mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
<p><b>Turned Pilaster</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	<p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Radius Profile</b> (R 48mm) 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
			<p><b>Square Profile Pilaster</b> 3050mm (L) x 70mm (W) x 50mm (H)</p> <p>EXS PTO</p>	<p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 19mm (W) x 19mm (H)</p> <p>EXS PTO</p>
<p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	<p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p>	<p><b>Corbel Back Panel</b> 284mm (W) x 18mm (W) x 296mm (H)</p> <p>EXS PTO</p>	<p><b>Mantle Shelf</b> 1784mm (L) x 180mm (W) x 18mm (H)</p> <p>EXS PTO</p>

<p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>	<p><b>Plate Cot (Pair)</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	<p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
--	---	---

**Greenwich Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf

**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

EXS PTO

**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM

Panel	Size MM	Primed Ex:Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 864mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1160mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1200mm	●	●	●	●
Plain / T&G Panel	18mm / 965 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 900mm	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.

**Plain Panel / 18mm Thick**

EXS PTO MTM


**T&G Panel / 18mm Thick**

EXS PTO MTM

# Greenwich Oak | Solid Timber Matt Painted Door



# Greenwich Oak | Kitchen Door Sizes



Sanded Oak



Natural Oak Lacquer

Solid Timber Painted | Ex.Stock and MTM

Solid Timber Painted | Ex.Stock and MTM



### Door Specification

Description	Flat Beaded Shaker Door with 105mm Stiles
Finish	Sanded or Lacquered Oak Finish
Door Thickness	21mm Thick
Base Material	Solid Oak Core with a Veneered Centre Panel
Edge	1mm Radius Edge



Available Primed Ex.Stock



Available Lacquered to Order standard



Available Made to Measure



Solid Ash Timber



Greenwich Oak Door



Greenwich Oak Frame



Greenwich Oak Curved Door



Greenwich Oak Pan Drawer



Greenwich Oak Drawer



# Greenwich Oak | Door and Drawer Sizes



Kitchen Door Sizes		
Doors Sizes	EXS LTO MTM	Curved Door sizes
115 x 596	570 x 396	716 x 300
140 x 296	570 x 446	896 x 300
140 x 396	570 x 496	
140 x 446	570 x 596	
140 x 496	645 x 596	
140 x 596	716 x 146	
140 x 796	716 x 256	
140 x 896	716 x 275	
140 x 996	716 x 296	
176 x 396	716 x 315	
176 x 496	716 x 346	
176 x 596	716 x 396	
284 x 496	716 x 446	
284 x 596	716 x 496	
284 x 796	716 x 546	
284 x 896	716 x 596	
284 x 996	896 x 296	
356 x 496	896 x 396	
356 x 596	896 x 446	
356 x 796	896 x 496	
356 x 896	896 x 596	
356 x 996	980 x 596	
450 x 596	1245 x 296	
496 x 396	1245 x 396	
496 x 596	1245 x 496	
570 x 296	1245 x 596	

Handleless Rail System / Door Sizes		
Kitchen Door Sizes		
160 x 296	325 x 596	685 x 146
160 x 396	325 x 796	685 x 296
160 x 446	325 x 896	685 x 315
160 x 496	325 x 996	685 x 346
160 x 596	490 x 296	685 x 396
160 x 796	490 x 396	685 x 446
160 x 896	490 x 446	685 x 496
160 x 996	490 x 496	685 x 596
325 x 496	490 x 596	

Handleless Rail System / Door Sizes		
Kitchen Door Sizes		
160 x 296	325 x 596	685 x 146
160 x 396	325 x 796	685 x 296
160 x 446	325 x 896	685 x 315
160 x 496	325 x 996	685 x 346
160 x 596	490 x 296	685 x 396
160 x 796	490 x 396	685 x 446
160 x 896	490 x 446	685 x 496
160 x 996	490 x 496	685 x 596
325 x 496	490 x 596	

**Drilling** - Additional charge per hole.

**Non-Standard Kitchen Door Sizes** - Priced as MTM.  
Angled Doors are not available.

**MTM timber doors cannot be cancelled once ordered.**  
MTM Timber doors are non-returnable.

**Non-Standard Curved Door Sizes are not available.**  
Concave Doors are not available.

**Standard Plain Frame Sizes** - Supplied Glazed.  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.  
**Georgian Frame Sizes are not available.**

**Drilling** - Additional charge per hole.

# Greenwich Oak | Technical Specification

## Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

## Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

## Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.  
Angled Frames are not available.

## Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available.  
Concave doors are not available.


## Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

## Greenwich Ash Door Cross Section



## Greenwich Ash Stile Cross Section



Solid Timber Painted | Ex:Stock and MTM

Solid Timber Painted | Ex:Stock and MTM

**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths  
EXS LTO

**Curved Classic Cornice**  
364mm (L) x 364mm (W)  
x 63mm (H)  
EXS LTO

**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)  
EXS LTO

**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths  
EXS LTO

**Curved Tangent Pelmet**  
300mm (L) x 300mm (W)  
x 57mm (H)  
EXS LTO

**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths  
EXS LTO

**Curved Modern Cornice Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)  
EXS LTO

**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W)  
x 30mm (H)  
EXS LTO

**Plain Plinth**  
18mm (W) x 150mm (H)  
2850mm Lengths  
EXS LTO

**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)  
EXS LTO

**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths  
EXS LTO

**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths  
EXS LTO

**Turned Pilaster**  
30mm (L) x 30mm (W)  
x 720mm (H)  
EXS PTO

**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)  
EXS LTO

**MTM Corner Post**  
715mm (150 x 150mm Max)  
MTM

**Square Profile Pilaster**  
3050mm (L) x 70mm (W)  
x 50mm (H)  
EXS LTO

**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W)  
x 19mm (H)  
EXS LTO

**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)  
EXS PTO

**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)  
EXS PTO

**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)  
EXS PTO

**Corbel Back Panel**  
284mm (W) x 18mm (W)  
x 296mm (H)  
EXS PTO

**Mantle Shelf**  
1784mm (L) x 180mm (W)  
x 18mm (H)  
EXS PTO

**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)  
EXS LTO

**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)  
EXS LTO

**Greenwich Oak Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf

**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)  
EXS PTO

**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)  
MTM

Panel	Size MM	Sanded Ex:Stock	Lacquered To Order	Sanded MTM	Lacquered MTM
Plain / T&G Panel	18mm / 785 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 864mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1160mm	●	●	●	●
Plain / T&G Panel	18mm / 900 x 1200mm	●	●	●	●
Plain / T&G Panel	18mm / 965 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 360mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 650mm	●	●	●	●
Plain / T&G Panel	18mm / 2400 x 900mm	●	●	●	●
Plain / T&G Panel	Made to Measure per m2	×	●	●	●

**Plain Panel / 18mm Thick**  
EXS LTO MTM

**T&G Panel / 18mm Thick**  
EXS LTO MTM


# Hyde | Grained MDF Matt Painted Door

Solid Timber Painted | MDF Matt Painted (Grained)



Featured in Ethos Painted Brochure

Door Specification	
Description	Embossed Wood Grain Effect, Slab Style Door
Finish	Matt Painted Finish
Door Thickness	18mm Thick
Base Material	Moisture Resistant MDF Core
Edge	Paint-able 1mm ABS Edging



32 Painted Colours



Available Painted to Order standard sizes.



Available Made to Measure



Available Unfinished\*



Embossed Grain



# Hyde | Kitchen Door Sizes



Primed



White



Taupe Grey



Porcelano



Highland Grey



Cashmere



Ivory



Light Grey



French Chalk



Mussel



Dust Grey



Dakar



Stone Grey



Honeycomb

Colours swatches shown are approximate.  
See Painted Swatch Book for true colour match.



NEW  
Sea Breeze



NEW  
French Chalk



NEW  
Heritage Pink



NEW  
Moss Green



NEW  
Heritage Green



Light Blue



Sage



Denim



NEW  
Liberty Green



Eiffel Blue



Nautical



Marine Blue



Conifer



Indigo

Solid Timber Painted | MDF Matt Painted (Grained)

# Hyde | Bedroom Door Sizes



Solid Timber Painted | MDF Matt Painted (Grained)

Kitchen Door Sizes		
Doors Sizes	MTM	Curved Door sizes
115 x 596		715 x 300
140 x 296		895 x 300
140 x 396		1245 x 300
140 x 446		1965 x 300
140 x 496		
140 x 596		
140 x 796		
140 x 896		
140 x 996		
175 x 396		
175 x 496		
175 x 596		
283 x 496		
283 x 596		
283 x 796		
283 x 896		
283 x 996		
355 x 496		
355 x 596		
355 x 760		
355 x 796		
355 x 896		
355 x 996		
450 x 596		
495 x 396		
495 x 596		
570 x 296		
570 x 396		

Bedroom Door Sizes		
Doors and Drawer Sizes	MTM	Curved Door Sizes
215 x 296		1495 x 300
215 x 396		1595 x 300
215 x 446		2150 x 300
215 x 496		2250 x 300
215 x 546		
215 x 596		
215 x 796		
215 x 896		
215 x 996		
415 x 296		
415 x 396		
415 x 446		
415 x 496		
415 x 596		
535 x 296		
535 x 396		
535 x 446		
535 x 496		
535 x 596		
650 x 296		
650 x 396		
650 x 446		
650 x 496		
650 x 596		
1495 x 296		
1495 x 396		
1495 x 446		
1495 x 496		

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.


**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** - These doors will be supplied as raw MDF.  
**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.  
**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).  
**Drilling** - Additional charge per hole.

# Hyde | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes				
Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Internal Corner Post  
685 x 70 x 70mm



External Corner Post  
685 x 46 x 46mm



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 226 for full range of heat deflector sizes.

Solid Timber Painted | MDF Matt Painted (Grained)

# Hyde | Door Specifications



**Hyde Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

**Hyde Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Hyde Frames:**  
Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

**Hyde Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.


**Hyde Bedroom Doors:**  
Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.

**Hyde Direction:**  
Door sizes between 250mm - 2400mm are supplied with vertical grain as standard. Horizontal grain (up to 1220mm only) is available on request.

Drawer sizes between 100mm - 282mm are supplied with horizontal grain as standard. Vertical grain is available on request.






















**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

# Hyde | Technical Specifications




Solid Timber Painted | MDF Matt Painted (Grained)

Solid Timber Painted | MDF Matt Painted (Grained)

 <p><b>Classic Cornice (Grained)</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>EXS PTO</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>EXS PTO</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) x 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
 <p><b>Square Profile Pilaster</b> 3050mm (L) x 50mm (W) x 70mm (H)</p> <p>EXS PTO</p>	 <p><b>Square Profile Pilaster Insert</b> 3050mm (L) x 18mm (W) x 18mm (H)</p> <p>EXS PTO</p>	 <p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Touch Up Paint</b> Available 30ml or 1 Litre volumes.</p>
 <p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	 <p><b>Corbel</b> 125mm (L) x 90mm (W) x 165mm (H)</p> <p>EXS PTO</p>	 <p><b>French Mantle Corbel</b> 350mm (L) x 90mm (W) x 600mm (H)</p> <p>EXS PTO</p> <p>Available Primed Ex.Stock Only.</p>	 <p><b>Chimney Canopy</b> 900mm (W) x 400mm (D) x 1130mm (H)</p> <p>PTO</p>	
 <p><b>Plate Cot (Pair) /</b> 1000mm (L) x 23mm (W) x 308mm (H)</p> <p>EXS PTO</p>	 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>EXS PTO</p>			


Panel	Size MM	Unfinished Ex.Stock*	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	●	●	●	●
Plain Panel	18mm / 900 x 360mm	●	●	●	●
Plain Panel	18mm / 900 x 650mm	●	●	●	●
Plain Panel	18mm / 900 x 864mm	●	●	●	●
Plain Panel	18mm / 900 x 1160mm	●	●	●	●
Plain Panel	18mm / 900 x 1200mm	●	●	●	●
Plain Panel	18mm / 965 x 360mm	●	●	●	●
Plain Panel	18mm / 2400 x 360mm	●	●	●	●
Plain Panel	18mm / 2400 x 650mm	●	●	●	●
Plain Panel	18mm / 2400 x 900mm	●	●	●	●
Plain Panel	Made to Measure per m2	×	●	●	●
T&G Panel	Made to Measure per m2	×	●	●	●

\*Unfinished Ex.Stock - These items will be supplied as raw MDF.  
\*Unfinished MTM - These items will be supplied as raw MDF.






Plain Panel / 18mm Thick

EXS PTO MTM



T&G Panel / 18mm Thick

MTM

 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>EXS PTO</p>	 <p><b>Headboard</b> MTM per m2. / Supplied as a flat panel</p> <p>MTM</p>
---	---	---

# Painted | Curved Door Specifications

## MDF Matt / Gloss Painted Curved Door Specification


Arena / Parker / Tenby / Belair / Hyde / Hartford

MDF Painted Curved Doors are made to suit 300mm x 300mm cabinets only.

Height availability ranges from 570mm up to 2250mm.

Luzzi Curved Doors only available at 715mm High.

MDF Concave Doors are not available.




## Solid Timber Painted Curved Door Specification


Edison / Monroe / Albany / Hampton / Greenwich Ash / Greenwich Oak

Solid Timber Curved Doors are made to suit 300mm x 300mm cabinets only. Height availability 715mm ONLY.


Solid Timber Concave Doors are not available.




# Painted | Moulding Specifications




**Classic Cornice (Smooth)**  
3050mm Lengths




**Curved Classic Cornice (Smooth)**  
419mm (L) x 419mm (W) x 70mm (H)




**Classic Cornice Quadrant (Smooth)**  
98mm (L) x 98mm (W) x 70mm (H)




**Classic Cornice (Grained)**  
3050mm Lengths




**Curved Classic Cornice (Grained)**  
364mm (L) x 364mm (W) x 63mm (H)




**Classic Cornice Quadrant (Grained)**  
84mm (L) x 84mm (W) x 63mm (H)




**Modern Cornice / Pelmet**  
3050mm Lengths




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W) x 30mm (H)




**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W) x 30mm (H)



**Under Cornice (Smooth)**  
3050mm Lengths




**Curved Under Cornice (Smooth)**  
350mm (L) x 350mm (W) x 30mm (H)




**Under Cornice Quadrant (Smooth)**  
53mm (L) x 53mm (W) x 30mm (H)

# Painted | Moulding Specifications




**Plain Plinth**

MDF - 3050mm Lengths  
Solid Ash Timber - 2850mm Lengths  
Solid Oak Timber - 2440mm Lengths




**Curved Plain Plinth**

540mm (L) x 250mm (W) x 150mm (H)




**Torus Plinth**

3050mm Lengths




**Curved Torus Plinth (Smooth)**

300mm (L) x 300mm (W) x 150mm (H)




**Tangent Light Pelmet**

3050mm Lengths




**Turned Pilaster (Solid Timber)**

900mm (H) x 94mm (W)  
900mm (H) x 57mm (W)  
1250mm (H) x 57mm (W)




**Radius Profile**

3050mm Lengths




**Square Pilaster**

3050mm Lengths



**Corner Post**


3050mm Lengths



**MTM Corner Post**


715mm (150mm x 150mm Max)

# Painted | Moulding Specifications




**Shelf Bracket**

100mm (L) x 18mm (W) x 150mm (H)




**Classic Corbel**

125mm (L) x 90mm (W) x 165mm (H)



**French Mantle Corbel**


350mm (L) x 90mm (H) x 600mm (H)



**Plate Cot**


1000mm (L) x 23mm (W) x 308mm (H)

15 internal slots




**Fluted Rail**

2500mm Lengths




**Wine Rack Rail**

1200mm (L) x 18mm (W) x 60mm (H)




**Chimney Canopy**

900mm (W) x 400mm (D) x 1130mm (H)



**Modern Canopy**

1000mm (W) x 228mm (D) x 525mm (H)








**Classic Canopy**


1000mm (W) x 215mm (D) x 485mm (H)




# Painted | Bedroom Accessories Specifications

Painted Headboard Specifications			
Headboard Type	Height Range MM	Height Range MM	Applicable Door Styles
Single Panel 	500mm — 900mm	915mm — 1830mm	Hartford
2 Panel 	500mm — 900mm	915mm — 1830mm	Hartford
3 Panel 	500mm — 900mm	1371mm — 1830mm	Hartford
4 Panel 	500mm — 900mm	1510mm — 1830mm	Hartford
Flat Panel 	500mm — 900mm	915mm — 1830mm	Arena, Tenby, Belair, Hyde and Hartford

**Headboards:** All Headboards are supplied rectangular using the design of door style ordered. All Headboards will be supplied as Single Panels / Flat Panels (Applicable to Door Style) as standard, unless otherwise specified (Door Design permitting).



**Single Square Mirror:** Single Square Mirrors are supplied fully assembled.



**Oval Mirror:** Oval Mirrors are supplied fully assembled.

# Painted | RAL Colour Match References

RAL Colour Match References	
O&S Doors Paint Colour	RAL Colour Match
White	RAL 9003
Ivory	RAL 100 90 10
Porcelano	RAL 110 90 05
Mussel	RAL 095 80 10
Pebble	RAL 080 70 05
Dakar	RAL 090 70 10
Taupe Grey	RAL 080 80 05
Cashmere	RAL 080 80 05
Stone Grey	RAL 060 60 05
Honeycomb	RAL 080 70 40
French Lavender	RAL 320 50 05
French Chalk	RAL 050 85 01
Heritage Pink	RAL 030 70 10
Foraged Fruit	RAL 320 20 10
Heritage Red	RAL 010 30 20
Sea Breeze	RAL 160 70 05
Sage	RAL 100 70 10
Moss Green	RAL 120 60 10
Liberty Green	RAL 180 50 10
Heritage Green	RAL 180 40 05
Conifer	RAL 160 30 05
Nautical	RAL 230 20 15
Light Blue	RAL 140 70 05
Denim	RAL 250 70 10
Eiffel Blue	RAL 260 40 20
Marine Blue	RAL 260 20 15
Indigo	RAL 280 20 05
Highland Grey	RAL 000 90 00
Light Grey	RAL 7035


RAL Colour Match References	
O&S Doors Paint Colour	RAL Colour Match
Dust Grey	RAL 000 60 00
Graphite	RAL 000 30 00
Carbon Black	RAL 000 15 00

**Important Notice:** These RAL Colour match references are suggested options only. They are the closest RAL colour match to our paint colour, but please note they are not exact matches. Customers are strongly advised to obtain paint swatch samples to confirm a satisfactory colour match.

O&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction between our paint colours and externally sourced paint colour matches. The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue paint finishes without prior notice.

For closest colour match we recommend using paint supplied by O&S Doors Ltd.


Please note whilst every effort is made to manufacture painted products to a consistently high standard, there may be variations in the actual finish in certain circumstances. Samples are offered as a reference guide only and may be subject to slight variations.





Heat Deflectors		
Product Code	Area Needed	Pack Includes
HEATDEFLECT BU 18MM	Built Under Oven	- 2 x side heat deflectors / 603mm (L)
HEATDEFLECT DO 18MM	Double Oven	- 2 x side heat deflectors / 898mm (L) - 1 x lower heat deflector / 596mm (L)
HEATDEFLECT SO 18MM	Single Oven	- 2 x side heat deflectors / 634mm (L) - 1 x lower heat deflector / 596mm (L)

All Heat Deflector sizes shown above are made to suit 18mm board thickness.  
For double under oven use HDS02 Double Oven and trim to size.



### Assembly Guide

Before you start, check the pack to make sure all the components are included. If not please call our customer services team on 028 3754 9190.

**Step 1:** Position the left side heat deflector as shown in figure 1 and align with the top edge of the oven aperture. Mark the screw positions with a bradawl and secure using the 12mm screws provided.

**Step 2:** Repeat for the right side heat deflector.

**Step 3:** Position the lower heat deflector as shown in figure 2. Mark the screw positions with a bradawl and secure using the 12mm screws provided.

### Important Note:

Cut outs are provided in the heat deflector to allow your oven to be fixed to the cabinet once the heat deflectors are in place. If the fixing positions for your oven do not align with any of the standard cut outs, drill through the heat deflector using a suitable metal drill bit. Please note that with some models of oven it may be necessary to omit fitting the lower heat deflector to allow the oven door to open correctly.

### Care and Maintenance:

- Wipe clean regularly with a soft damp cloth.
- More stubborn marks can be removed with a soft damp cloth using mild detergents.
- DO NOT use corrosive or abrasive cleaners, which may damage the protective coating of the heat deflectors.




Figure 1 / Side Heat Deflector Assembly




Figure 2 / Lower Heat Deflector Assembly

# Carefully Curated. Durably Designed. Beautifully Built. Handle Accessories

Add the finishing touch to your cabinet design with our wide range of Handle components. With various styles including Bar, Cup, Scoop, Bow, Knobs and 'D' Handles. We have multiple finishes available, from rustic brushed nickel to modern chrome, there's a handle to suit every type of Kitchen, Bedroom and Bathroom.



Standard Handles  
Page 228



Integrated Handles  
Page 232

# Standard Handles | Black | Satin Brass | Brushed Nickel

**Oxford Knob** NEW

Code	Length	Hole Centre
129	32mm	16mm (Single)

**Oxford Knob** NEW

Code	Length	Hole Centre
121	144mm	128mm (Double)

**Oxford Knob** NEW

Code	Length	Hole Centre
125	32mm	16mm (Single)

**Oxford Cup** NEW

Code	Length	Hole Centre
130	122mm	96mm (Double)

**Oxford Cup** NEW

Code	Length	Hole Centre
123	144mm	128mm (Double)

**Oxford Cup** NEW

Code	Length	Hole Centre
127	122mm	96mm (Double)

**Fender Knurled Knob** NEW

Code	Length	Hole Centre
132	30mm	15mm (Single)

**Fender Knurled Knob** NEW

Code	Length	Hole Centre
133	30mm	15mm (Single)

**Camden Cup**

Code	Length	Hole Centre
097	125mm	96mm (Double)

**Fender Knurled 'D' Handle** NEW

Code	Length	Hole Centre
134	200mm	160mm (Double)

**Fender Knurled 'D' Handle** NEW

Code	Length	Hole Centre
135	200mm	160mm (Double)

**Camden 'D' Handle**

Code	Length	Hole Centre
105	168mm	160mm (Double)
101	328mm	320mm (Double)

**Hampton 'D' Handle** NEW

Code	Length	Hole Centre
136	160mm	160mm (Double)

**'D' Handle**

Code	Length	Hole Centre
002	144mm	128mm (Double)

**Flat 'D' Handle**

Code	Length	Hole Centre
066	166mm	160mm (Double)

# Standard Handles | Chrome | Bronze | Antique Copper | Pewter

**Oxford Knob** NEW

Code	Length	Hole Centre
126	32mm	16mm (Single)

**Oxford Knob** NEW

Code	Length	Hole Centre
122	144mm	128mm (Double)

**Finsbury 'D' Handle**

Code	Length	Hole Centre
119	144mm	96mm (Double)

**Oxford Cup** NEW

Code	Length	Hole Centre
128	122mm	96mm (Double)

**Oxford Cup** NEW

Code	Length	Hole Centre
124	144mm	128mm (Double)

**Finsbury Cup**

Code	Length	Hole Centre
120	100mm	64mm (Double)

**Windsor Modern Cup**

Code	Length	Hole Centre
080	145mm	96mm (Double)

**Camden Cup**

Code	Length	Hole Centre
096	125mm	96mm (Double)

**Camden Cup**

Code	Length	Hole Centre
099	125mm	96mm (Double)

**Camden 'D' Handle**

Code	Length	Hole Centre
106	168mm	160mm (Double)
102	328mm	320mm (Double)

**Camden 'D' Handle**

Code	Length	Hole Centre
104	168mm	160mm (Double)

**Camden 'D' Handle**

Code	Length	Hole Centre
107	168mm	160mm (Double)

**Windsor 'D' Handle**

Code	Length	Hole Centre
095	138mm	96mm (Double)

**Aries Steel Bar Handle**

Code	Length	Hole Centre
003 (214)	214mm	198mm (Double)
003 (502)	502mm	486mm (Double)

Handle Accessories

Handle Accessories



**Zenith is Compatible with our Edged Collection.**

Please note an additional door rebate cost is incurred when ordering the Zenith Handle along with Phoenix, Tribeca, Vaasa or Mather Doors.

It is important to specify that you want to include the rebate when ordering. This will ensure your order is processed correctly.


**Zenith Handleless Rebate Door** - Priced as door size plus 7.5%. See page 90 for applicable Door Ranges.

Zenith Integrated Handle Range		
Code	Length MM	Finish
094	146mm	Brushed Nickel
094	296mm	Brushed Nickel
094	346mm	Brushed Nickel
094	396mm	Brushed Nickel
094	446mm	Brushed Nickel
094	496mm	Brushed Nickel
094	546mm	Brushed Nickel
094	596mm	Brushed Nickel
094	796mm	Brushed Nickel
094	896mm	Brushed Nickel
094	996mm	Brushed Nickel

**Door Size Guidance**


Please be aware the top section of the Zenith Handle will add 3mm to the height of your door size, so therefore you must allow space on your cabinet height to allow for this additional 3mm, or else decrease the height of your door size by 3mm when ordering MTM.

**Nominal Sizes Shown**




Scoop Integrated Handle			
Code	Length	Hole Centre	Finish
010	197mm	160mm (Double)	Satin Chrome

Applicable Door Styles - 5G Vinyl Seymour Door Style - See page 16.



Letterbox Integrated Handle			
Code	Length	Hole Centre	Finish
020	145mm	128mm (Double)	Satin Chrome


Applicable Door Styles - 5G Vinyl Frankfurt Door Style - See page 16.




# Door Matrix | Standard Kitchen Door Configurations

- Standard Kitchen dimensions shown are based on 40mm thick worktops.
- All dimensions shown are in millimetres.
- All dimensions shown refer to door frontal sizes unless otherwise stated.
- Refer to individual range pages for definitive list of door sizes available.
- In relation to appliances, follow the manufacturer's installation instructions carefully, particularly for hob to extractor / hood distances and ventilation. Allow proper clearances and ventilation below and behind the appliance (typically 50mm high / deep).
- All appliance units shown are based on 600mm wide. Dimensions shown in brackets refer to appliance aperture heights (the overall distance between door frontals).
- To reduce an aperture to the exact size, cut trimmer panels from a 596mm wide door. The appliance shelf position must be correctly calculated to ensure appropriate appliance door positioning.
- Allow gaps between the appliance and cabinet doors. These are typically 3mm between horizontally adjacent cabinet door frontals and 5mm between vertically adjacent cabinet door frontals.


## 1825mm / Base and Wall Unit Door Configurations



## 1970mm / Base and Wall Unit Door Configurations




## 2150mm / Base and Wall Unit Door Configurations




# Door Matrix | Standard Kitchen Door Configurations


## 1250mm / Studio Height Unit Door and Appliance Configurations




## 1825mm / Full Height Unit Door and Appliance Configurations



## 1970mm / Full Height Unit Door and Appliance Configurations




## 2150mm / Full Height Unit Door and Appliance Configurations




# Door Matrix | Handleless Rail Kitchen Door Configurations

- All appliance units shown are based on 600mm wide. Dimensions shown in brackets refer to appliance aperture heights (the overall distance between door frontals).
- To reduce an aperture to the exact size, cut trimmer panels from a 596mm wide door. The appliance shelf position must be correctly calculated to ensure appropriate appliance door positioning.
- Allow gaps between the appliance and cabinet doors. These are typically 3mm between horizontally adjacent cabinet door frontals and 5mm between vertically adjacent cabinet door frontals.
- In relation to appliances, follow the manufacturer's installation instructions carefully, particularly for hob to extractor / hood distances and ventilation. Allow proper clearances and ventilation below and behind the appliance (typically 50mm high / deep).
- Refer to individual range pages for a definitive list of door sizes available.


## 1970mm / 2150mm / Base and Wall Unit Door Configurations




## 1250mm / Studio Height Unit Door and Appliance Configurations



## 1970mm / Full Height Unit Door and Appliance Configurations




## 2150mm / Full Height Unit Door and Appliance Configurations




# Door Matrix | Bedroom Door Configurations

- All dimensions shown are in millimetres.
- All dimensions shown refer to door frontal sizes unless otherwise stated.
- Refer to individual range pages for definitive list of door sizes available.

## Standard Bedroom / 2150mm / 2250mm / Base and Full Height Unit Door Configurations



## Handleless Rail Bedroom / 2150mm / 2250mm / Base and Full Height Unit Door Configurations



# Order Form | Doors, Accessories and Components

Please fill in all necessary details to ensure your order is processed correctly and avoid any discrepancies. 1/2

Company Name		PO Number
Telephone	Account Code	Reference
Email Address		Date Required
Please note all deliveries will be made via standard delivery to your company account address. If Special or Express delivery is required please contact our Customer Services team.		

Door Style*		
Colour / Finish*	Reverse Colour	

\*Please note you can only use one Order Form per Door Style and Colour / Finish.

**Doors / Drawers / Frames**

Qty	Height	Width	Item Description	Drilling**	Drilling Description
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	

\*\*If Drilling is required please tick Drilling box and detail specifications within space provided.

**Accessories**

Qty	Item Description

**Handle Accessories**

Qty	Item Description	Code

# Order Form | Doors, Accessories and Components

Please fill in all necessary details to ensure your order is processed correctly and avoid any discrepancies. 2/2

**Panels / Moulded Tops / MFC / Headboards**

Qty	Height	Width	Item Description	Drawing*
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>

**Important Notes / Special Instructions / Drawings / Drilling Specifications**

---

Please check your order before signing below

Date Ordered:	Signed:
---------------	---------


# Order Form | Return Gables Order Form

To order a return gable please fill in the necessary details and dimensions below:  
The grain direction will run VERTICALLY along the height dimensions - unless otherwise specified.

Company Name		Order No.
Reference	Colour	


### Return Gable

- A. Gable Height: .....
- B. Gable Width: .....
- C. Front Width: .....
- D. Return Width: .....




### Folded Square Gable

- A. Gable Height: .....
- B. Gable Width: .....
- C. Gable Depth: .....



### Double Return Gable

- A. Gable Height: .....
- B. Gable Width: .....
- C. Front Width: .....
- D. Front Return Width: .....
- E. Rear Width: .....
- F. Rear Return Width: .....




# Order Form | Cloaking End Panel Order Form

To order a Cloaking End Panel please fill in the necessary details and dimensions below:  
The grain direction will run VERTICALLY along the height dimensions - unless otherwise specified.

Company Name		Order No.
Reference	Colour	

### Cloaking End Panel

- A. Gable Height: .....
- B. Gable Width: .....
- C. Front Width: .....
- D. Rear Width: .....





# O&S Doors Ltd Terms and Conditions

## Definitions

**1.1** “**Business Day**” means a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.

“**Company**” means O & S Doors Limited (company number NI034182) a company registered in Northern Ireland whose registered office is at 106 Syerla Road, Benburb, Dungannon, Co. Tyrone, BT71 7ET.

“**Conditions**” means the terms and conditions set out in this document as amended from time to time in accordance with clause 14.5.

“**Contract**” means any contract between the Company and the Customer for the sale and purchase of the Goods that shall incorporate these Conditions in accordance with clause 2.1.

“**Customer**” means the person(s), firm or company who purchases the Goods from the Company.

“**Force Majeure Event**” means an event or circumstance beyond a party’s reasonable control.

“**Goods**” means any kitchen or bedroom doors, panels, associated accessories or any other goods (or any part of them) agreed in the Contract to be supplied to the Customer (including any part or parts of them) and as further detailed in the Order.

“**Order**” means any order for the Goods accepted by the Company or the Customer’s acceptance of the Company’s quotation in accordance with clause 2.3, as the case may be.

“**O&S Warranty**” means the warranty given by the Company to the Customer contained in the Warranty Pack given by the Company to the Customer.

“**Specification**” means any specification for the Goods, including any related plans or drawings, that are agreed in writing by the Customer and the Company in relation to any bespoke products.

“**Warranty Pack**” refers to the warranty detailed in Appendix 1 of these Conditions.

## Interpretation

**1.2** In these Conditions references to any statute or statutory provision shall, unless the context otherwise requires, be construed as a reference to that statute or statutory provision as from time to time amended, consolidated, modified, extended, re-enacted or replaced.

**1.3** In these Conditions any phrase introduced by the terms **including, include, in particular** or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.

**1.4** In these Conditions any reference to **writing** or **written** includes emails but not fax.

## Order Process and Basis of Contract

**2.1** These Conditions apply to each and every Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing. For the avoidance of doubt, no condition of purchase imposed by the Customer shall have any effect in relation to a sale by the Company of Goods unless the Company expressly agrees otherwise in writing.

**2.2** Each Order (placed by telephone, by fax, by email in writing or by any other means) for Goods shall be subject to these Conditions. The Customer is responsible for ensuring the accuracy of the terms of the Order and, in the case of bespoke Goods, any applicable Specification.

**2.3** A quotation for the Goods given by the Company shall not constitute an offer. A quotation shall only be valid for a period of 20 Business Days from its date of issue. All quoted prices (whether provided verbally or in writing) are based on the cost of materials, labour, transport and other relevant items relevant at the date when such prices are quoted. However, notwithstanding any such quotation, the Company reserves the right to charge Goods at the price relevant at the date of dispatch, unless the quotation validity period of 20 Business Days has not been exhausted at the date of dispatch.

Any queries regarding prices charged on invoices must be made to the Company in writing within 10 Business Days of the date the Goods were purchased, otherwise they cannot be accepted.

**2.4** The Goods are made to order. Once an Order is made the manufacturing process is deemed to have commenced immediately. As a result once an Order is made these Conditions will be deemed to have been incorporated, a Contract is created and the Customer is required to accept the Goods in accordance with clause 4.

**2.5** All tenders, quotations and Orders are subject to supplies being available. Where the Company is unable to fulfil an Order as a result of unavailable supplies the Company shall not take payment for the same and shall not be liable to the Customer for any resulting loss (howsoever it arises).

## Description of Goods

**3.1** Technical specifications, advertising, illustrations, samples, descriptions and diagrams of Goods in the Company’s trade literature, catalogue or other published matter (“**Advertising Matter**”) is indicative only of the approximate and general class, character and colour of the Goods. Advertising Matter is approximate only and shall not form part of the Contract. The Company reserves the right to amend the Advertising Matter at its discretion.

**3.2** Any clerical error or omission in any Advertising Matter, quotation, invoices or any other documents issued by the Company shall be subject to correction without any liability to the Company.

**3.3** Unless stated otherwise, the dimensions for sawn dimensions are “nominal”.

**3.4** To the extent permitted by law, in no event is any condition made or warranty given by the Company that the Goods will correspond to sample unless specifically agreed to in writing by the Company for any one Contract.

**3.5** If the Customer requires Goods to comply with any particular Specification it shall inform the Company of such requirements in the Customer’s Order. The Company reserves the right to amend the Specification if required by any applicable statutory or regulatory requirements.

**3.6** To the extent that the Goods are to be manufactured in accordance with a Specification supplied by the Customer, the Customer shall indemnify the Company against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses) suffered or incurred by the Company in connection with any claim made against the Company for actual or alleged infringement of a third party’s intellectual property rights arising out of or in connection with the Company’s use of the Specification. This clause 3.6 shall survive termination of the Contract.

## Delivery and Acceptance of the Goods

**4.1** The Company shall deliver the Goods to the location set out in the Order or such other location as the parties may agree (“**Delivery Location**”) at any time after the Company notifies the Customer that the Goods are ready. The Customer shall be responsible for providing safe, proper, prompt and unhindered access to the Delivery Location to the Company at all reasonable times for unloading and shall be liable for any loss or damage, or cost of delay caused by lack thereof. Where the Customer assists with any unloading it shall be responsible for any damage caused to the Goods arising from Customer’s employees acts or omissions.

**4.2** The Company shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer’s failure to provide the Company with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.

**4.3** The Company may deliver the Goods by separate instalments. The Company may raise a separate invoice and require payment for each instalment. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

**4.4** The Company shall ensure that each delivery of the Goods is accompanied by a delivery note that shows the date of delivery of the Order, all relevant Company reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Goods are being delivered by instalments, the outstanding balance of Goods remaining to be delivered.

**4.5** Delivery is completed on the completion of unloading of the Goods at the Delivery Location.

**4.6** If the Company fails to deliver the Goods, its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement goods of a similar description and quality in the cheapest market available, less the price of the Goods.

**4.7** The Customer must inspect the Goods on receipt and mark the delivery note to record any alleged damage in transit. The Customer must within 2 Business Days of receipt of the Goods notify the Company of any alleged defect, shortage in quantity, damage or failure to comply with description by written notification to the Company to be sent to the following email address: orders@osdoors.com

**4.8** If the Customer fails to comply with the provisions of clause 4.7 the Goods shall be presumed to be in accordance with the Contract and free from any defect or damage which would be apparent on a reasonable examination of the Goods and the Customer shall be deemed to have accepted the Goods. Notwithstanding the terms of the O & S Warranty, after acceptance of the Goods the Customer may not reject the Goods and payment for the same will be payable in accordance with these Conditions.

**4.9** If the Customer fails to take delivery of the Goods within 3 Business Days of the Company notifying the Customer that the Goods are ready, then, except where such failure or delay is caused by a Force Majeure Event or the Company’s failure to comply with its obligations under the Contract:

**4.9.1** Delivery of the Goods shall be deemed to have been completed at 9.00 am on the fourth Business Day after the day on which the Company notified the Customer that the Goods were ready; and

**4.9.2** The Company shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance)

## Export Sales and Incoterms

**5.1** Where the Goods are supplied for export from the United Kingdom, the provisions of this clause 5 shall apply notwithstanding any other provision of these Conditions.

**5.2** Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these Conditions but if there is any conflict between the provisions of Incoterms 2010 and these Conditions, these Conditions shall prevail.

**5.3** The Customer shall be responsible for complying with any legislation or regulations governing the importation, use or sale of the Goods in the country of destination, the payment of any duties or taxes on them and the transportation and storage of Goods including without limitation any obligation to translate any instructions, labelling or packaging into any other language.

**5.4** The Company shall be under no obligation to give notice under section 32(3) of the Sale of Goods Act 1979.

## Quality and the O&S Warranty

**6.1** The Company provides the O & S Warranty for all Goods purchased pursuant to these Conditions. Please see the Warranty Pack for further details. The Warranty Pack is designed to set out guidance on how and to whom to report defects and the responsibilities for and terms upon which they will be remedied.

## Title and Risk

**7.1** The risk associated with the Goods shall pass to the Customer on completion of delivery of the Goods.

**7.2** Title to the Goods shall not pass to the Customer until the Company receives payment in full (in cash or cleared funds) for the Goods and any other goods that the Company has supplied to the Customer in respect of which payment has become due, in which case title to the Goods shall pass at the time of payment of all such sums.

**7.3** Until title to the Goods has passed to the Customer, the Customer shall:

**7.3.1** Store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the Company’s property;

**7.3.2** Not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;

**7.3.3** Maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;

**7.3.4** Notify the Company immediately if it becomes subject to any of the events listed in clause 11.1; and

**7.3.5** Give the Company such information relating to the Goods as the Company may require from time to time.

**7.4** If before title to the Goods passes to the Customer, the Customer becomes subject to any of the events listed in clause 11.1, then, without limiting any other right or remedy the Company may have:

**7.4.1** The Customer’s right to resell the Goods or use them in the ordinary course of its business ceases immediately; and

**7.4.2** The Company may at any time require the Customer to deliver up all Goods in its possession that have not been resold, or irrevocably incorporated into another product; and

**7.4.3** if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.

## Returns

**8.1** No Goods delivered to the Customer which are in accordance with the Contract will be accepted by the Company for return without the prior written approval of the Company and at its absolute discretion.

**8.2** If the Company agrees to accept any such Goods from the Customer for return, the Customer shall be liable to pay a handling charge of 20% of the invoice price. Such Goods must be returned by the Customer (delivery paid) to the Company in their original shipping carton within 30 days.

**8.3** Goods returned without the prior written approval of the Company or otherwise than in accordance with these Conditions may be returned to the Customer or stored at the Customer’s cost without prejudice to any rights or remedies the Customer may have under statute, contract or otherwise.

## Price and payment

**9.1** The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price of the Goods as set out in the Company’s published price list in force as at the date of delivery.

**9.2** Unless stated in the Order to be a fixed price, the Company upon written notice to the Customer may increase the price at any time before the date of delivery if the cost of materials or labour or overheads relating to the production of the Goods has risen since the date of the Order.

**9.3** The price for the Goods is exclusive of VAT and all charges in relation to storage, carriage, handling and off-loading. All other taxes, customs duties, duties and expenses shall be the responsibility of the Customer.

**9.4** The Company may invoice the Customer for the Goods on, or at any time after, the completion of delivery.

**9.5** The Customer shall pay the invoice in full and in cleared funds in accordance with the trading terms set out in the Order or as otherwise agreed between the Company and the Customer, or if no trading terms are agreed, invoices are payable on the date of the invoice (“**Due Date**”). Payment shall be made to the bank account nominated in writing by the Company. Time for payment is of the essence.

**9.6** If the Customer fails to make any payment due to the Company under the Contract by the Due Date for payment, then the Customer shall pay interest on the overdue amount at the rate of 4% per annum above the Bank of England's base rate from time to time. Such interest shall accrue on a daily basis from the Due Date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount.

**9.7** The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). The Company may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by the Company to the Customer. Where any sums are due to the Company from the Customer, the Company is entitled to suspend all services to the Customer until full payment has been received.

**9.8** If the Company has to instruct solicitors or other agents to recover money owed by the Customer to the Company then the Customer will indemnify irrevocably, in full and on demand the Company against all fees, expenses and costs payable by the Company to its solicitors or agents.

**9.9** Where a dispute arises in respect of part only of an invoice, the part(s) of such invoice, which are not be in dispute, shall be paid by the Customer to the Company in accordance with these Conditions.

**9.10** Credit terms (if any) that are agreed between the Company and the Customer shall govern only the Customer's contractual obligation to make payments to the Company for the price of the Goods.

#### Goods Supplied on Credit

**10.1** Goods may only be supplied on credit account terms if an agreement covering such supplies has been offered by the Company and accepted by an authorized representative of the Customer. The Customer must request and complete the credit account application form (the "Application Form") which must be signed by an authorized representative of both parties i.e. Director/Partner, proprietor of a company or in the case of a private individual that person or the person responsible for paying the account. All Goods supplied by the Company to a credit account will be invoiced to the account address by post as soon as possible after the day of sale and will be payable to the Company in accordance with these Conditions as they have been agreed with the account holder. In the case of one or more invoices in which special terms have been agreed in writing, these terms will be referred to on the invoice and payment must be made in accordance with those terms.

**10.2** Credit accounts must be settled in accordance with the agreed Application Form and these Conditions or any other terms agreed between the parties in writing. Should any monies be outstanding outside the terms agreed between the Company and the account holder, the Company reserves its statutory right to claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.

**10.3** The Company reserve the right to withdraw credit facilities at any time. Should the Customer fail to pay the whole amount of any sum due under the Contract by the due date, the full balance outstanding on any account between the Company and the Customer shall then become payable immediately and the Company shall further be entitled to cancel the Contract and/or suspend supplies of goods or services under any contract between the Company and the Customer.

**10.4** The Company shall not be obliged to accept normal stock Goods returned for credit, but may at its absolute discretion do so. All such Goods returned for credit must be accompanied by evidence of original purchase from the Company and the Company shall be entitled at its absolute discretion to impose a 20% handling and/or damage charge in respect of any Goods accepted for return. Goods which are non-stock items and Goods which have been specially ordered will not normally be accepted by way of return for credit. Any Goods which are returned for credit shall not be regarded as having been accepted by the Company until the Company has issued a formal credit note through the channels laid down for such transactions by the Company in writing in respect thereof. The uplifting by the Company's vehicles of Goods for which credit is sought and for which the lorry driver may issue a receipt note is not an acceptance by the Company of liability for credit.

#### Termination

**11.1** Without limiting its other rights or remedies, the Company may terminate a Contract (and suspend all future deliveries) with immediate effect by giving written notice to the Customer if:

**11.1.1** The Customer commits a material breach of any term of the Contract;

**11.1.2** The Customer takes any step or action in connection with its entering administration, provisional liquidation or any composition or arrangement with its creditors (other than in relation to a solvent restructuring), being wound up (whether voluntarily or by order of the court, unless for the purpose of a solvent restructuring), having a receiver appointed to any of its assets or ceasing to carry on business or, if the step or action is taken in another jurisdiction, in connection with any analogous procedure in the relevant jurisdiction;

**11.1.3** The Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all or a substantial part of its business; or

**11.1.4** The Customer's financial position deteriorates to such an extent that in the Company's opinion the Customer's capability to adequately fulfil its obligations under the Contract has been placed in jeopardy.

**11.2** Without limiting its other rights or remedies, the Company may suspend provision of the Goods under the Contract or any other contract between the Customer and the Company if: (i) the Customer becomes subject to any of the events listed in clause 11.1.1 to clause 11.1.4; or (ii) the Company reasonably believes that the Customer is about to become subject to any of the events listed in clause 11.1.1 to clause 11.1.4; or (iii) if the Customer fails to pay any amount due under any Contract on the due date for payment; or (iv) the Customer fails to accept delivery of any Goods ordered by the Customer in accordance with clause 4; or (v) the Customer commits any other breach under these Conditions.

**11.3** Without limiting its other rights or remedies, the Company may terminate the Contract with immediate effect by giving written notice to the Customer if the Customer fails to pay any amount due under the Contract (or any other contract between the Customer and the Company) on the due date for payment.

**11.4** On termination of the Contract for any reason the Customer shall immediately pay to the Company all of the Company's outstanding unpaid invoices and any interest due thereon.

**11.5** Termination of the Contract shall not affect any of the parties' rights and remedies that have accrued as at termination, including the right to claim damages in respect of any breach of the Contract that existed at or before the date of termination.

**11.6** Any provision of the Contract that expressly or by implication is intended to come into force or to continue in force on or after termination of the Contract shall remain in full force and effect despite such termination.

#### Limitation of liability

**12.1** Nothing in these Conditions shall limit or exclude the Company's liability for:

**12.1.1** Death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);

**12.1.2** Fraud or fraudulent misrepresentation;

**12.1.3** Breach of the terms implied by section 12 of the Sale of Goods Act 1979;

**12.1.4** Defective products under the Consumer Protection Act 1987; or

**12.1.5** Any matter in respect of which it would be unlawful for the Company to exclude or restrict liability.

**12.2** Subject to clause 12.1:

**12.2.1** The Company shall under no circumstances whatsoever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, loss of business, depletion of goodwill or otherwise (in each case whether direct or indirect) or any indirect or consequential loss (howsoever caused) arising under or in connection with the Contract; and

**12.2.2** The Company's total liability to the Customer in respect of all other losses arising under or in connection with each Order, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall be limited a maximum sum equivalent to the original purchase price of the Order paid by the Customer to the Company under the Contract.

#### Force Majeure

**13.1** The Company reserves the right to defer the date of delivery, to cancel the Contract or to reduce the volume of the Goods ordered by the Customer, in each case without liability to the Customer, if the Company is prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Company including, without limitation, acts of God, governmental actions, war or national emergency, acts of terrorism, protests, riot, civil commotion, fire, explosion, flood, epidemic, lock-outs, strikes or other labour disputes (whether or not relating to either party's workforce), or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate or suitable materials provided that, if the event in question continues for a continuous period in excess of 180 days, the Customer shall be entitled to give notice in writing to the Company to terminate the Contract.

#### General

**14.1** Assignment and other dealings - The Company may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.

**14.2** Assignment and other dealings - The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of the Company.

#### Confidentiality

**14.3** Each party undertakes that it shall not, at any time during the Contract and for a period of two years after termination of the Contract, disclose to any person any confidential information concerning the business, affairs, customers, clients or companies of the other, except as permitted by this clause 14.3 Each party may disclose the other party's confidential information:

**14.3.1** To its employees, officers, representatives or advisers who need to know such information for the purposes of exercising the party's rights or carrying out its obligations under or in connection with the Contract. Each party shall ensure that its employees, officers, representatives or advisers to whom it discloses the other party's confidential information comply with clause 14.3 and 14.4; and

**14.3.2** As may be required by law, a court of competent jurisdiction or any governmental or regulatory authority.

**14.4** No party shall use any other party's confidential information for any purpose other than to exercise its rights and perform its obligations under or in connection with the Contract.

#### Data Protection

**14.5** Any personal information shall be used in accordance with any and all applicable data protection legislation, including the Data Protection Act 1998 (as may be amended or replaced).

#### Entire Agreement

**14.6** The Contract constitutes the entire agreement between the parties and supersedes and extinguishes all previous agreements, promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.

**14.7** Each of the Company and the Customer agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in the Contract. Each of the Company and the Customer agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in the Contract.

#### 14.8 Variation

No variation of the Contract shall be effective unless it is in writing and signed by the parties (or their authorised representatives).

#### 14.9 Waiver

No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

#### 14.10 Severance

If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract.

#### 14.11 Notices

All notices to be served by one party on the other (unless specifically provided for in these Conditions) shall be deemed duly served 7 days after posting if posted by first class or airmail pre-paid to the registered office of the other party or in the absence of such registered office to the address notified in writing between the parties prior to or at the time of the Contract.

#### 14.12 Third Party Rights

The parties to the Contract do not intend that any term of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.

#### 14.13 Governing Law

The Contract, and any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with it or its subject matter or formation, shall be governed by and construed in accordance with the law of England and Wales.

#### 14.14 Jurisdiction

Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with the Contract or its subject matter or formation.

# Appendix | Product Warranty

O&S Doors Limited ("O&S Doors" or "we" or "us" or "our" or the "Company") is a leading manufacturer and distributor of Kitchen, Bedroom and Bathroom cabinet door frontals and associated accessories to kitchen retailers and manufacturers throughout the UK and Ireland. All of our Goods have been designed to provide you with a quality product that meets your needs. The following paragraphs contain important details concerning your O&S Warranty. You are advised to read these sections carefully so that you are fully aware of the benefits and associated terms. Should you have any questions or queries in relation to the provisions of this O&S Warranty, you should in the first instance, direct such questions to your appointed sales representative or our customer services team.

O&S Doors has implemented a number of industry-leading quality control initiatives and all of our employees are fully committed to delivering quality products that consistently meet independently audited standards and undergo rigorous quality control checks at every stage of the production process. We hold certification from the Forestry Stewardship Council and the Programme for the Endorsement of Forest Certification to ensure that all our timber and raw materials are sourced from ethically managed forests. We are also members of the Furniture Industry Research Association, an independent body set up to ensure the quality and reliability of products used within the furniture industry supply chain. We pride ourselves on the high quality components we produce. However, there are inevitably occasions when defects become apparent following purchase. Initially there may be some snagging issues that require remedial work or items that require adjustment.

Please note that this O&S Warranty Pack is O&S Doors' contractual commitment to you (upon which we intend to rely) in relation to any defects that may arise in relation to the Goods. For the avoidance of doubt this O&S Warranty is personal to you and may not be transferred to any person. Capitalised terms used herein and not otherwise defined shall have the meaning given to them in the O&S Terms and Conditions of Sale.



**Warranty Period:** 6 Years From Invoiced Date Of Supply.

**Important:** The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply.

If you find you are unsatisfied with the goods that you have received, or you would like to make a Warranty claim please contact us via the relative email address below:

**Warranty Claims** — warranty@osdoors.com

**Replacements / Damaged Goods** — aftersales@osdoors.com

## O&S Product Warranty: General Terms

**1.1** The Company warrants that on delivery, and for the relevant Warranty Period (as defined below) the Goods shall:

- 1.1.1** Conform in all material respects with their description;
- 1.1.2** Be free from material defects in design, material and workmanship; and
- 1.1.3** Be of satisfactory quality (in line with the Sale of Goods Act 1979).

**1.2** The Warranty Periods for each product and class of Goods are specified below (the "Warranty Period"):

**Warranty Period:** 6 Years From Invoiced Date Of Supply.

**Important:** The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply.

### 5G Vinyl / Made to Measure

(Including Matt, Superior Matt and High Gloss Finish Doors and Accessories)

### 5 Piece / Ex.Stock and Made to Measure

(Including Harlem / Fenwick / Dylan / Bastille Doors and Accessories)

### Edged / Made to Measure

(Including Phoenix / Tribeca / Vaasa / Mather Doors and Accessories)

### Painted / Stock, Painted to Order and Made to Measure

(Including Arena / Hartford / Belair / Wellington / Campbell / Rainey / Edison / Monroe / Albany / Hampton / Greenwich / Hyde Doors and Accessories)

### Accessories

(Includes Mouldings / Vinyl Wrapped Accessories / Painted Accessories / Worktops / Panels / Return Gables and Handles)

**1.3** Subject to exclusions and limitations set out in section 3 below and adherence of the care and maintenance guidelines set out in section 4 below, if:

- 1.3.1** The Customer gives notice in writing to the Company during the Warranty Period that some or all of the Goods do not comply with the O&S Warranty; and
- 1.3.2** The Company is given a reasonable opportunity of examining such Goods; and
- 1.3.3** The Customer returns such Goods to the Company's place of business at the Customer's cost,

The Company shall, at its option, repair or replace the defective Goods, or refund the price of the Goods, that we agree are defective, in full.

**1.4** Our obligations under this O&S Warranty are limited, at our option, to repairing or replacing any part which proves to be defective or refunding the price if the Goods that we accept are defective. Replacement parts where possible will either be the same or similar and we are under no obligation to replace any part or item with an identical part or item.

**1.5** Except as provided in this section, the Company shall have no further liability to the Customer in respect of the Goods' failure to comply with the O&S Warranty.

**1.6** The O&S Warranty for the Warranty Period is the full extent of our obligation to you in relation to the Goods and any other rights and remedies are excluded to the fullest extent of the law.

**1.7** Any Goods repaired or replaced by the Company (including any repaired or replacement Goods) shall be guaranteed pursuant to this Warranty for the unexpired portion of the relevant Warranty Period that applied to the original Goods supplied. For the avoidance of doubt, the Warranty Period will not be extended by supplying replacement Goods or parts thereof or by repairing such Goods or parts thereof.

**1.8** The Company reserves the right to charge the Customer for any completed warranty service work where it is found to be caused by negligence, poor commissioning, or any other factor not related to a manufacturing defect, or is otherwise excluded under section 3 below.

## Making a Warranty Claim

**2.1** If you wish to make a claim under the terms of this O&S Warranty then you should contact us immediately after the defect is found or becomes obvious to you.

**2.2** As stated in section 1.3.1 above you will be required to give notice in writing to the Company during the Warranty Period within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in this Warranty Pack. You will provide the Company with:

**2.2.1** Evidence of the original invoice or proof of purchase (this may include the original invoice number or other evidence of the purchase);

**2.2.2** A full description of the defect;

**2.2.3** Photographs of the defect; and

**2.2.4** The defective part that requires replacement for inspection by either O&S Doors Ltd or a nominees.

**2.3** On receipt of the above information our customer services department will issue an uplift docket along with a "claim number".

**2.4** Once a claim is accepted by us (subject to the return of the defective Goods and satisfactory inspection of the same) we will notify you whether we intend to repair, replace or refund the relevant defective Goods. If we notify you that we will refund or replace, we may either (i) refund the value of the Goods where no replacement Goods are issued; (ii) replace the Goods free of charge; or (iii) credit your account where replacement Goods have been issued and charged to your account prior to inspection by us, where it is subsequently agreed by us that the Goods are defective following inspection.

**2.5** Please be aware the maximum period for return and credit of defective product is limited to one month from the date of supply of the replacement doors.

**2.6** You must allow us or our agents access to the Goods in order to remedy any defect, where applicable.

**2.7** Where a claim is rejected we will provide details of why the claim has been rejected.

Any communication with us should ALWAYS be sent in writing or by email and quoting any applicable invoice number to:

**Address:** O&S Doors Limited, 106 Syerla Road, Benburb, Co. Tyrone, BT71 7ET

**Email:** warranty@osdoors.com

## Exclusions to your Warranty

**3.1** The O&S Warranty applies to the Goods under normal use, subject to the conditions set out in this Warranty Pack, and as determined by O&S Doors in its sole discretion.

**3.2** O&S Doors shall not be liable for the Goods' failure to comply with the O&S Warranty and the O&S Warranty does not include the provision of, or the rectification of the Goods in any of the following events:

**3.2.1** Where the Customer makes any further use of such Goods after giving notice in accordance with section 1.3 above;

**3.2.2** The defect arises because the Customer failed to follow O&S Doors' oral or written instructions as to the storage, commissioning, installation, use or the maintenance of the Goods or (if there are none) good trade practice regarding the same;

**3.2.3** The defect arises because the Goods have not been used, cared for or maintained in accordance with the care and maintenance instructions as set out in section 4 below;

**3.2.4** The defect arises as a result of O&S Doors following any drawing, design or material specification supplied by the Customer;

**3.2.5** The Customer alters or repairs such Goods without the prior written consent of O&S Doors;

**3.2.6** The defect arises as a result of unfair wear and tear, willful damage, negligence, or abnormal storage or working conditions;

**3.2.7** The Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements;

**3.2.8** Any damages to the Goods are attributable to improper installation, inadequate maintenance, improper product use, after market product modifications, normal weathering, highly corrosive environments, damages caused by fire, accident, flood, acts of God, vandalism, building settlement or structure failures, or other circumstances beyond O&S Doors Ltd' control;

**3.2.9** The damage to the Goods is caused by or within parts, fixtures or fittings that have not been manufactured or supplied by the Company;

**3.2.10** Adjustment of hinges, catches or stays;

**3.2.11** Damage caused by the use of unsuitable cleaning materials;

**3.2.12** Damage occurring as a result of any alteration, modification, vandalism, or accidental damage to the Goods, misuse, neglect, overloading or abnormal use of your Goods;

**3.2.13** Damage caused by the transportation to site or installation of the Goods;

**3.2.14** Damage resulting from a failure or delay in arranging for an obvious defect (or any defect which should have been obvious to a reasonable person who has complied with all relevant owner manuals and this O&S Warranty) to be reported under your O&S Warranty or rectified;

**3.2.15** Damage caused by repairs attempted or undertaken other than those carried out by us or a third party authorised by us;

**3.2.16** Damage as a result of failure to carry our normal day to day maintenance or follow normal maintenance procedures including but not limited to the care and maintenance guidelines in section 4 below;

**3.2.17** Damage as a result of toxic, explosive, corrosive or other hazardous materials brought into contact with the Goods;

**3.2.18** Damage as a result of exposure to water, excessive moisture or humidity;

**3.2.19** Damage as a result of exposure to heat above 60 degrees C;

**3.2.20** Damage as a result of flies, insect, bird or rodent infestations;

**3.2.21** Damage caused directly or indirectly by war, riot, revolution, act of god or any similar event or by vandalism, theft or attempted theft;

**3.2.22** Damage arising from any accident or any act or omission by you;

**3.2.23** Where repairs are not authorised by us in writing or carried out by us. We will not take responsibility for any costs associated with or subsequent rectification of any unauthorised repairs;

**3.2.24** Where Goods are modified with any parts not supplied by us, or where Goods are incorporated with a modified part; or

**3.2.25** Where O&S Doors is NOT the manufacturer of any parts or fixtures and fittings of the Goods, this O&S Warranty does not apply.

**3.3** We will pay for all parts associated with any repair work carried out under the O&S Warranty up to a maximum sum equivalent to the original purchase price of the Goods. Where multiple claims are made, for whatever reason, our aggregate maximum liability shall also be equivalent to the original purchase price of the Goods. Please see the limitation of liability provisions set out in the O&S Terms and Conditions of Sale.

**3.4** We cannot accept responsibility for any loss or damage suffered, or incurred as a consequence of your failure or delay in reporting defects promptly.

# Installation Care & Maintenance

## Installation

- 4.1** Ensure that the relevant rooms have been left to environmentally stabilise prior to the installation of the Goods. Goods must not be installed into a damp moisture rich environment as it will cause undesirable movement in the joints and panels of the Goods. You should ensure that you adequately assess conditions.
- 4.2** To minimise any potential damage during installation we make the following recommendations
- 4.2.1** Prior to installation confirm that you have the correct quantity and size of the Goods.
- 4.2.2** Please make sure that you fully inspect the Goods before drilling or attaching any hinges or other accessories.
- 4.2.3** Take care when unpacking the Goods, for example do not use sharp blades to cut away the packaging.
- 4.2.4** When drilling or attaching the hinges, place the Goods face down on a soft clean surface, ensuring that there is no grit or dust underneath that may cause damage to the surface of the Goods. It is good practice to place a clean barrier between the Goods and the surface when drilling or attaching the hinges.
- 4.2.5** We would recommend that you use a rubber mallet to knock the hinges into the Goods without using excessive force.
- 4.2.6** Once the hinges have been attached we would recommend that you hang the door immediately to avoid any damage. Do not stack the Goods with the hinges touching other Goods as this may mark the Goods.
- 4.2.7** The Goods should be stored flat and away from the working area. Please take care when stacking any Goods with hinges so that they do not mark the other products. Do not lean the Goods against each other or against any surface without proper protection in between the same.
- 4.2.8** Do not stack the Goods on any hard surface as this may cause chipping and scratching along its edge. Prior to fitting, the doors should be stored flat, ensuring that they are not resting on any dirt or debris.
- 4.2.9** Please take extreme care not to put the door down with excessive force on any edge, especially the handle edge as this will cause crushing/impact damage on these edges.
- 4.2.10** Take extreme care not to put the door down on any hard or rough surface such as bare concrete floors, or on any debris such as sawdust, grit or screws, as this can damage the Goods.
- 4.2.11** Where cutting décor panels and trim you must use a sharp quality saw blade of the appropriate grade for finecutting, or a suitable router. Small chips can appear along the cutedge, and so extra care must be taken to minimise the risk of chipping. Using a blunt or inappropriate saw blade will produce a poor finish and this will not be covered by the O&S Warranty.
- 4.2.12** On Painted Products any fine chips along the cut edge should be smoothed with a fine grade sand paper prior to installation.
- 4.2.13** All trims are supplied in long lengths and need to be cut down on site. Please ensure you use the appropriate tools.
- 4.2.14** When fitting the plinth, ensure that you check the dimensions of any adjacent appliances. On occasion, the plinth may need to be pulled forward to ensure that it clears the front of the appliance. This can be achieved by using off cuts to fit blocks the rear of the plinth prior to attaching the plinth clips. This will step the plinth forward from its normal position.

## General Care

- 4.3** The most common problems found occur as a result of excessive or prolonged exposure to heat and/or moisture. Always ensure that water is not left around the sink areas as damage caused as a result is not covered by the O&S Warranty.
- 4.4** Always wipe off excess moisture and be careful with extreme heat sources, such as kettles, ovens and toasters. It is recommended that these heat sources are not placed directly under any wall unit when they are in use as they generate a higher level of heat and moisture than is often expected and can quickly and easily lead to damage of the Goods.
- 4.5** Don't place appliances that create steam (e.g. steamers, coffee makers or kettles) underneath the Goods.
- 4.6** If using glass cleaner to clean your glass doors be careful not to damage fine finish of the door and cabinet parts while cleaning. Do not spray glass cleaner directly onto the glass or cabinet as this may discolour the finish or your kitchen cabinets. Instead spray a small amount of the cleaner on a lint free cloth and wipe down the glass.
- 4.7** Don't open the door of the dishwasher immediately once the cycle is finished as the exposure to the heat and humidity may cause the Goods to absorb the moisture and swell.
- 4.8** Please note that after a period of time it is quite normal for the colouring of kitchen units to mellow in colour. This is not a manufacturing fault and is a result of exposure to light. This means that any additional parts subsequently ordered, or supplied as replacements may not be an exact colour match. However, any additional Goods or parts supplied will also mellow over time to blend with your existing units.
- 4.9** The colour of doors and drawer fronts may appear mismatched. This apparent mismatch is sometimes the effect of differing light conditions within your room. To check your Goods you should place them side by side in natural daylight for comparison.

## Cleaning Advice for all Door Types

- 4.10** Do not use wax furniture polish, abrasive or aggressive cleaners, bleach or other chlorine based cleaners, multipurpose cleaners, dilutes, acetone, alcohol, solvent or similar products on the Goods, as this will damage the surface. Additionally wax and polishes leave a residue build up that is difficult to remove.
- 4.11** Only use a 1% soap, 99% water (liquid soap) solution, wiping with a damp (not wet) cloth, finally drying with a soft clean cloth only.
- 4.12** Ensure all cooking splashes are wiped immediately with a damp cloth.
- 4.13** Dust the Goods with a soft cloth only.
- 4.14** Never use any abrasive cloths or cleaners on the Goods. Spills and condensation on the Goods should be cleaned and dried immediately.
- 4.15** Our Goods should not be stored or installed in a newly plastered room or damp environment. If you need to store them for a while they should be kept flat, preferably in the room in which they are to be installed. This is of particular importance for tall/wardrobe doors.
- 4.16** Components placed adjacent or below a sink, or covering a dishwasher/washing machine or other water source are exempt from this O&S Warranty, unless the failure can be proven to be other than as a result of moisture penetration.
- 4.17** The Goods are wrapped in a manmade material, as are all similar ones in the kitchen and bedroom industry and should not be exposed to heat in excess of 60 degrees. To avoid damage caused as a result of exposure to excessive heat please follow these simple guidelines:
- 4.17.1** When installing doors adjacent to ovens or other heat sources always ensure doors are shielded by the use of heat deflector strips.
- 4.17.2** Never use an appliance that generates high levels of heat or concentrated steam (such as a toaster, kettle, pressure cooker or bread maker) directly under or adjacent to the Goods as this can cause damage.

- 4.18** Components damaged as a result of not following the above guidelines are not covered by the O&S Warranty unless protected by suitable heat strips and a suitable gap left for heat escape.
- 4.19** The correct care will help ensure that your Goods will look good for a long time.
- 4.20** All high gloss Goods should be allowed to "cure" for seven days after removing the protective film. During this curing process the Goods will be liable to scratching and other marks. Please treat the Goods very carefully during this period and avoid cleaning or wiping as much as possible.
- 4.21** To clean the surface of the Goods, wipe using a soft cloth with a mild nonabrasive, dishwashing detergent diluted in water. The mix should be 1 part detergent to 99 parts water. You should never use any vinegar based detergents, solvents, abrasive detergents, white spirit or furniture polish.
- 4.22** We recommend the use of VuPlex polish with a micro anti-scratch cloth.

## Timber & Veneered Doors

- 4.23** It must be remembered that solid timber is a natural living product, therefore it is not possible nor desirable to achieve uniformity of grain or finish within the raw product. Timber will also change colour over time due to exposure to light. It is advised that this is taken into consideration when replacing or fitting new doors some time after the original installation. In addition to cleaning advice already detailed, it is recommended when cleaning timber doors care is taken to clean following the grain direction of the door using only a damp cloth.

## Painted Doors

- 4.24** Painted finishes will change colour over time with exposure to light, the rate of change may differ between pieces and therefore is outside the control of O&S Doors Ltd and this O&S Warranty.
- 4.25** As with timber doors, painted product is made from natural products which by their nature are subject to movement depending on the environmental conditions in which they are placed. This natural movement may cause shrinkage or hairline cracks in the paint or along the joints of the Goods. This is considered as part of the features of painted Goods and therefore exempt from this O&S Warranty.
- 4.26** Extreme care should be taken when cleaning painted Goods. In all circumstances use only a damp cloth with a 1% soap, 99% water solution.

## Dissatisfied with Parts or Repairs

- 5.1** In the unlikely event that you are dissatisfied with the repair undertaken by us or our agents or are dissatisfied with any parts supplied, you should report your dissatisfaction to us within 14 days of completion of the repair or supply of the part.
- 5.2** If no notice is received within 14 days of completion of the repair or supply of the part, the repair work or part supplied is deemed acceptable to you and the claim is deemed to have been satisfied in full.

## Where The O&S Warranty Is Deemed Void

- 6.1** This O&S Warranty is deemed void and of no force or effect in circumstances including, but not limited to: (i) where you have failed to comply with any procedures laid down by us in this O&S Warranty or if you have failed to complete and return within the timescales prescribed any of the forms which we require; (ii) the specification of your Goods have been altered in any material way other than by us; (iii) your Goods have been the subject of an insurance claim to the extent of a write off (or the value of the holiday home/lodge has depreciated by 50% or more); or (iv) you refuse to allow access to the Goods in order to carry out repairs, where required.



### Head Office

106 Syerla Road  
Benburb  
County Tyrone  
BT71 7ET  
Northern Ireland



+44 (0)28 3754 9190



orders@osdoors.com



osdoors.com

### Dublin (Santry)

Unit 9, Boeing Road,  
Airways Industrial  
Estate, Dublin,  
D17 P863

+353 (0) 1852 3002

trade@osdoors.com

### Dublin (Clondalkin)

Units F2 / F3, Clondalkin,  
Weatherwell Business  
Park, Dublin  
D22 HN36

+353 (0) 1572 6850

trade@osdoors.com

### Manchester

Unit 3a & 3b Castlehill  
Industrial Estate, Bredbury,  
Industrial Park Stockport  
SK62SU

0161511 4317

manchester@osdoors.com

**OS** Doors<sup>®</sup> **OS** Express