

CSDoors®

Product Guide 2024

UK & Ireland's Leading Manufacturer of Cabinet Frontals and Components

Introducing New 5G Vinyl Grooved Door Styles Available Now

With an ongoing trend for grooved door styles, we have expanded our range by adding 5 new grooved door styles to the 5G collection.

Introducing Lena, Mila, Aria, Ella and Olivia. For more information see page 30.



Available in over 90 Finishes Woodgrain Effects, Legno, Matt Smooth and Superior Matt.

Contents

INTRODUCTION

4 Introduction6 Ordering Guide8 Marketing

10 Customer Services

11 Logistics234 Door Matrix238 Order Forms

242 Terms and Conditions

MDF PAINTED

118 Arena Range 124 Parker Range 130 Hartford Range 138 Wellington Range 146 Belair Range 154 Gladstone Range

TIMBER PAINTED

Campbell Range Rainey Range 170 176 Edison Range 182 Monroe Range 188 Albany Range 194 Hampton Range 200 Greenwich Ash Range Greenwich Oak Range 206 212 Hyde Range

Moulding Specifications

HANDLES

222

228 Standard Handles232 Integrated Handles

5G VINYL

5G User Guide 14 16 5G Modern Door Styles 18 5G Handleless Door Styles 20 5G Plain Shaker Door Styles 22 5G Lined Shaker Door Styles 24 5G Mock In-Frame Door Styles 26 5G Raised Panel Door Styles 28 5G Arched Door Styles 5G Grooved Door Styles 30 5G Finishes 33 36 5G Door Sizes

44 5G Accessories

46 Moulding Specifications52 Board Match Specifications

5PIECE

Harlem RangeDylan RangeFenwick RangeBastille Range

EDGED

92 Phoenix Range (Gloss Acrylic)
98 Tribeca Range (Superior Matt)
104 Vaasa Range (MFC)
110 Mather Range (Legno MFC)

NEW RANGES



We've introduced 6 new door styles into our 5G Vinyl Collection. See page 21 and page 30.

NEW FINISHES



We've introduced new finishes into our 5G Vinyl Range, complete with over 90 finishes to choose from.
See page 33.

NEW HANDLES



Explore our new range of Handles and Knobs, available in Chrome, Black, Brushed Nickel, Bronze and Satin Brass.
See page 228.

Design that's **Flexible**Delivery that's **Fast**Service that's **First Class**

As the UK and Ireland's leading manufacturer of Kitchen, Bedroom and Bathroom cabinet door frontals, our aim is to deliver your order in full, on time, every time. We work together with you to create flexible manufacturing solutions that satisfy your business needs. Our experience, design expertise and purpose built 410,000 sq ft production facility means that we can successfully fulfill complex requests of any size. With over 6000 Door Styles and Finish combinations to choose from, both Ex.Stock and Made to Measure sizes are all manufactured within the shortest KBB industry lead times. We are a flexible manufacturing partner that will go above and beyond for your business.

Quality Assured — We respect both our natural and working environments. That's why our approach to door production relies on intelligent manufacturing, safe work practices, quality control and e-conomic use of materials. We're dedicated to minimising waste and protecting our people.

Our facility is ISO 45001, ISO 14001 and ISO 9001 certified, proving our dedication to health and safety, environmental sustainability and quality control. We hold certification from both the FSC® and the PEFC to ensure that our product is made of FSC® -certified and other controlled materials. Only the products that are identified as such on this document are FSC® certified. We are also members of FIRA, an independent body set up to ensure the quality of furniture products.

Sustainability — In 2022 we won the title of Sustainable Supplier of the Year at the Irish Kitchen Trade Awards. Here at O&S Doors Ltd, we are committed to maintaining our all encompassing eco policy. We have a zero waste to landfill policy which means that all our cardboard, plastics, foils and general waste are recycled. Our Environmental Officer and HSEQ Manager work together with company directors to ensure that our environmental standards are being maintained and to ensure that we are making steps in the right direction for the future of sustainable manufacturing.





















Ordering Simplicity

Online Ordering — Our custom designed, simple and secure online ordering service allows you to order directly and independently at anytime. You'll be in control, gaining access to inventory status, account management and orders with trade pricing and terms. Save both time and money, creating quick quotes, and placing orders with instant order confirmation. Order Online at weborders.osdoors.com

We advise for all the orders to be placed using the online portal, however if you need help or for any special requests please use the relevant email address as listed below:

Northern Ireland - Orders@osdoors.com
Republic of Ireland - Orders@osdoors.com
United Kingdom - OrdersUK@osdoors.com
Express - OrdersExpress@osdoors.com
Manchester - Manchester@osdoors.com

*Please ensure emailed order enquiries are sent to the relevant listed address to avoid disappointment.

Important: Please include your 'Customer Account Number' when ordering to avoid any delays. Please ensure that all details are correct at time of ordering, as we are unable to guarantee that any amendments or cancellations will be possible. Once an order has been processed into our production system no amendments can be made. Items ordered incorrectly are non-refundable. O&S Doors Ltd cannot accept responsibility for any orders that cannot be altered after they have been placed.

New Customers: If you do not have an account with O&S Doors Ltd please email our customer services team using the relevant email address as listed below:

New Customer Enquiries UK - helloUK@osdoors.com

New Customer Enquiries Express - helloExpress@osdoors.com

New Customer Enquiries NI - helloNI@osdoors.com

 $New\ Customer\ Enquiries\ ROI\ -\ \textbf{helloROI@osdoors.com}$

New Customer Enquiries Manchester - Manchester@osdoors.com



- Easy to use platform
- Instant order confirmation
- Mobile friendly website
- Live pricing for speedy quotes
- Click and collect service available
- Access to extensive product range

Important Notes

Changes to Orders — You will receive an order acknowledgment via email once your order is registered on our system. It is crucial that you notify our Customer Service team of any discrepancies upon receipt of your order acknowledgement. Once an order has been processed on our system no amendments can be made.

Shortages / Damages — Any damages or discrepancies must be reported to Customer Services within 48 hours of delivery. O&S Doors Ltd do not accept any liability for any issues raised after this time.

Replacements — Replacement items must be ordered via email.

UK - aftersalesuk@osdoors.com
ROI & NI - aftersales@osdoors.com
OS Express - ordersexpress@osdoors.com

All customers must fill out our customer service issues form, which you can request from your sales representative or a member of our customer service team. This form should include full details of the damage / discrepancies which must be provided along with clear images and the related O&S Doors Ltd delivery order number. Replacements will be despatched on the next available delivery date, and the original goods will either be retained or returned for inspection.

Warranty (6 Year Limited Warranty) — The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply. If you need to make a warranty claim please email your order details to **warranty@osdoors.com**.

Payment Terms — Unless credit facilities have been agreed in writing, all orders must be paid for in full prior to production. Accounts not operating in line with the agreed credit terms will be closed and outstanding orders will be held until all balances are cleared. O&S Doors Ltd reserve the right to revoke (at any time) any credit terms offered and return to a strictly proforma invoice basis.



Explore Our Core Product Collection

We provide a range of consumer brochures that are designed to inspire you to create magnificent cabinetry.

We have a brochure for each of our 4 main product ranges:

5G Vinyl, 5Piece, Painted and Edged.



Marketing Materials



Design Library — When you partner with us, you get exclusive access to our Design Library, complete with high resolution Kitchen and Bedroom CGI Images, Product Imagery, Product Brochures, Technical Specifications and Colour Swatch Guide PDFs.


For access email marketing@osdoors.com



Door Samples — Door samples are available across all of our product ranges in order to help you illustrate the design and quality to your customers.

Door samples are 570mm x 396mm.

Order door samples via orders@osdoors.com ordersuk@osdoors.com ordersexpress@osdoors.com Manchester@osdoors.com









Colour Swatch Books — To get a real sense for the quality of the finish and to ensure that your customer gets the exact colour that they want, we recommend using our Colour Swatch Books. We have individual Colour Swatch Books available for each of our main product ranges: 5G Vinyl, 5Piece, Painted or Edged.

Order Colour Swatch Books via: orders@osdoors.com ordersuk@osdoors.com ordersexpress@osdoors.com Manchester@osdoors.com

Customer Services

We have dedicated Account Managers to provide you with expert advice and insight on all of our services. Each dedicated Account Manager is supported by a member of our Customer Services team to ensure your ordering experience is as straightforward as possible. This approach means you will always speak to the right person, avoiding any delays and allowing your project to run smoothly.



Logistics

 $\label{lem:normalization} \textbf{Northern Ireland / Republic of Ireland / UK} - O\&S \ \ \text{Doors Ltd operate with a policy of making deliveries} \ \ \text{according to an area timetable}. \ \ \text{Delivery days for customers located in Northern Ireland, Republic of Ireland and UK} \ \ \text{are detailed in the despatch time-table below}. \ \ \text{Please note this despatch time-table may be subject to amendment}.$

Orders with a total value of less than £250 / €400 NETT incur a delivery charge of £15 / €22.*

Monday	Tuesday	Wednesday	Thursday**	Friday
A	Danier	Dallamana	Ocales	O H - d - · · · · · ·
Armagh	Bangor	Ballymena	Carlow	Castledawson
Banbridge	Ballymoney	Castledawson	Clare	Cookstown
Castleblaney	Belfast	Cavan	Cork	Rasharkin
Dublin Clondalkin	Carrickmore	Claudy	Dublin Clondalkin	
Dublin Santry	Carryduff	Coleraine	Dublin Santry	
Dundalk	Craigavon	Cookstown	Galway	
Drogheda	Coalisland	Derry	Kerry	
Louth	Downpatrick	Donegal	Kildare	
Manchester	Dublin Clondalkin	Dublin Clondalkin	Kilkenny	
Monaghan	Dublin Santry	Dublin Santry	Leitrim	
Newry	Dungannon	Dungiven	Limerick	
	Kilkeel	Enniskillen	Longford	
	Lurgan	Fermanagh	Manchester	
	Manchester	Kilrea	Mayo	
	Newcastle	Letterkenny	Offaly	
	Omagh	Limavady	Portlaoise	
	Portadown	Magherafelt	Roscommon	
	Sixmilecross	Manchester	Sligo	
	Sion Mills	Randalstown	Tipperary	
	Strabane	Rasharkin	Waterford	
			West Meath	
			Wexford	
			Wicklow	
			!0!(10	

 $^{^{\}star\star} Thursday is a two day run. Some customers may not receive goods until Friday.$

Dublin Santry — Unit 9, Boeing Rd, Kilmore Big, Dublin, D17 P863, Ireland **Dublin Clondalkin** — Weatherwell Business Park, Units F2/F3, Clondalkin, Co. Dublin, D22 HN36, Ireland

England, Scotland and Wales — Deliveries to England, Scotland and Wales are set per customer account and are subject to change depending on volume of individual deliveries.

Manchester — Units 3A & 3B, Castlehill Industrial Estate, Horsfield Way, Bredbury, SK6 2SU

Special / Express Deliveries — Deliveries outside of the normal arrangements are only available in exceptional circumstances and are subject to delivery surcharge. O&S Doors Ltd accept no liability for any damages inccured in transit in such circumstances.

Sign On Receipt — We kindly request that on receipt of goods, a delivery note is signed and returned to our driver. Your co-operation in this matter is appreciated.

 $^{^{\}star}\mbox{Delivery}$ charges may be subject to change.

For Ultimate Design Flexibility Choose 5G. Next Generation Vinyl Doors



5G is a product of our determination and attention to detail. We use the highest quality materials, the most reliable adhesives, the latest advancements in finishing techniques and manufacturing technology.

Through 5G you have the ultimate design flexibility, with 70+ Door Styles to choose from and an extensive range of finishes including **Embossed Woodgrain Textures, Legno, Matt, Superior Matt & Gloss**.

NEXT GENERATION

CORE SPECIFICATION

NEXT GENERATION

MANUFACTURING TECHNOLOGY

NEXT GENERATION

3D THERMOFORMED POLYMER FINISHES

NEXT GENERATION

ADHESIVES

NEXT GENERATION

DESIGN EXPERTISE





5G Vinyl MTM | User Guide

STEP1 / Choose your door style


Use the Door Style Selection Guide on pages 16 - 31 as a quick reference to find the specific Door Style you need. We have 70+ Door Styles to choose from. These are broken down into the following 8 sections:




Modern / 9 Door Styles See Page 16




Handleless / 10 Door Styles See Page 18



Plain Shaker / 9 Door Styles See Page 20



Lined Shaker / 8 Door Styles See Page 22




Mock In-Frame / 8 Door Styles See Page 24



Raised Panel / 12 Door Styles See Page 26



Arched / 9 Door Styles See Page 28



Grooved / 13 Door Styles See Page 30

Our 5G Vinyl door range is broken down into 4 Price Bands. The complexity of each individual Door Style design will determine which price category it fits into.

Price Band A

Price Band B

Price Band C

Price Band D



5G Vinyl MTM | User Guide

STEP 2 / Choose your finish

Choose from 3 finish types: Matt, Superior Matt and Gloss. Please note not every door style is available within every finish. Use the key under each door image to see what finishes are available for that door. You can also use the key to see if that door style is compatible with our new Handleless Rail System.

See page 33 for the full list of 5G Vinyl finishes.

STEP 3 / Choose your sizes

Standard size guides are available on page 36, however all our 5G Vinyl ranges are available Made to Measure.







STEP 4 / Place your order

To place your order we recommend using our dedicated online ordering service. It gives you full access to our extensive product range, real time inventory status and live pricing. It's easy to use and allows you to order directly and independently at any time of day. You'll save both time and money creating quotes at the click of a button and placing orders with instant order confirmation.

To find out more about setting up your online ordering account please speak to a member of our Customer Service team on +44 (0)28 3754 9190.

Other enquiries send via email to:

Northern Ireland - Orders@osdoors.com
Republic of Ireland - Orders@osdoors.com
United Kingdom - OrdersUK@osdoors.com
Express - OrdersExpress@osdoors.com
Manchester - Manchester@osdoors.com

Orders sent to any other email will not be processed. Telephone orders will not be accepted.

For more details on the ordering process see page 6.



5G Vinyl Door Styles | **Modern**










Galaxy



S (G

Cutler (Formally Duleek)	()
--------------------------	----









)	G	
		_

Price Band A		
Thickness	18mm Thick	
Edge	Profile Edge 3 (See page 32)	
Design	Slab Style	

Price Band A		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	Slah Style	














Oslo





Price Band A		
Thickness	18mm Thick	
Edge	Profile Edge 5 (See page 32)	
Design	Line Groove 60mm	

Euroline





Price Band A		
Thickness	18mm Thick	
Edge	Profile Edge 5 (See page 32)	
Design	Line Groove 40mm	

Seymour (Formally Scoop)







Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	010 Scoop Handle Required	









5G Vinyl Door Styles | **Modern**









Savon (Formally Slab)



M	S	G
	_	

M	S	G

Price Band A		
Thickness	18mm Thick	
Edge	Profile Edge 5 (See page 32)	
Design	Pillow Style	

Mona

Price Band A		
Thickness	18mm Thick	
Edge	Profile Edge 5 (See page 32)	

Marino (Formally Modena)







Price Band A		Price Bar	Price Band A	
Thickness	18mm Thick	Thickness	18mm Thick	
Edge	Profile Edge 5 (See page 32)	Edge	Profile Edge 1 (See page 32	
Design 7mm Arched Edge Detail		Design	18mm Thick Line Detail	





5G Vinyl Door Styles | **Handleless**







Price Band D		
Thickness	22mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	.I-Pull Handle	





J-Pull Handle

Price Band B

Thickness

Edge


Design







В
18mm Thick
Profile Edge 1 (See page 32)
J-Pull Handle





20% of door width

25mm








Price Band B		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	Variable Handle Width	



Lane



Price Band D		
Thickness	22mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	75mm Stile Width / J-Pull Handle	









Price Band D		
22mm Thick		
Profile Edge 1 (See page 32)		
90mm Stile Width Variable Handle Width		




M S G





50% of door height



5G Vinyl Door Styles | **Handleless**





















Price Band C


Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Fixed Handle Width



Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Fixed Handle Width



Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Fixed Handle Width













Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
.	F: 111 # 147 #1





5G Vinyl Door Styles | **Plain Shaker**







Melrose

Design



S

Lanark	





Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	

60mm Stile Width

Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	70mm Stile Width	



Barnbrook







Taunton M S		
Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	90mm Stile Width	



Trenton M S		
Price Danie		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design	100mm Stile Width	



Thickness Edge

Design

Price Band C



mm Thick		

Profile Edge 1 (See page 32) 110mm Stile Width







5G Vinyl Door Styles | Plain Shaker







Woking



m	IS:

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	60mm Stile Width



18mm Thick

105mm Stile Width

Profile Edge 1 (See page 32)

Price Band C

Thickness

Edge

Design





Horton

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width

M S





18mm Thick

63mm Stile Width

Profile Edge 1 (See page 32)



Thickness

Edge

Design

5G Vinyl Door Styles | **Lined Shaker**







Basel

Design





Carmen





Allerford

Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	

60mm Stile Width

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width









Bonn (Formally Cologne)

Price Band C

Thickness

Edge

Design



M	
w	U

Price Band	ıc

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width





M	S
	_

Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 1 (See page 32)	
Design 110mm Stile Width		

18mm Thick

90mm Stile Width



Profile Edge 1 (See page 32)



5G Vinyl Door Styles | **Lined Shaker**





Auckland

Design





Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 5 (See page 32)	

105mm Stile Width







Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



5G Vinyl Door Styles | **Mock In-Frame**










Frice Baria C	
Thickness	18mm Thick
Edge	Profile Edge 3 (See page 32)
Design	10mm Stile Width











Salisbury	M S
Price Ban	d C
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width

Ealing

M S







25

5G Vinyl Door Styles | **Mock In-Frame**





Price Guide: Band A Band B Band C Band D

5G Vinyl Door Styles | Raised Panel







Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



Danforth (Formally Denton)



File Ballu C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width



Leon



•	

Thickness 18mm Thick Edge Profile Edge 1 (See page 32)	Frice Baria C	
Edge Profile Edge 1 (See page 32)	Thickness	18mm Thick
0	111101111000	TOTALITY TRIBUT
	Design	70mm Stile Width



Chatham



s

FIICE Dallu D	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



Monza

Thickness

Edge

Price Band B





В
18mm Thick
Profile Edge 2 (See page 32)
56mm Stile Width



Calcutta





Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	64mm Stile Width





5G Vinyl Door Styles | Raised Panel







Lincoln



)	S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	75mm Stile Width



18mm Thick

78mm Stile Width

Profile Edge 1 (See page 32)

Price Band B

Thickness

Edge

Design



M S G



Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	78mm Stile Width

Gibson







Ashford	M (
Price Ban	d B
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	75mm Stile Width



Capital Square		M S G
Price Ban	d B	
Thickness	18mm Thick	
Edge	Profile Edge 5 (S	ee page 32)
Design	60mm Stile Widt	h

Amsterdam

Price Band B

Thickness

Design



18mm Thick

67mm Stile Width

Profile Edge 2 (See page 32)





5G Vinyl Door Styles | **Arched**









Price Band B Thickness 18mm Thick Edge Profile Edge 2 (See page 32) 55mm Stile Width

Design















Capital Arch M	
Price Ban	d B
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	60mm Stile Width







5G Vinyl Door Styles | **Arched**







Bourbon





Price Band C		
Thickness	18mm Thick	
Edge	Profile Edge 2 (See page 32)	
Design	64mm Stile Width	

Madrid

M	- C
IVI	C



Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 4 (See page 32)
Design	64mm Stile Width

Saxon Arch





Price	Price Band C	
Thickn	ess 18	8mm Thick
Edge	P	rofile Edge 2 (See page 32)
Design	6	Omm Stile Width



5G Vinyl Door Styles | **Grooved**





r nce band c	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 5mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



Mila	M S
Price Ban	d C
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 25mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



Price Band	ıc
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 10mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



Lena		M S
Price Band	ıc	
Thickness	18mm Thick	





Price Band C			
Thickness	18mm Thick		
Edge	Profile Edge 1 (See page 32)		
Design	5mm round lines / 2mm deep / 15mm flats in between grooves		
T&G Panel	For this range will be supplied matching the door.		



Pembroo	k 🐠 S
Price Ban	dC
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Line spacing may vary









$5G \, Vinyl \, Door \, Styles \, | \, \, \textbf{Grooved}$





Price Band C			
Thickness	18mm Thick		
Edge	Profile Edge 2 (See page 32)		
Design	70mm Stile Width		



Newport		M S
Price Band	ıc	
T	40 TI 1	

Profile Edge 1 (See page 32) 90mm Stile Width

Edge

Design



Price Band	dC
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	65mm Stile Width



Price Band B			
Thickness	18mm Thick		
Edge	Profile Edge 1 (See page 32)		
Design	85mm Stile Width		



Westbury	M S
Price Ban	d C
Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	70mm Stile Width



Saxon Square M S				
Price Ban	d C			
Thickness	18mm Thick	_		
Edge	Profile Edge 2 (See page 32)	_		
Design	60mm Stile Width			
	'			


5G Vinyl Door Styles | **Profile Edge Specifications**

Door Style Category	Door Style Name	Profile Edge	Price Band	M	6	G
Modern	Galaxy	Edge 3	Band A	•	•	•
Modern	Cutler	Edge 1	Band A	•	•	•
Modern	Frankfurt	Edge 1	Band B	•	•	•
Modern	Savon	Edge 5	Band A	•	•	•
Modern	Mona	Edge 5	Band A	•	•	•
Modern	Marino	Edge 1	Band A	•	•	•
Modern	Oslo	Edge 5	Band A	•	•	•
Modern	Euroline	Edge 5	Band A	•	•	•
Modern	Saymour	Edge 1	Band C	•	•	•
Handleless	Kassel	Edge 1	Band D	•	•	•
Handleless	Alaska	Edge 1	Band B	•	•	•
Handleless	Lane	Edge 1	Band D	•	•	×
Handleless	Loretto	Edge 5	Band C	•	•	•
Handleless	Mercury	Edge 1	Band D	•	•	•
Handleless	Orion	Edge 1	Band C	•	•	•
Handleless	Neptune	Edge 1	Band D	•	•	•
Handleless	Rana	Edge 1	Band B	•	•	•
Handleless	Shepford	Edge 1	Band D	•	•	X
Handleless	Jasper	Edge 5	Band B	•	•	•
Plain Shaker	Melrose	Edge 1	Band C	•	•	×
Plain Shaker	Lanark	Edge 1	Band C	•	•	×
Plain Shaker	Barnbrook	Edge 1	Band C	•	•	$\frac{}{}$
Plain Shaker				•	•	$\frac{}{}$
Plain Shaker	Woking	Edge 5	Band C	•	•	
	Welsford	Edge 1	Band C			
Plain Shaker	Horton	Edge 1	Band C	•	•	<u>×</u> _
Plain Shaker	Taunton	Edge 1	Band C	•	•	X
Plain Shaker	Trenton	Edge 1	Band C	•	•	X
Plain Shaker	Athlone	Edge 1	Band C	•	•	X
Plain Shaker	Chelsea	Edge 1	Band C	•	•	
Lined Shaker	Basel	Edge 1	Band C	•	•	×
Lined Shaker	Carmen	Edge 1	Band C	•	•	×
Lined Shaker	Allerford	Edge 1	Band C	•	•	×
Lined Shaker	Auckland	Edge 5	Band C	•	•	\times
Lined Shaker	Mason	Edge 1	Band C	•	•	×
Lined Shaker	Bonn	Edge 1	Band C	•	•	×
Lined Shaker	Hillwell	Edge 1	Band C	•	•	×
Lined Shaker	Conway	Edge 1	Band C	•	•	×
Mock In-frame	Vilo	Edge 3	Band C	•	•	×
Mock In-frame	Jones	Edge 1	Band B	•	•	•
Mock In-frame	Rathlin	Edge 1	Band C	•	•	×
Mock In-frame	Stives	Edge 1	Band C	•	•	×
Mock In-frame	Salisbury	Edge 1	Band C	•	•	×
Mock In-frame	Ealing	Edge 1	Band C	•	•	×
Raised Panel	Siesta	Edge 1	Band B	•	•	×
Raised Panel	Danforth	Edge 1	Band C	•	•	×
Raised Panel	Leon	Edge 1	Band C	•	•	×
Raised Panel	Lincoln	Edge 1	Band B	•	•	×
Raised Panel	Hazel	Edge 1	Band B	•	•	×
Raised Panel	Gibson	Edge 1	Band B	•	•	×
Raised Panel			Band B	•	•	×
	Chatham	Edge 1	Band B	•	•	×
Raised Panel	Monza	Edge 2				
Raised Panel	Calcutta	Edge 2	Band B	•	_	×
Raised Panel	Amsterdam	Edge 2	Band B			×
Raised Panel	Ashford	Edge 5	Band B			
Raised Panel	Capital Square	Edge 5	Band B	•	•	•

Door Style Category	Door Style Name	Profile Edge	Price Band	M	S	G
Arched	Annabelle	Edge 2	Band B	•	•	×
Arched	Windsor	Edge 4	Band B	•	•	\times
Arched	Cathedral Single	Edge 2	Band B	•	•	×
Arched	Bourbon	Edge 2	Band C	•	•	×
Arched	Madrid	Edge 5	Band C	•	•	×
Arched	Saxon Arch	Edge 2	Band C	•	•	×
Arched	Verona	Edge 4	Band B	•	•	×
Arched	Hariette Single	Edge 2	Band B	•	•	×
Arched	Capital Arch	Edge 5	Band B	•	•	×
Grooved	Olivia	Edge 1	Band C	•	•	×
Grooved	Ella	Edge 1	Band C	•	•	×
Grooved	Aria	Edge 1	Band C	•	•	×
Grooved	Mila	Edge 1	Band C	•	•	×
Grooved	Lena	Edge 1	Band C	•	•	×
Grooved	Pembrook	Edge 1	Band C	•	•	×
Grooved	Shutter Groove	Edge 2	Band C	•	•	×
Grooved	Newport	Edge 1	Band C	•	•	×
Grooved	Berwick	Edge 1	Band C	•	•	×
Grooved	Amalfi	Edge 1	Band B	•	•	×
Grooved	Westbury	Edge 2	Band C	•	•	×
Grooved	Saxon Square	Edge 2	Band C	•	•	×


Available X Not Available

Please note the Profile Edge is set per Door Style. The Profile Edge is not interchangeable across Door Styles.



5G Vinyl | Colours / Finishes

Matt Finishes | Woodgrain Effects



Matt Finishes | Legno



5G Vinyl | Colours / Finishes

Matt Finishes | Smooth





Black

Superior Matt Finishes | Super Smooth Matt Laminate Uni-Colours



5G Vinyl | Colours / Finishes

G

Gloss Finishes | High Gloss Uni-Colours and Metallics





5G Vinyl | Door and Drawer Sizes





Kitchen Door Sizes							
Doors and Drawer Sizes MTM			Curved Door Sizes	МТМ			
115 x 596 140 x 296	355 x 496 355 x 596	715 x 546 715 x 596	715 x 300 895 x 300				
140 x 396	355 x 796	895 x 296	1245 x 300				
140 x 446 140 x 496	355 x 896 355 x 996	895 x 396 895 x 446	1965 x 300				
140 x 596	450 x 596	895 x 496					
140 x 796 140 x 896	500 x 596 570 x 296	895 x 596 980 x 596					
140 x 996	570 x 396	1060 x 396					
175 x 396 175 x 496	570 x 446 570 x 496	1060 x 496 1060 x 596					
175 x 596	570 x 596	1245 x 296					
175 x 796 175 x 896	715 x 146 715 x 246	1245 x 396 1245 x 446					
175 x 996	715 x 296	1245 x 496					
283 x 496 283 x 596	715 x 313 715 x 346	1245 x 596					
283 x 796	715 x 396						
283 x 896 283 x 996	715 x 446 715 x 496						

Doors and Drawer Sizes			Curved Door Sizes	МТМ
215 x 296	650 x 396	2150 x 396	1495 x 300	
215 x 396	650 x 446	2150 x 446	1595 x 300	
215 x 446	650 x 496	2150 x 496	2150 x 300	
215 x 496	650 x 596	2150 x 596	2250 x300	
215 x 546	1495 x 296	2250 x 296		
215 x 596	1495 x 396	2250 x 396		
215 x 796	1495 x 446	2250 x 446		
215 x 896	1495 x 496	2250 x 496		
215 x 996	1495 x 596	2250 x 596		
415 x 296	1595 x 296	2400 x 296		
415 x 396	1595 x 396	2400 x 396		
415 x 446	1595 x 446	2400 x 446		
415 x 496	1595 x 496	2400 x 496		
415 x 596	1595 x 596	2400 x 596		
535 x 296	1735 x 296			
535 x 396	1735 x 396			
535 x 446	1735 x 446			
535 x 496	1735 x 496			
535 x 596	1735 x 596			
650 x 296	2150 x 296			

Non-Standard Kitchen Door Sizes - Priced next door size up plus 10%.

Angled Kitchen Doors - Door price plus 50%. Horizontal Grain - Door price plus 20%. Drilling - Additional charge per hole.

Curved Kitchen Doors available any height up to 2250mm

Non Standard Curved Kitchen Door Sizes - Priced next door size up plus 10% (Door design permitting - see page 40 for Curved Door Style availability).

Handle-less Curved Doors are only available at 715mm, 895mm and 1245mm. Tall or Non-Standard Handleless Curved Doors are not available.

MTM Kitchen Frames - Supplied Unglazed.
Plain Kitchen Frames - Door price plus 35%.
Georgian Kitchen Frames - Door price plus 50%.
Gloss Georgian Bedroom Frames Not Available

No Foil Doors - Priced as Matt Door Size.

No Foil Curved Doors - Priced as Matt Door Size.

Non-Standard Bedroom Door Sizes - Priced next door size up plus 10%. Angled Bedroom Doors - Door price plus 50%.

Horizontal Grain - Door price plus 50%.

Drilling - Additional charge per hole.

Curved Bedroom Doors available any height up to 2250mm

Non Standard Curved Bedroom Door Sizes - Priced next door size up plus 10% (Door design permitting - see page 40 for Curved Door Style availability).

 $Handle-less\ Curved\ Doors\ are\ only\ available\ at\ 715mm,\ 895mm\ and\ 1245mm.$ Tall or Non-Standard\ Handleless\ Curved\ Doors\ are\ not\ available.

MTM Bedroom Frames - Supplied Unglazed.
Plain Bedroom Frames - Door price plus 35%.
Georgian Bedroom Frames - Door price plus 50%.
Gloss Georgian Bedroom Frames Not Available

No Foil Doors - Priced as Matt Door Size.
No Foil Curved Doors - Priced as Matt Door Size.

Please note not all 5G Vinyl finishes have Matching Reverse Colours.


Please check available Matched Reverse Colours on page 51 before ordering.


22mm Door Reverse Colour - Available in White, Ivory or Silver.

 $Please \ note \ if \ reverse \ colour \ is \ unspecified, Silver \ reverse \ will \ be \ used \ as \ default.$

5G Vinyl | Handleless Rail System Door Sizes









Drilling - Additional charge per hole.





5G Vinyl | Door Specifications



5G Kitchen Doors:

Door sizes between 250mm - 1734mm high are supplied single panel as standard (door design permitting). Refer to pages 16-30 for visuals of how all standard kitchen door styles are supplied.

5G Drawers:

Design and tooling permitting, drawer sizes between 100mm - 282mm high are supplied with internal mould with horizontal grain as standard.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels with horizontal grain as standard.

Refer to pages 16-30 for visuals of how all standard drawer styles are supplied. Please note it's important to always specify either Door, Drawer or Pan Drawer when ordering to ensure that the correct rout and grain direction is used.

5G Frames:

Frames between 250mm - 1734mm high are supplied single panel as standard. Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

Angled Frames are available.

5G Curved and Concave Doors:

Curved doors are made to suit $300 \text{mm} \, x$ 300 mm cabinets only. Height availability ranges from 570 mm up to 2250 mm.

Concave doors are made to suit 300mm, 330mm and 340mm cabinets. They are available at 715mm and 895mm high only. Some door styles are not available in concave.

For a full range of Curved and Concave door style availability see page 40.

5G Bedroom Doors:

Door sizes between 1735mm - 2400mm high are supplied with a double mid-rail. The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If an alternative mid-rail position is required this must be clearly stated when ordering.

Refer to pages 16-30 for visuals of how all standard Bedroom Door Styles are supplied.

Grain Direction:


Door sizes between 283mm - 2400mm are supplied with vertical grain as standard. Horizontal grain (up to 1220mm only) is available on request.

Drawer sizes between 100mm - 282mm are supplied with horizontal grain as standard. Vertical grain available on request.

Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

5G Vinyl | Door Specifications



Angled Doors:

Angled Doors are available in both Kitchen and Bedroom door sizes. Angled Door sizes between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.


Angled Open Frames are available unglazed.

When placing your order for an Angled Door you must clearly state the Angle Height and the Flat Top Width if required.


5G Bedroom Angled Flat Top Right Hand Door Right Hand Door

ase of the door to the centre of the mid ra





Angled Door




Angled Door

Custom Panel Bedroom Doors:

Bedroom door sizes between 1735mm-2400mm are supplied as 2 panel doors with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors are supplied with single mid-rails as standard.

Angled Doors are also available as single, double, 4 and 5 panel doors.



Modern Cutter ● <t< th=""><th>5G Door Style Category</th><th>5G Door Style Name</th><th>Curved Door</th><th>Concave Door</th><th>M</th><th>6</th><th>G</th></t<>	5G Door Style Category	5G Door Style Name	Curved Door	Concave Door	M	6	G
Modern Frankfurt X ● ● Modern Savon ● ● Modern Modern Modern Modern Modern Modern Modern Modern Call Modern Modern Saymour X ● ● Modern Modern Saymour X ● <td>Modern</td> <td>Galaxy</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Modern	Galaxy	•	•	•	•	•
Modern Savon ♦ <td< td=""><td>Modern</td><td>Cutler</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></td<>	Modern	Cutler	•	•	•	•	•
Modern Mona X ● ● Modern Marino A ● ● Modern Curoline A ● ● Modern Suroline A ● ● Handeless Kassel ● ● ● Handeless Alaska A ● ● Handeless Lane A ● ● Handeless Loretto A ● ● Handeless Mercury A ● ● Handeless Neptune ● ● ● ● Handeless Neptune ●	Modern	Frankfurt	×	×	•	•	•
Modern Marino X ● ● Modern Oslo X ● ● Modern Euroline ■ ● ● Modern Saymour X ● ● Handeleess Alaska ● ● ● Handeleess Loretto ● X ● ● Handeleess Loretto ● X ● ● Handeleess Loretto ● X ● ● Handeleess Mercury ●	Modern	Savon	•	×	•	•	•
Modern Oslo ■ ■ ■ Modern Euroline ■ ■ ■ Modern Saymour × ■ ■ Handleless Alaska ■ ■ ■ Handleless Lane ■ × ■ ■ Handleless Loretto ■ × ■ ■ ■ Handleless Mercury ■ <	Modern	Mona	•	×	•	•	•
Modern Euroline X ● ● Modern Saymour X ● ● Handleless Alaska X ● ● Handleless Lane W X ● Handleless Mercury W ● ● Handleless Mercury W ● ● Handleless Rana ● ● ● Handleless Rana ● ● ● Handleless Shepford ● ● ● Handleless Jasper ● ● ● Plain Shaker Melrose ● ● ● Plain Shaker Herose ● ● ● Plain Shaker Horton ● ● ● <	Modern	Marino	•	×	•	•	•
Handleless	Modern	Oslo	•	×	•	•	•
Handleless	Modern	Euroline	•	×	•	•	•
Handleless	Modern		×	×	•	•	•
Handleless	Handleless	Kassal					
Handleless						_	_
Handleless Loretto					_	÷	
Handleless Mercury						•	^
Handleless Orion			•		•	•	•
Handleless Neptune			<u> </u>		•	•	•
Handleless Rana			<u>.</u>				
Handleless Shepford		•	•	-	•	•	•
Plain Shaker Melrose			•		•	•	•
Plain Shaker Melrose Image: Melrose state of the plain shaker state of the plain shaker state state of the		Shepford	•		•	•	×
Plain Shaker	Handleless	Jasper	•	×	•	•	•
Plain Shaker Lanark X X X Plain Shaker Barnbrook X X X Plain Shaker Woking X X X Plain Shaker X X Plain Shaker X X Plain Shaker Taunton X X X Plain Shaker Taunton X X X X Plain Shaker Trenton X X X X Plain Shaker Athlone X X X X Y X X X Y X	Plain Shaker	Melrose	•	×	•	•	×
Plain Shaker Woking	Plain Shaker	Lanark	•	×	•	•	
Plain Shaker Woking X X X Plain Shaker Welsford X X X Plain Shaker Horton X X X Y X Plain Shaker Taunton X X X Y X Y X Y X Y <td< td=""><td>Plain Shaker</td><td>Barnbrook</td><td>•</td><td>×</td><td>•</td><td>•</td><td>×</td></td<>	Plain Shaker	Barnbrook	•	×	•	•	×
Plain Shaker Welsford	Plain Shaker		•		_	•	
Plain Shaker Horton X X X Plain Shaker Taunton X X X Plain Shaker Trenton X X X X Plain Shaker Athlone X X X X X Plain Shaker Athlone X			•		•	•	
Plain Shaker Taunton					_	_	
Plain Shaker					_	_	
Plain Shaker Athlone ★							$\overline{}$
Plain Shaker Chelsea					•	•	
Lined Shaker Carmen X			•		•	·	×
Lined Shaker Carmen X	Lined Shaker	Rasel	•			_	
Lined Shaker Allerford ✓							$\overline{}$
Lined Shaker Auckland ✓						-	$\overline{}$
Lined Shaker Mason ✓						_	
Lined Shaker Bonn X ↓ X Lined Shaker Hillwell X ↓ X						_	
Lined Shaker Hillwell ★ ★ ★ Lined Shaker Conway ★ ★ ★ Mock In-frame Vilo ★ ★ ★ Mock In-frame Jones ★ ♠ ♠ Mock In-frame Rathlin ★ ★ ★ Mock In-frame St Ives ★ ★ ★ Mock In-frame Salisbury ★ ★ ★ Mock In-frame Ealing ★ ★ ★ Raised Panel Siesta ★ ★ ★ Raised Panel Danforth ★ ★ ★ Raised Panel Leon ★ ★ ★ Raised Panel Lincoln ★ ★ ★ Raised Panel Gibson ★ ★ ★ Raised Panel Chatham ★ ★ ★ Raised Panel Calcutta ★ ★ ★ Raised Panel Ashford ★ </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Lined Shaker Conway ★ ★ ★ Mock In-frame Vilo ★ ★ ★ Mock In-frame Jones ★ ★ ★ Mock In-frame Rathlin ★ ★ ★ Mock In-frame St Ives ★ ★ ★ Mock In-frame Salisbury ★ ★ ★ Mock In-frame Ealing ★ ★ ★ Raised Panel Siesta ★ ★ ★ Raised Panel Danforth ★ ★ ★ Raised Panel Leon ★ ★ ★ Raised Panel Lincoln ★ ★ ★ Raised Panel Gibson ★ ★ ★ Raised Panel Chatham ★ ★ ★ Raised Panel Calcutta ★ ★ ★ Raised Panel Ashford ★ ★ ★			•	×	•	•	
Mock In-frame Vilo ✓ ✓ ✓ Mock In-frame Jones ✓ ✓ ✓ Mock In-frame Rathlin ✓ ✓ ✓ Mock In-frame St Ives ✓ ✓ ✓ Mock In-frame Salisbury ✓ ✓ ✓ Raised Panel Siesta ✓ ✓ ✓ Raised Panel Leon ✓ ✓ ✓ Raised Panel Leon ✓ ✓ ✓ ✓ Raised Panel			•	×	•	•	×
Mock In-frame Jones ✓ ✓ Mock In-frame Rathlin ✓ ✓ Mock In-frame St Ives ✓ ✓ Mock In-frame Salisbury ✓ ✓ ✓ Mock In-frame Ealing ✓ ✓ ✓ Raised Panel Siesta ✓ ✓ ✓ Raised Panel Danforth ✓ ✓ ✓ Raised Panel Leon ✓ ✓ ✓ Raised Panel Lincoln ✓ ✓ ✓ Raised Panel Hazel ✓ ✓ ✓ Raised Panel Gibson ✓ ✓ ✓ Raised Panel Chatham ✓ ✓ ✓ Raised Panel Calcutta ✓ ✓ ✓ Raised Panel Amsterdam ✓ ✓ ✓ Raised Panel Ashford ✓ ✓ ✓	Lined Shaker	Conway	•	×	•	•	×
Mock In-frame Rathlin ✓ ✓ ✓ Mock In-frame St Ives ✓ ✓ ✓ Mock In-frame Salisbury ✓ ✓ ✓ Mock In-frame Ealing ✓ ✓ ✓ Raised Panel Ealing ✓ ✓ ✓ Raised Panel Siesta ✓ ✓ ✓ Raised Panel Danforth ✓ ✓ ✓ Raised Panel Leon ✓ ✓ ✓ Raised Panel Lincoln ✓ ✓ ✓ Raised Panel Hazel ✓ ✓ ✓ Raised Panel Gibson ✓ ✓ ✓ Raised Panel Chatham ✓ ✓ ✓ Raised Panel Calcutta ✓ ✓ ✓ Raised Panel Amsterdam ✓ ✓ ✓ Raised Panel Ashford ✓ ✓ ✓	Mock In-frame	Vilo	•	×	•	•	×
Mock In-frame St Ives ✓	Mock In-frame	Jones	•	×	•	•	•
Mock In-frame Salisbury ✓	Mock In-frame	Rathlin	•	×	•	•	×
Mock In-frame Ealing ✓ ✓ ✓ Raised Panel Siesta ✓ ✓ ✓ Raised Panel Danforth ✓ ✓ ✓ Raised Panel Leon ✓ ✓ ✓ Raised Panel Lincoln ✓ ✓ ✓ Raised Panel Hazel ✓ ✓ ✓ Raised Panel Gibson ✓ ✓ ✓ Raised Panel Chatham ✓ ✓ ✓ Raised Panel Monza ✓ ✓ ✓ Raised Panel Amsterdam ✓ ✓ ✓ Raised Panel Ashford ✓ ✓	Mock In-frame	St Ives	•	×	•	•	×
Raised Panel Siesta	Mock In-frame	Salisbury	•	\times	•	•	\times
Raised Panel Danforth ✓ ✓ Raised Panel Leon ✓ ✓ Raised Panel Lincoln ✓ ✓ Raised Panel Hazel ✓ ✓ Raised Panel Gibson ✓ ✓ Raised Panel Chatham ✓ ✓ Raised Panel Monza ✓ ✓ Raised Panel Calcutta ✓ ✓ Raised Panel Amsterdam ✓ ✓ Raised Panel Ashford ✓	Mock In-frame	Ealing	•	×	•	•	×
Raised Panel Leon X ◆ X Raised Panel Lincoln ◆ X ◆ X Raised Panel Hazel ◆ X ◆ X Raised Panel Gibson ◆ ◆ X Raised Panel Chatham ◆ ◆ X Raised Panel Monza ◆ X X Raised Panel Calcutta ◆ X X Raised Panel Ashford X Image: Calcutta of the c	Raised Panel	Siesta	•	×	•	•	×
Raised Panel Lincoln ✓ ✓ ✓ Raised Panel Hazel ✓ ✓ ✓ Raised Panel Gibson ✓ ✓ ✓ Raised Panel Chatham ✓ ✓ ✓ Raised Panel Monza ✓ ✓ ✓ Raised Panel Calcutta ✓ ✓ ✓ Raised Panel Amsterdam ✓ ✓ ✓ Raised Panel Ashford ✓ ✓ ✓	Raised Panel	Danforth	•	×	•	•	X
Raised Panel Hazel X X Raised Panel Gibson X X Raised Panel Chatham X X Raised Panel Monza X X Raised Panel Calcutta X X Raised Panel Amsterdam X X Raised Panel Ashford X X	Raised Panel	Leon	×	×	•	•	×
Raised Panel Gibson ★ ★ ★ Raised Panel Chatham ★ ★ ★ Raised Panel Monza ★ ★ ★ Raised Panel Calcutta ★ ★ ★ Raised Panel Amsterdam ★ ★ ★ Raised Panel Ashford ★ ● ◆	Raised Panel	Lincoln	•	×	•	•	×
Raised Panel Gibson ★ ★ ★ Raised Panel Chatham ★ ★ ★ Raised Panel Monza ★ ★ ★ Raised Panel Calcutta ★ ★ ★ Raised Panel Amsterdam ★ ★ ★ Raised Panel Ashford ★ ● ◆	Raised Panel	Hazel	•	×	•	•	X
Raised Panel Chatham ★ ★ ★ Raised Panel Monza ★ ★ ★ Raised Panel Calcutta ★ ★ ★ Raised Panel Amsterdam ★ ★ ★ Raised Panel Ashford ★ ● ●			•		•	•	×
Raised Panel Monza			•		•		×
Raised Panel Calcutta			•		•	•	×
Raised Panel Amsterdam ● X ● X Raised Panel Ashford X ● ● ●			<u> </u>		-	-	
Raised Panel Ashford X X • • •			•			_	
					_	_	^
Raised Panel Capital Square X							•

5G Door Style Category	5G Door Style Name	Curved Door	Concave Door	M	G
Arched	Annabelle	•	×	•	• ×
Arched	Windsor	•	×	•	• ×
Arched	Cathedral Single Arch	•	×	•	• ×
Arched	Bourbon	•	×	•	• ×
Arched	Madrid	•	×	•	• ×
Arched	Saxon Arch	•	×	•	• ×
Arched	Verona	•	×	•	• ×
Arched	Hariette Single Arch	•	×	•	• ×
Arched	Capital Arch	•	×	•	• ×
Grooved	Olivia	•	×	•	• ×
Grooved	Ella	•	×	•	• ×
Grooved	Aria	•	×	•	• ×
Grooved	Mila	•	×	•	• ×
Grooved	Lena	•	×	•	• ×
Grooved	Pembrook	•	×	•	• ×
Grooved	Shutter Groove	•	×	•	• ×
Grooved	Newport	•	×	•	• ×
Grooved	Berwick	•	×	•	• ×
Grooved	Amalfi	•	×	•	• ×
Grooved	Westbury	•	×	•	• ×
Grooved	Saxon Square	•	×	•	• ×

Available

X Not Available



Curved Door: All 5G Curved Doors are designed to suit 300 x 300mm cabinet. 300mm Curved Doors are available any height up to 2250mm.


Handle-less Curved Doors are only available at 715mm, 895mm and 1245mm.

Tall or Non-Standard Handle-less Curved Doors are not available.


All Curved Doors are available in Silver or Ivory reverse.

 $\label{lower} \textbf{Concave Door:} \ A vailable in 300 mm, 330 mm \ and 340 mm. \ Concave \ Doors \ are available \ at 715 mm \ and 895 mm \ high \ only.$


5G Vinyl | Curved Door Specifications




330mm Concave Door 330mm x 330mm Concave Door for 900mm Base Unit



340mm Concave Door 340mm x 340mm Concave Door for 900mm Base Unit




300mm Concave Door 300mm x 300mm Concave Door for 600mm Wall Unit




300mm Curved Door 300mm x 300mm Curved Radius Door

5G Vinyl | Technical Door Specification

Matt | Technical Specification




S Superior Matt | Technical Specification



5G Vinyl | Technical Door Specification

G Gloss | Technical Specification



5G Vinyl | Accessories



76mm (W) x 63mm (H) 3050mm Lengths

Limited Finishes. See Page 46. Not available in Gloss.







Not available in Gloss.



Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)



Not available in Gloss.



Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Curved Plain Plinth 300mm (L) x 300mm (W) x 150mm (H)





Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)





Modern Cornice **Pelmet Quadrant** 220mm (L) x 220mm (W) x 30mm (H)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths



Not available in Gloss.



Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)



Not available in Gloss.



Tangent Cornice 72mm (W) x 44mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Curved Tangent Cornice 400mm (L) x 400mm (W) x 44mm (H)





Tangent Cornice Quadrant 88mm (L) x 88mm (W) x 44mm (H)





Tangent Pelmet 18mm (W) x 57mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)





MTM Corner Post 715mm (150 x 150mm Max)





Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Square Base Pilaster 70mm (W) x 50mm (H) 3050mm Lengths




Limited Finishes. See Page 46.



Arched Pelmet 2400mm (L) x 18mm (W) x 200mm (H)





Fluted Rail 18mm (W) x 60mm (H) 2500mm Lengths



Not available in Gloss.



Plain Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm



MTM up to 2500mm мтм

Not available in Gloss

Fluted Pilaster 100mm (W) x 900mm (H)

МТМ

Special Pilaster

100mm (W) x 900mm (H)

MTM up to 2500mm



Reeded Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm




Not available in Gloss



Gun Barrel Pilaster 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)





Roman Reed Pilaster 90mm (W) x 900mm (H) 90mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)



5G Vinyl | Accessories





Pre-Glued Edging Tape 50m Roll. (SERICA® Colour match only)




Limited Finishes. See Page 46.



Peel 'n' Stick Per m2



imited Finishes See Page 46



Vinyl Per m2



Limited Finishes. See Page 46.



Shelf Bracket 180mm (D) x 37mm (W) x 210mm (H)



Not available in Gloss.



Wall Quad / Base Quad 720mm / 900mm





Stool 400mm (L) x 350mm (D) x 470mm (H)






Single Square Mirror 485mm (W) x 570mm (H)








See page 48 for all full mirror dimensions



Overmantle Kit with Doors 2 x Doors / 2 x Shelf Brackets / 1 x Mantle Shelf / 1 x Back Panel



Classic Canopy 1000mm (W) x 193mm (D) x 525mm (H)



Modern Canopy 1000mm (W) x 193mm (D) x 525mm (H)



1000mm (W) x 193mm (D) x 525mm (H)
Supplied with fretwork and T&G detail
as standard.
Fretwork detail can be removed on request.




Not available in Gloss.







Not available in Gloss.




Pressed Plain Panel 18mm Thick

Standard Sizes MM:

785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm

Made to Measure per m2





Pressed T&G Panel 18mm Thick

18mm I nici

Standard Sizes MM: 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm

Made to Measure per m2




Not available in Gloss.




Moulded Top Made to Measure per m2





Return Gable Made to Measure per m2 See page 238 for Order Form





Headboards MTM per m2.



5G Vinyl Headboards are supplied with the routered design of your chosen door style. All 5G Headboards will be supplied as single panels / flat panels as standard (Applicable to Door Style), unless otherwise specified.

Height Range: 500mm - 900mm Width Range: 915mm - 1830mm

Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Flat Panel, Single Panel
4ft Headboard / 1208mm	Flat Panel, Single & 2 Panel
4.6ft Headboard / 1371mm	Flat Panel, Single, 2 & 3 Panel
5ft Headboard / 1510mm	Flat Panel, Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Flat Panel, Single, 2, 3 & 4 Panel

5G Vinyl | Mouldings Availability

Vinyl Colour	Classic Cornice	Modern Cornice Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Pilaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
Acacia	×	•	×	×	•	•	X	•	×	×	•	×	X
Avola White	×	×	•	•	•	•	×	•	×	•	•	×	×
Avola Grey	×	•	×	×	•	•	×	•	×	•	•	×	×
Beech	×	•	×	×	•	•	×	•	×	•	•	×	×
Ontario Maple	×	•	×	×	•	•	×	•	×	•	•	×	×
Dark Walnut	×	•	×	×	•	•	×	•	×	×	•	×	×
Halifax Natural Oak	×	•	•	•	•	•	×	•	×	×	×	•	•
Halifax White Oak	×	•	×	×	•	•	×	•	×	•	×	×	×
Light Oak	•	•	•	•	•	•	×	•	×	•	×	•	<u> </u>
Lissa Oak	×	•	•	•	•	•	×	•	×	•	•	×	×
Medium Walnut	×	•	×	×	•	•	×	•	×	•	×	×	×
Montana Oak	•	•	•	•	•	•	×	•	×	•	•	•	×
Pippy Oak	×	•	×	×	•	•	×	•	×	•	•	•	<u>^</u>
Sonoma Oak	•	•	•	•	•	•	•	•	•	•	×	×	•
Urban Oak	×	•	×	×	•	•	×	•	×	•	•	×	×
Winchester Oak													
Light Concrete	×	•	×	×	•	•	×	•	×	×	×	×	X
Dark Concrete	×	•	×	×	•	•	×	•	×	×	×	×	X
Legno Black	•	•	•	•	•	•	•	•	•	•	×	•	•
Legno Cashmere	•	•	•	•	•	•	•	•	•	•	•	•	•
Legno Dakar	•	•	•	•	•	•	×	•	•	•	•	•	×
Legno Dust Grey	•	•	•	•	•	•	•	•	•	•	•	•	•
Legno Evergreen	•	•	•	•	•	•	•	•	•	•	×	•	•
Legno Graphite	•	•	•	•	•	•	•	•	•	•	•	•	•
Legno Indigo	•	•	•	•	•	•	•	•	•	•	×	•	•
Legno Ivory	•	•	•	•	•	•	•	•	•	•	•	•	•
Legno Light Grey	•	•	•	•	•	•	•	•	•	•	•	•	•
Legno Marine Blue	•	•	•	•	•	•	•	•	•	•	×	•	×
Legno Mussel	•	•	•	•	•	•	•	•	•	•	•	•	•
Legno Reed	•	•	•	•	•	•	×	•	×	•	×	×	×
Legno Stone Grey	•	•	•	•	•	•	×	•	•	•	•	•	×
Legno Taupe	•	•	•	•	•	•	•	•	•	•	×	•	•
Legno White	•	•	•	•	•	•	•	•	•	•	•	•	•
Legno White Grey	•	•	•	•	•	•	•	•	•	•	×	•	•
Black	×	×	×	×	•	•	×	•	×	×	•	×	×
Cashmere	•	•	•	•	•	•	×	•	×	•	•	•	•
Dakar	×	•	•	•	•	•	×	•	×	•	•	•	•
Denim	×	•	×	×	•	•	×	•	×	•	•	•	•
Dust Grey	•	•	•	•	•	•	×	•	×	•	•	•	•
Evergreen	•	•	•	•	•	•	×	•	×	×	×	•	•
Fjord	×	•	×	×	•	•	×	•	×	•	×	•	×
Graphite	×	•	×	×	•	•	×	•	×	•	•	•	×
Indigo	•	•	•	•	•	•	×	•	×	•	•	•	•
lvory	•	•	•	•	•	•	×	•	×	•	•	•	•
Light Grey	•	•	•	•	•	•	•	•	×	•	•	•	•
Magnolia	×	•	×	×	•	•	×	•	×	•	×	×	×
Meadow Green	×	•	×	×	•	•	×	•	×	•	×	×	×
Mussel	•	•	•	•	•	•	×	•	×	•	•	•	•
Paintable Vinyl	×	×	×	×	•	•	×	•	×	×	×	×	×
Porcelain	×	•	\times	×	•	•	×	•	×	×	×	•	•
Pure White	•	•	•	•	•	•	•	•	\times	•	•	•	•
Stone Grey	×	•	×	×	•	•	×	•	×	•	•	•	•
Taupe	•	•	•	•	•	•	×	•	×	•	•	•	•
White Grey	•	•	•	•	•	•	×	•	×	•	•	•	•

5G Vinyl | Mouldings Availability

	Vinyl Colour	Classic Cornice	Modern Cornice Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Pilaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MF
	O order Marth Allahardar							\/						
	Superior Matt Alabaster				•		•	×	•	×	•	×	•	×
	Superior Matt Black		-			-	•	×	•	×	•	•	•	×
	Superior Matt Cashmere	•	•	•	•	•	•	×	•	×	•	•	•	×
	Superior Matt Denim	•	•	•	•	•	•	×	•	×	•	•	•	×
,	Superior Matt Dust Grey	•	•	•	•	•	•	×	•	×	•	•	•	×
2	Superior Matt Graphite	•	•	•	•	•	•	×	•	×	•	•	•	×
	Superior Matt Heritage Green	•	•	•	•	•	•	×	•	×	•	×	•	×
	Superior Matt Indigo	•	•	•	•	•	•	×	•	×	×	×	•	×
	Superior Matt Antique Rose	•	•	•	•	•	•	×	•	×	•	×	•	×
	Superior Matt Light Grey	•	•	•	•	•	•	×	•	×	•	•	•	\times
	Superior Matt Marine Blue	•	•	•	×	•	•	×	•	×	•	×	•	×
	Superior Matt Porcelain	•	•	•	•	•	•	×	•	\times	•	×	•	\times
5	Superior Matt Pebble	•	•	•	•	•	•	×	•	×	•	×	•	×
	Superior Matt Reed Green	•	•	•	•	•	•	×	•	×	•	×	×	×
	Superior Matt Stone Grey	•	•	•	•	•	•	×	•	×	•	•	•	×
	Superior Matt Taupe	•	•	•	•	•	•	×	•	×	•	×	•	×
	Superior Matt Tuscan Red	•	•	•	•	•	•	×	•	×	•	×	×	×
	Superior Matt White Grey	•	•	•	•	•	•	×	•	×	•	×	•	×
	Gloss Aubergine	×	×	×	×	•	×	×	•	×	×	×	×	X
	Gloss Black	×	•	×	×	•	×	×	•	×	•	•	×	×
	Gloss Cappuccino	×	×	×	×	•	×	×	•	×	×	×	×	×
	Gloss Cashmere	×	•	×	×	•	×	×	•	×	•	×	×	×
	Gloss Cream	×	•	•	•	•	×	×	•	×	•	•	•	×
	Gloss Dakar	×	•	×	×	•	×	×	•	×	•	×	×	×
	Gloss Denim	×	•	×	×	•	×	×	•	×	×	×	×	×
	Gloss Dust Grey	\times	•	×	\times	•	×	×	•	\times	×	×	\times	\times
3	Gloss Graphite	\times	•	\times	\times	•	×	\times	•	\times	\times	×	\times	\times
	Gloss Heritage Green	×	•	×	×	•	×	×	×	×	×	×	×	×
	Gloss Ivory	×	•	•	•	•	×	×	•	×	•	×	×	×
	Gloss Latte	×	•	×	×	•	×	×	•	×	×	×	×	X
	Gloss Light Grey	×	•	•	•	•	×	×	•	×	•	×	×	×
	Gloss Marine Blue	×	•	×	×	•	×	×	•	×	×	×	×	×
	Gloss Metallic Anthracite	×	•	×	×	•	×	×	•	×	•	×	×	×
		×	•	×	×	•	×	×	•	×	•	×	×	×
	Gloss Mussel	/		×	×	•	×	×	•	×	×	×	×	×
		×	•						•	×	×	×	×	×
	Gloss Mussel Gloss Oyster		×	×	×	•	×	X	_				^	\sim
	Gloss Mussel Gloss Oyster Gloss Red	×			×	•	×	×	×	×	×	×		
	Gloss Mussel Gloss Oyster Gloss Red Gloss Slate	× × ×	×	×	×		×	×	×	×	×	×	×	×
	Gloss Mussel Gloss Oyster Gloss Red	×	×	×		•								


X Not Available

Available Pressed to Order


Available Ex.Stock

^{*}Edging Tape matches for Superior Matt finishes are colour matched only. They do not have a super smooth matt laminate finish.


5G Vinyl | Moulding Specifications




Classic Cornice 3050mm Lengths




Curved Classic Cornice 386mm (L) x 386mm (W) x 63mm (H)




Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)




Tangent Cornice 3050mm Lengths




 $\begin{array}{c} \textbf{Curved Tangent Cornice} \\ 400 \text{mm} \, (L) \, \times \, 400 \text{mm} \, (W) \, \times \, 44 \text{mm} \, (H) \end{array}$




Tangent Cornice Quadrant 88mm (L) x 88mm (W) x 44mm (H)




Modern Cornice / Pelmet 3050mm Lengths




Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)




Modern Cornice / Pelmet Quadrant 220mm (L) x 220mm (W) x 30mm (H)




Plain Plinth 3050mm Lengths



Curved Plain Plinth 300mm (L) x 300mm (W) x 150mm (H)




Torus Plinth 3050mm Lengths




Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)


5G Vinyl | Moulding Specifications




Radius Profile 3050mm Lengths




Square Pilaster 3050mm Lengths




MTM Corner Post 715mm (150 x 150mm Max)




Tangent Pelmet 3050mm Lengths




Curved Tangent Pelmet 300mm (L) x 300mm (W) x 150mm (H)



Shelf Bracket 180mm (L) x 37mm (W) 210mm (H)



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)




Traditional Canopy*
1000mm (L) x 193mm (D) x 525mm (H)


..... 2500mm

Fluted Rail 2500mm (L) x 18mm (W) x 60mm (H)

*Comes with fretwork and T&G detail as standard. If no detailing is required please specify when ordering.



Modern Canopy 1000mm (L) x 193mm (D) x 525mm (H)




Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)


5G Vinyl | Bedroom Accessory Specifications


5G Headboard Specifications Headboard Type	Height Range MM	Height Range MM
Single Panel	500mm — 900mm	915mm — 1830mm
2 Panel	500mm — 900mm	915mm — 1830mm
3 Panel	500mm — 900mm	1371mm — 1830mm
4 Panel	500mm — 900mm	1510mm — 1830mm
Flat Panel	500mm — 900mm	915mm — 1830mm

Headboards: All Headboards are supplied rectangular using the design of door style ordered.

All Headboards will be supplied as Single Panels / Flat Panels (Applicable to Door Style) as standard, unless otherwise specified (Door Design permitting).







Oval Mirror: Oval Mirrors are supplied fully assembled.

5G Vinyl | RAL Colour Match References

ntt Vinyl Finishes	
S Doors Vinyl Colour	RAL Match
Black	RAL 000 15 00
Cashmere	RAL 060 80 05
Cova Ivory	RAL 100 90 10
Dakar	RAL 090 70 10
Denim	RAL 250 70 10
Dust Grey	RAL 000 60 00
Evergreen	RAL 180 20 10
Fjord	RAL 200 60 05
Graphite	RAL 000 30 00
Indigo	RAL 280 20 05
lvory	RAL 095 93 05
Light Grey	RAL 7035
Magnolia	RAL 085 90 10
Meadow Green	RAL 140 70 05
Mussel	RAL 085 85 10
Porcelain	RAL 110 96 02
Pure White	RAL 9003
Stone Grey	RAL 060 60 05
Taupe	RAL 090 85 05
White Grey	RAL 000 90 00

Legno Light Grey

O&S	Doors Vinyl Colour	RAL Match
	Superior Matt Alabaster	RAL 090 90 05
	Superior Matt Black	RAL 000 15 00
	Superior Matt Cashmere	RAL 080 80 05
	Superior Matt Denim	RAL 250 70 10
	Superior Matt Dust Grey	RAL 000 65 00
	Superior Matt Graphite	RAL 000 35 00
	Superior Matt Heritage Green	RAL 180 40 05
	Superior Matt Indigo	RAL 280 20 05
	Superior Matt Antique Rose	RAL 040 60 10
	Superior Matt Light Gey	RAL 000 80 00
	Superior Matt Marine Blue	RAL 260 20 15
	Superior Matt Pebble	RAL 080 70 05
	Superior Matt Porcelain	RAL 060 60 05
	Superior Matt Reed Green	RAL 9003
	Superior Matt Stone Grey	RAL 060 60 05
	Superior Matt Taupe	RAL 080 80 05
	Superior Matt Tuscan Red	RAL 3009
	Superior Matt White Grey	RAL 000 90 00

RAL Match		
RAL 000 15 00	Legno Marine Blue	RAL 260 20 15
RAL 080 80 05	Legno Mussel	RAL 095 85 10
RAL 090 70 10	Legno Reed	RAL 160 60 05
RAL 000 60 00	Legno Stone Grey	RAL 060 60 05
RAL 180 20 10	Legno Taupe	RAL 090 85 05
RAL 000 30 00	Legno White	RAL 9003
RAL 280 20 05	Legno White Grey	RAL 000 90 00
RAL 095 93 05		
	RAL 000 15 00 RAL 080 80 05 RAL 090 70 10 RAL 000 60 00 RAL 180 20 10 RAL 000 30 00 RAL 280 20 05	RAL 000 15 00 Legno Marine Blue RAL 080 80 05 Legno Mussel RAL 090 70 10 Legno Reed RAL 000 60 00 Legno Stone Grey RAL 180 20 10 Legno Taupe RAL 000 30 00 Legno White RAL 280 20 05 Legno White Grey

RAL 000 80 00

Glos	s Vinyl Finishes	
O&S	Doors Vinyl Colour	RAL Match
	Gloss Aubergine	RAL 350 20 15
	Gloss Black	RAL 000 15 00
	Gloss Cappuccino	RAL 060 60 10
	Gloss Cashmere	RAL 080 80 05
	Gloss Cream	RAL 085 90 10
	Gloss Dakar	RAL 090 70 10
	Gloss Denim	RAL 250 70 10
	Gloss Dust Grey	RAL 000 60 00
	Gloss Heritage Green	RAL 180 40 05
	Gloss Graphite	RAL 000 35 00
	Gloss Ivory	RAL 090 90 05
	Gloss Latte	RAL 075 80 10
	Gloss Light Grey	RAL 7035
	Gloss Mussel	RAL 090 85 05
	Gloss Marine Blue	RAL 260 20 15
1	Gloss Metallic Anthracite	RAL N/A
	Gloss Oyster	RAL 090 93 05
	Glass Slate	RAL 080 30 05
	Gloss Red	RAL 030 30 45
	Gloss Stone Grey	RAL 060 60 05
	Gloss White	RAL 9003
	Gloss White Grey	RAL 000 90 00

Important Notice:

These RAL Colour match references are suggested options only. They are the closest RAL colour match to our vinyl colour, but please note they are not exact matches. Customers are strongly advised to obtain swatch samples to confirm a satisfactory colour match.

The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes without prior notice.

5G Vinyl | Board Match Specifications

Vinyl Colour	Matched Reverse (18mm MDF)	Egger	Kronospan	Pfleiderer	Finsa	Sona
Acacia	Yes	H1277 ST9	D8975	-	Majestic S.3	-
Avola White	No	H1474 ST22	-	=	-	-
Avola Grey	No	H1484 ST22	=	=	-	-
Beech	Yes	H1582 ST15	1639 BS	R5542 VV	45A	M358
Ontario Maple	No	H1869 ST9	-	R5479VV	77C	M911
Dark Walnut	Yes	H3704 ST15	0481BS	R4889 VV	10C	M384
Halifax Natural Oak	Yes	H1180 ST37*	-	-	-	-
Halifax White Oak	Yes	H1176 ST37*	=	=	-	-
Light Oak	No	H1319 ST12	-	-	-	-
Lissa Oak	Yes	H1154 ST15*	8925 BS	R4276 VV	49D	M385
Medium Walnut	Yes	H3703 ST15	0726 BS	R4899 VV	94A	M356
Montana Oak	No	H1342 ST12	1929 SU	-	Amberes Roble 358	M960
Pippy Oak	Yes	H1381 ST12*	9277 PR	R4241VV	34C	M354
Sonoma Oak	Yes	H1146 ST12*	8197 SN	R4285RU	Cambrian Oak 7AB	-
Urban Oak	Yes	-	K005PW	-	-	-
Winchester Oak	No	H1381 ST12 / H3382 ST9	8932 SU	-	-	-
Light Concrete	No (Use Light Grey)	F275 ST22	-	-	-	-
Dark Concrete	No (Use Dust Grey)	F274 ST9	-	-	-	-
Legno Black	Yes (Smooth)	U999ST19	-	-	-	-
Legno Cashmere	Yes (Smooth)	U702 ST19	5981 GC*	U12168 MO	Gris Coco 15R	-
Legno Dakar	Yes (Smooth)	U717 ST19	5984 GC	=	Duna S.3	-
Legno Dust Grey	Yes (Smooth)	-	0171 GC*	U12150 MO	Gris Tormenta S.3	-
Legno Evergreen	Yes (Smooth)	U699 ST19	-	-	-	-
Legno Graphite	Yes (Smooth)	U961 ST19*	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
Legno Indigo	Yes (Smooth)	U599 ST19	-	-	-	
Legno Ivory	Yes (Smooth)	U104 ST19	7031 GC*	U11506 MO	Contempo Ivory 88V	L402
Legno Light Grey	Yes (Smooth)	U708 ST19	0112 GC	U12204 MO*	Natural Grey U12	-
Legno Marine Blue	Yes (Smooth)	-	-	-	Azul Nautico Grained*	-
Legno Mussel	Yes (Smooth)	U100 ST19	5982 GC*	U15331 MO	Gris Porrin 192	-
Legno Reed	Yes (Smooth)	U608ST19	=	-	=	-
Legno Stone Grey	Yes (Smooth)	U727 ST19	K096 GC*	U16002 MO	Mineral Grey S.3	-
Legno Taupe	Yes (Smooth)	U750 ST19*	-	-	-	-
Legno White	Yes (Smooth)	W980 ST19	0101 GC	U11015 MO*	White 020	B020
Legno White Grey	Yes (Smooth)	U775 ST19*	-	-	-	-
Black	Yes	U999 ST2	-	-		-
Cashmere	Yes	U702 ST9*	5981PE	U12168 VV	Gris Coco 15R	-
Dakar	Yes	U717ST9	5984 PE	U15190 VV	Duna S.3	-
Denim	Yes	U540 ST9*	-	-	Steel Blue S.3	-
Dust Grey	Yes	U732 ST9*	0171PE	-	Gris Tormenta S.3	-
Evergreen	Yes	U699 ST9*	-	-	-	-
Fjord	Yes	U636 ST9	-	-	-	-
Graphite	Yes	U961ST9	0164 PE	U12257 MP	Petroleo 188	-
Indigo	Yes	U599 ST9*	-	-	-	-
lvory	Yes	U104 ST9*	0514 PE / 7031 PE	U1306	Contempo Ivory 88V	L402
Light Grey	Yes	U708 ST9*	0112 PE	U12204 MP	Gris Coco 15R	-
Magnolia	No (Use Ivory)	U108 ST9	9569 GC	U116	76B	_
Meadow Green	Yes	U608 ST9	-	-	<u> </u>	-
Mussel	Yes	U100 ST9	5982PE	U15331 VV	Gris Porrin 192	-
Paintable Vinyl	No (Use White)	-	=	-	-	_
Porcelain	No (Use White)	W1200 ST9*	0101 PE	W300 MP	White 020	
Pure White	Yes	W1000 ST9* / W980 ST9*	0101 PE	U11015 VV	White 020	B020
Stone Grey	Yes	U727 ST9*	K096 SU	U16002 VV	Mineral Grey S.3	-
Taupe	Yes	U750 ST9*	-	-	-	
.aupo	100	0100019				-

5G Vinyl | Board Match Specifications

MD	F Board Match Reference	s	Recommended MFC B	oard Match References			
	Vinyl Colour	Matched Reverse (18mm MDF)	Egger	Kronospan	Pfleiderer	Finsa	Sonae
	Our anima Marth Alah a atau	\/+	I HO 4 OTO:	0544 PE /7004 PE	LW500\/\	0.001	1.400
	Superior Matt Aphicus Dass	Yes*	U104 ST9*	0514 PE / 7031 PE	U11506 VV	Contempo Ivory 88V	L402
	Superior Matt Antique Rose	Yes*	U325 ST9	-	-	-	
	Superior Matt Black	Yes*	U999 ST2	- 5004 PE	-	- Orio Occasi 45D	-
	Superior Matt Cashmere	Yes*	U702 ST9*	5981 PE	U12168 VV	Gris Coco 15R	-
"	Superior Matt Denim	Yes*	U540 ST9*	- 0474 PE		Steel Blue S.3	-
Finishes	Superior Matt Dust Grey	Yes*	U732 ST9*	0171PE	-	Gris Tormenta S.3	-
Ĕ	Superior Matt Graphite	Yes*	U961ST2	0164 PE	U12257 MP	Petroleo 188	-
	Superior Matt Heritage Green	Yes*	U699 ST9	-	=	-	-
ቜ	Superior Matt Indigo	Yes*	U599 ST9*	-	-	-	-
Superior Matt Vinyl	Superior Matt Light Grey	Yes*	U708 ST9*	0112 PE	U12204 MP	Natural Grey U12	-
ō	Superior Matt Marine Blue	Yes*	-	-	-	Azul Nautico Smooth	-
nbe	Superior Matt Porcelain	Yes*	W1200 ST9	-	-	-	-
ง	Superior Matt Pebble	Yes*	U201ST9*	0101 PE	W300 MP	White 020	-
	Superior Matt Reed Green	Yes*	U604 ST9	2223BS			
	Superior Matt Stone Grey	Yes*	U727 ST9*	K096 SU	U16002 VV	Mineral Grey S.3	-
	Superior Matt Taupe	Yes*	U750 ST9*	-	-	-	-
	Superior Matt Tuscan Red	Yes*	U335 ST9	-	-	-	-
	Superior Matt White Grey	Yes*	U775 ST9*	-	-	-	=
	Gloss Aubergine	No (Use Matt White)	-	-	U17503 MP	-	-
	Gloss Black	Yes (Matt)	-	0190 PE	U12000 MP	231	-
	Gloss Cappuccino	No (Use Matt Ivory)	-	-	=	-	-
	Gloss Cashmere	Yes (Matt)	-	5981PE	U12168 VV	Gris Coco 15R	-
	Gloss Cream	Yes (Matt)	-	0514 PE	U11509 VV	Contempo Ivory 88V	L402
	Gloss Dakar	Yes (Matt)	-	U5984 GC	U15190 VV	Duna S.3	-
	Gloss Denim	Yes (Matt)	-	=	=	Steel Blue S.3	-
	Gloss Dust Grey	Yes (Matt)	=	0171 PE	=	-	-
Səc	Gloss Graphite	Yes (Matt)	-	0164 PE	U12257 MP	Petroleo 188	-
Finishes	Gloss Heritage Green	Yes (Matt)	U699 ST9	-	-	-	-
Ē	Gloss Ivory	Yes (Matt)	U104 ST30*	0564 PE	U11506 VV	Contempo Ivory 88V	-
Gloss Vinyl	GlossLatte	No (Use Matt Ivory)	-	7045 SU	U1343 VV	-	-
sso	Gloss Light Grey	Yes (Matt)	-	0112 PE	U12204 MP	Natural Grey U12	-
ថ	Gloss Marine Blue	Yes (Matt)	-	=	=	Azul Nautico Smooth*	-
	Gloss Metallic Anthracite	No (Matt Graphite)	U961ST2	0164 PE	U12257 MP	Petroleo 188	-
	Gloss Mussel	Yes (Matt)	-	5982 PE	U15331 VV	Gris Porrin 192	-
	Gloss Oyster	No (Use Matt Ivory)	U104 ST30*	0564 PE	U11509 VV	Contempo Ivory 88V	-
	GlossRed	No (Matt)	-	-	-	Rojo Red S.3172	-
	Gloss Slate	Yes (Matt)	-	-	-	-	-
	Gloss Stone Grey	Yes (Matt)	-	K096SU	U16002 VV	Mineral Grey S.3	-
	•					•	
	Gloss White	Yes (Matt)	W1000 ST30*	0101 PE	U11015 VV	White 020	B020

 $22 mm \, Door \, Reverse \, Colour \, - \, Available \, in \, White \, or \, Ivory. \, Please \, note \, if \, reverse \, colour \, is \, unspecified, \\ Silver \, reverse \, will \, be \, used \, as \, default.$

 $\label{lem:all-MFC-Board-Matches-marked-in-bold-are-available-from O\&S\ Doors\ Ltd.$

 ${}^{\star}\!\text{All Superior Matt matching backs are a colour match only. They do not have a super smooth matt laminate effect finish.}$

Important Notice: These board match references are only suggested options. Customers are strongly advised to obtain samples from their board or cabinet supplier in order to confirm a satisfactory match between the cabinet MFC and PVC door finish.

O&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction between the board and door match. The listed PVC Finishes and board matches are correct at time of printing. Due to unforeseen changes in the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes and reverse boards without prior notice. If a match is of the essence a sample should always be sought first for final approval

We recommend Pressed or Laminated Panels for the closest match.

Durable Construction. Handmade Aesthetic. Beautifully Designed. Choose 5 Piece.

5 Piece doors offer the traditional, handmade aesthetic that your customers want, with the added benefits of extra durability and flexibility of design through a wide choice of styles and finishes.

Within our 5 Piece Collection we offer four beautifully designed, shaker style doors, that are each unique in their own right. Whether your customer prefers a classic or more contemporary style, each range is a blank canvas for you to add your own personal touch.





Harlem 8 Legno Finishes 1 Woodgrain Finish See Page 56



Dylan 5 Matt Finishes See Page 62



Fenwick 8 Legno Finishes See Page 68




Bastille 7 Legno Finishes See Page 76



Harlem | Kitchen Door Sizes







Door Specification	
Description	5Piece Shaker Style Door with 60mm Stiles
Finish	Wrapped in Legno Embossed Grain Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Embossed Grain Vinyl Provides Extra Durability
Edge	1mm ABS End Caps and Chamfered Edges



8 Ex.Stock Legno Finishes



Uni-Colour Vinyl







Embossed Grain Texture



Urban Oak Finish Available Made To Order



Harlem | Colours / Finishes









Legno White Grey

Legno Indigo



NEW Ex.Stock

NEW Ex.Stock

Legno Black



The Harlem Door has been designed with a 60mm stile width to capture the growing trend for narrower Shaker styles. The centre panel is recessed at just 4.5 mm to capture the growing trend for a shallow recess on Shaker style doors.The centre panel will be 12mm thick to achieve a very sturdy and robust door construction.

Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Legno Evergreen

Legno Light Grey

Harlem | Door and Drawer Sizes

Kitchen Door Sizes		Bedroom Door Sizes				Handleless Rail System Door Sizes					
Doors and Drawer Sizes		Curved Door Sizes	МТМ	Doors and Drawer Sizes		Curved Door Sizes	МТМ	Kitchen Door Sizes	Bedroom Door Sizes		МТМ
115X596	570X496	715 x 300		215 x 296	2150 x 346	1495 x 300		160 x 296	1400 x 263	1500 x 581	2250 x 563
140X296	570X596	895 x 300		215 x 396	2150 x 396	1595 x 300		160 x 396	1400 x 281	2150 x 263	2250 x 581
140X396	715X146	1245 x 300		215 x 446	2150 x 446	2150 x 300		160 x 446	1400 x 313	2150 x 281	
140X446	715X246	1965 x 300		215 x 496	2150 x 496	2250 x 300		160 x 496	1400 x 331	2150 x 313	
140X496	715X256			215 x 596	2150 x 596			160 x 596	1400 x 363	2150 x 331	
140X596	715X296			215 x 796	2250 x 296			160 x 796	1400 x 381	2150 x 363	
140X796	715X313			215 x 896	2250 x 346			160 x 896	1400 x 413	2150 x 381	
140X896	715X346	Plain Frames	FVC	215 x 996	2250 x 396	Full Open		160 x 996	1400 x 431	2150 x 413	
140X996	715X396	Plain Frames	EXS	415 x 396	2250 x 446	Frames	МТМ	325 x 496	1400 x 463	2150 x 431	
175X396	715X446			415 x 446	2250 x 496			325 x 596	1400 x 481	2150 x 463	
175X496	715X496	715X396 (Glazed)		415 x 496	2250 x 596	1495 x 396 (Unglazed	i)	325 x 796	1400 x 513	2150 x 481	
175X596	715X546	715X496 (Glazed)		515 x 396		1495 x 496 (Unglazed	1)	325 x 896	1400 x 531	2150 x 513	
283X496	715X596	895X396 (Glazed)		515 x 446		1595 x 396 (Unglazed	1)	325 x 996	1400 x 563	2150 x 531	
283X596	895X296	895X496 (Glazed)		515 x 496		1595 x 496 (Unglazed	1)	490 x 296	1400 x 581	2150 x 563	
283X796	895X396	1060X396 (Glazed)		650 x 396		2150 x 396 (Unglazed	i)	490 x 396	1500 x 263	2150 x 581	
283X896	895X446	1060X496 (Glazed)		650 x 446		2150 x 496 (Unglazed	i)	490 x 446	1500 x 281	2250 x 263	
283X996	895X496	1060X596 (Glazed)		650 x 496		2250 x 396 (Unglaze	d)	490 x 496	1500 x 313	2250 x 281	
355X496	895X596			1495 x 396		2250 x 496 (Unglaze	d)	490 x 596	1500 x 331	2250 x 313	
355X596	980X596			1495 x 446				685 x 146	1500 x 363	2250 x 331	
355X796	1060X396			1495 x 496				685 x 296	1500 x 381	2250 x 363	
355X896	1060X496			1595 x 396				685 x 315	1500 x 413	2250 x 381	
355X996	1060X596			1595 x 446				685 x 346	1500 x 431	2250 x 413	
450X596	1245X296			1595 x 496				685 x 396	1500 x 463	2250 x 431	
500X596	1245X396			1730 x 396				685 x 446	1500 x 481	2250 x 463	
570X296	1245X496			1730 x 446				685 x 496	1500 x 513	2250 x 481	
570X396	1245X596			1730 x 496				685 x 596	1500 x 531	2250 x 513	
570X446				2150 x 296					1500 x 563	2250 x 531	

Non-Standard Kitchen Door Sizes - Priced next door size up plus 40%.

Non-Standard Curved Kitchen Door Sizes - Priced next size up. Curved Kitchen Doors available any height up to 2250mm Concave Kitchen Doors are not available.

5Piece Curved Kitchen Door Specifications - See page 84. All Standard Kitchen Plain Frame Sizes are supplied Glazed. Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed. Non-Standard Kitchen Frame Sizes - Priced next door size up

MTM Frames - Supplied as individual pieces and require manual assembly.

Non-Standard Bedroom Door Sizes - Priced next door size up plus 40%.


Non-Standard Curved Bedroom Door Sizes - Priced next size up. Curved Bedroom Doors available any height up to 2250mm Concave Bedroom Doors are not available.

5Piece Curved Bedroom Door Specifications - See page 84. All Bedroom Frame Sizes are supplied Unglazed. Top Open Frames are not available.

Non-Standard Bedroom Frame Sizes - Priced next door size up


MTM Frames - Supplied as individual pieces and require manual assembly.

> Available Ex.Stock. Ready for 48h despatch.




Drilling - Additional charge per hole.


Harlem | Door Specifications




Harlem Kitchen Door



Harlem Kitchen Glazed Frame



Harlem Kitchen **Curved Door**



Harlem Pan Drawer

Harlem Kitchen Doors:

Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 246mm.

Harlem Drawers:

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See Drawer visual for reference).

Minimum Drawer width 246mm.

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Harlem Frames:

Ex.Stock Frame sizes are supplied glazed. Top Open Frames are available. Non-Standard Frame sizes are available unglazed.

Harlem Bedroom Doors:

Bedrooom Door sizes between 1735 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 246mm.

Harlem Curved Doors:

Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 715mm up to 2250mm.

Concave Doors are not available.

Non-Standard Curved Door sizes are not available.

Drilling:

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

Angled Doors are not available.

Non-Standard Bedroom Door Sizes - Priced next door size up plus 40%

Drilling - Additional charge per hole.

Non-Standard Curved Bedroom Door Sizes - Priced next size up.

Curved Bedroom Doors available any height up to

Concave Bedroom Doors are not available.

Curved Bedroom Door Specifications - See page 84.


All Bedroom Frame Sizes are supplied Unglazed. Top Open Frames are available.

Non-Standard Bedroom Frame Sizes - Priced next door size up plus 40%


MTM Frames - Supplied as individual pieces and require manual assembly.

Panelled Bedroom Doors - Bedroom Door sizes be $tween\,1735mm-2400mm\,high\,are\,supplied\,as\,single$ panels with one separate 75mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 60mm mid-rail pieces are included with


Extra Mid-Rails - Additional charge per Mid-Rail.




Harlem Bedroom Standard 2 Panel Door




Harlem Bedroom Top Open Frame





Harlem Bedroom 4 Panel Door Includes 3 separate mid-rail pieces



Harlem Bedroom

Harlem Redroom 5 Panel Door Includes 4 separate mid-rail pieces*

Harlem Bedroom Single Panel Door No mid-rails included*

Harlem Bedroom


Includes 2 separate


3 Panel Door

mid-rail pieces

Harlem | Technical Specifications

Harlem Door Cross Section Exterior Face 60mm Stile Width Width





Harlem | Accessories









Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Plain Plinth 300mm (L) x 300mm (W) x 150mm (H)





Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)





Modern Cornice / Pelmet Quadrant 220mm (L) x 220mm (W) x30mm(H)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)





Tangent Cornice 72mm (W) x 44mm (H) 3050mm Lengths





Curved Tangent Cornice 400mm (L) x 400mm (W) x 44mm (H)





Tangent Cornice Quadrant 88mm (L) x 88mm (W) x 44mm (H)





Tangent Pelmet 18mm (W) x 57mm (H) 3050mm Lengths









MTM Corner Post 715mm (150 x 150mm Max)





Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Square Base Pilaster 70mm (W) x 50mm (H) 3050mm Lengths




Limited Finishes. See Page 46.



Arched Pelmet 2400mm (L) x 18mm (W) x 200mm (H)






Fluted Rail 18mm (W) x 60mm (H) 2500mm Lengths







Plain Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm



Fluted Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm




Special Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm



Reeded Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm



Gun Barrel Pilaster 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)



Roman Reed Pilaster 90mm (W) x 900mm (H) 94mm (W) x 2150 (H)


















Harlem | Accessories





Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)





Dylan | Kitchen Door Sizes







Door Specification	
Description	5Piece Shaker Style Door with 75mm Stiles
Finish	Wrapped in Matt Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Subtile Matt Microtexture Vinyl
Edge	1mm ABS End Caps and Chamfered Edges








5 Ex.Stock Matt Finishes

Micro Texture

Durable



Dylan | Colours / Finishes



The Dylan door has only been with us for a short time as a more durable replacement for Loxley and there are no plans to add additional colours at present.

Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Dylan | Door and Drawer Sizes

Kitchen Door Sizes			Bedroom Door Sizes			Handleless Rail System Door Sizes					
Doors and Drawer Sizes		Curved Door Sizes	MTM	Doors and Drawer Sizes		Curved Door Sizes	МТМ	Kitchen Door Sizes	Bedroom Door Sizes		МТМ
115X596	570X496	715 x 300		215 x 296	2150 x 296	1495 x 300		160 x 296	1400 x 263	1500 x 563	2250 x 513
140X296	570X596	895 x 300		215 x 396	2150 x 346	1595 x 300		160 x 396	1400 x 281	1500 x 581	2250 x 531
140X396	715X146	1245 x 300		215 x 446	2150 x 396	2150 x 300		160 x 446	1400 x 313	2150 x 263	2250 x 563
140X446	715X246	1965 x 300		215 x 496	2150 x 446	2250 x 300		160 x 496	1400 x 331	2150 x 281	2250 x 581
140X496	715X256			215 x 596	2150 x 496			160 x 596	1400 x 363	2150 x 313	
140X596	715X296			215 x 796	2150 x 596			160 x 796	1400 x 381	2150 x 331	
140X796	715X313			215 x 896	2250 x 296			160 x 896	1400 x 413	2150 x 363	
140X896	715X346	Plain Frames	EXS	215 x 996	2250 x 346	Full Open		160 x 996	1400 x 431	2150 x 381	
140X996	715X396	Plain Frames	EXS	415 x 396	2250 x 396	Frames	МТМ	325 x 496	1400 x 463	2150 x 413	
175X396	715X446			415 x 446	2250 x 446			325 x 596	1400 x 481	2150 x 431	
175X496	715X496	715X396 (Glazed)		415 x 496	2250 x 496	1495 x 396 (Unglazed)		325 x 796	1400 x 513	2150 x 463	
175X596	715X546	715X496 (Glazed)		515 x 396	2250 x 596	1495 x 496 (Unglazed)		325 x 896	1400 x 531	2150 x 481	
283X496	715X596	895X396 (Glazed)		515 x 446		1595 x 396 (Unglazed)		325 x 996	1400 x 563	2150 x 513	
283X596	895X296	895X496 (Glazed)		515 x 496		1595 x 496 (Unglazed)		490 x 296	1400 x 581	2150 x 531	
283X796	895X396	1060X396 (Glazed)		650 x 396		2150 x 396 (Unglazed)	1	490 x 396	1500 x 263	2150 x 563	
283X896	895X446	1060X496 (Glazed)		650 x 446		2150 x 496 (Unglazed)	1	490 x 446	1500 x 281	2150 x 581	
283X996	895X496	1060X596 (Glazed)		650 x 496		2250 x 396 (Unglazed)	490 x 496	1500 x 313	2250 x 263	
355X496	895X596			1495 x 396		2250 x 496 (Unglazed)	490 x 596	1500 x 331	2250 x 281	
355X596	980X596			1495 x 446				685 x 146	1500 x 363	2250 x 313	
355X796	1060X396			1495 x 496				685 x 296	1500 x 381	2250 x 331	
355X896	1060X496			1595 x 396				685 x 315	1500 x 413	2250 x 363	
355X996	1060X596			1595 x 446				685 x 346	1500 x 431	2250 x 381	
450X596	1245X296			1595 x 496				685 x 396	1500 x 463	2250 x 413	
500X596	1245X396			1730 x 396				685 x 446	1500 x 481	2250 x 431	
570X296	1245X496			1730 x 446				685 x 496	1500 x 513	2250 x 463	
570X396	1245X596			1730 x 496				685 x 596	1500 x 531	2250 x 481	

Non-Standard Kitchen Door Sizes - Priced next door size up plus 40%.

Non-Standard Curved Kitchen Door Sizes - Priced next size up. Curved Kitchen Doors available any height up to 2250mm Concave Kitchen Doors are not available.

5Piece Curved Kitchen Door Specifications - See page 84.

All Standard Kitchen Plain Frame Sizes are supplied Glazed.

Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.

Non-Standard Kitchen Frame Sizes - Priced next door size up

MTM Frames - Supplied as individual pieces and require manual assembly.

Non-Standard Bedroom Door Sizes - Priced next door size up plus 40%.

Non-Standard Curved Bedroom Door Sizes - Priced next size up.

Curved Bedroom Doors available any height up to 2250mm


Concave Bedroom Doors are not available.

5Piece Curved Bedroom Door Specifications - See page 84. All Bedroom Frame Sizes are supplied Unglazed. Top Open Frames are not available.

Non-Standard Bedroom Frame Sizes - Priced next door size up plus 40%.


MTM Frames - Supplied as individual pieces and require manual assembly.


Available Ex.Stock. Ready for 48h despatch.




Drilling - Additional charge per hole.

Dylan | Door Specifications






Glazed Frame




DylanKitchen Curved Door




Dylan Pan Drawer





Dvlan Bedroom Standard 2 Panel Door




Dvlan Bedroom









Dvlan Bedroom Single Panel Door No mid-rails included



Includes 2 separate



Dylan Bedroom Includes 3 separate mid-rail pieces*



Dylan Bedroom Includes 4 separate mid-rail pieces*

Dylan Kitchen Doors:

Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 246mm.

Dylan Drawers:

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See Drawer visual for reference).

Minimum Drawer width 246mm

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. Minimum Pan Drawer width

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

MTM Drawers are available.

Dylan Frames:

 ${\sf Ex.Stock}\, {\sf Frame}\, {\sf sizes}\, {\sf are}\, {\sf supplied}\, {\sf glazed}.$ Top Open Frames are available. Non-Standard Frame sizes are available. Minimum Frame width is 396mm supplied unglazed.

Dvlan Curved Doors:

Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 715mm up to 2250mm. Concave Doors are not available Non-Standard Curved Door sizes are not available.

Drilling:

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

Angled Doors and Frames are not available.

Non-Standard Bedroom Door Sizes - Priced next door size up plus 40%

Drilling - Additional charge per hole.

Non-Standard Curved Bedroom Door Sizes Priced next size up

Curved Bedroom Doors available any height up to 2250mm

Concave Bedroom Doors are not available. 5Piece Curved Bedroom Door Specifications -See page 84.

All Bedroom Frame Sizes are supplied Unglazed.

Top Open Frames are available.

Non-Standard Bedroom Frame Sizes - Priced next door size up plus 40%

MTM Frames - Supplied as individual pieces and require manual assembly.


Panelled Bedroom Doors - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 75mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 75mm mid-rail pieces are included with your order.


Kitchen and Bedroom Matrix.

Drilling - Additional charge per hole.


Dylan | Technical Specifications

Dylan Door Cross Section Exterior Face 75mm Stile Width Width Width






Dylan | Accessories



Dylan | Accessories



900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm

Made to Measure per m2



900 x 1200mm 965 x 360mm

2400 x 650mm Made to Measure per m2




900X650

965X360 2400X650








Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)






Modern Canopy 1000mm (L) x 193mm (D) x 525mm (H)



Fenwick | 5 Piece Collection







Door Specification	
Description	5Piece Shaker Style Door with 105mm Stiles
Finish	Wrapped in Solid, Uni-Colour, Legno Grain Embossed Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Embossed Grain Vinyl Provides Extra Durability
Edge	2mm ABS End Caps and Chamfered Edges



8 Ex.Stock Legno Finishes





Available Made to Measure







Embossed Texture

Durable Construction



Fenwick | Colours / Finishes



Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Fenwick | Door and Drawer Sizes





Kitchen Door Sizes							
Doors and Dra	wer Sizes	Curved Door Sizes	MTM				
115X596 140X296 140X396	355X796 355X896	715X596 895X296	715 x 300 895 x 300				
140X446 140X496 140X596	355X996 450X596 500X596 570X296	895X396 895X446 895X496	1245 x 300 1965 x 300				
140X596 140X796 140X896 140X996	570X396 570X446	895X596 980X596 1060X396	Plain Frames	EXS			
175X396 175X496	570X496 570X596 715X146	1060X496 1060X596 1245X296	715 x 396 (Glazed) 715 x 496 (Glazed)				
175X596 283X496 283X596	715x246 715X256 715X296	1245X396 1245X496 1245X596	895 x 396 (Glazed) 895 x 496 (Glazed) 1060 x 396 (Glazed)				
283X796 283X896 283X996	715X313 715X346 715X396		1060 x 496 (Glazed) 1060 x 596 (Glazed)				
355X496 355X596 355X796	715X446 715X496 715X546						

Bedroom Door Sizes Curved Door Sizes Doors and Drawer Sizes 215 x 296 1495 x 300 1595 x 396 215 x 396 1595 x 300 1595 x 446 2150 x 300 215 x 446 1595 x 496 2250 x 300 215 x 496 1730 x 396 215 x 596 1730 x 446 215 x 796 1730 x 496 215 x 896 2150 x 296 2150 x 346 Full Open Frames 215 x 996 415 x 396 2150 x 396 1495 x 396 (Unglazed) 415 x 446 2150 x 446 415 x 496 2150 x 496 1495 x 496 (Unglazed) 515 x 396 2150 x 596 1595 x 396 (Unglazed) 515 x 446 2250 x 296 1595 x 496 (Unglazed) 515 x 496 2250 x 346 2150 x 396 (Unglazed) 650 x 396 2250 x 396 2150 x 496 (Unglazed) 650 x 446 2250 x 446 2250 x 396 (Unglazed) 650 x 496 2250 x 496 2250 x 496 (Unglazed) 1495 x 396 2250 x 596 1495 x 446 1495 x 496

Non-Standard Kitchen Door Sizes - Priced next door size up plus 40%.

Drilling - Additional charge per hole.

Non-Standard Curved Kitchen Door Sizes - Priced next size up.
Curved Kitchen Doors available any height up to 2250mm
Concave Kitchen Doors are not available.
5Piece Curved Kitchen Door Specifications - See page 84.

All Standard Kitchen Plain Frame Sizes are supplied Glazed.
Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.
Non-Standard Kitchen Frame Sizes - Priced next door size up plus 40%.
MTM Frames - Supplied as individual pieces and require manual assembly.

Non-Standard Bedroom Door Sizes - Priced next door size up plus 40%.

Drilling - Additional charge per hole.

Non-Standard Curved Bedroom Door Sizes - Priced next size up.
Curved Bedroom Doors available any height up to 2250mm
Concave Bedroom Doors are not available.
5Piece Curved Bedroom Door Specifications - See page 84.

All Bedroom Frame Sizes are supplied Unglazed. Top Open Frames are available.


Non-Standard Bedroom Frame Sizes - Priced next door size up plus 40%. MTM Frames - Supplied as individual pieces and require manual assembly.


Panelled Bedroom Doors - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 75mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 75mm mid-rail pieces are included with your order.

Extra Mid-Rails - Additional charge per Mid-Rail.

Fenwick | Handleless Rail System Door Sizes









Drilling - Additional charge per hole.






Fenwick | Door Specifications

























Fenwick Bedroom Curved Door




Fenwick Bedroom

Standard 2 Panel Door







Fenwick Bedroom 5 Panel Door Includes 4 separate mid-rail pieces'

Fenwick Kitchen Doors:

Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. The centre panel grain direction will always be vertical. Minimum Door width 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM in height only.

Fenwick Drawers:

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See drawer visual for reference).

MTM height Drawers are manufactured from the next nearest profile size (115, 140, 175 and 215mm high) with the bottom cut and edged. This edge should always be placed at the bottom during installation. Drawers are supplied with horizontal grain.

Minimum Drawer width 246mm. Drawers are not available between 216 – 219mm high.

Pan Drawer sizes between 220 - 355mm high are supplied as 5-piece. The centre panel grain direction will always be vertical. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Fenwick Frames:

Full Open Frames between 250 - 2400mm high are supplied as single panels as standard.

Top Open Frames are available.

Standard Kitchen Frame sizes are supplied glazed. Non-Standard Frame Sizes are supplied unglazed.

MTM Frames are supplied as individual pieces and require manual assembly.

Minimum Frame width is 246mm.

Fenwick Curved Doors:

Curved Doors are made to suit 300 x 300 mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Doors are supplied with a 105mm mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. The centre panel grain direction will always be vertical.

Concave Doors are not available.

Fenwick Bedroom Doors:

Bedroom Door sizes between 1735 - 2400mm high are supplied as single panels with a separate 105mm mid-rail as standard. The mid-rail must then be attached manually during installation.

 * Panelled Bedroom Doors must clearly state 3, 4 or 5 when ordering to ensure the extra 105mm mid-rail pieces are included with your order.

The centre panel grain direction will always be vertical. Minimum Door width is 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM height only.

Drilling:

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

Angled Doors and Frames are not available.


Fenwick Bedroom


Fenwick Bedroom 3 Panel Door Includes 2 separate mid-rail pieces'

Fenwick | Technical Specifications

Interior Face

Fenwick Door Cross Section Exterior Face 105mm Stile Width 22.5mm Thick





Fenwick | Accessories



Classic Cornice 76mm (W) x 63mm (H) 3050mm Lengths





Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Plain Plinth 300mm (L) x 300mm (W) x 150mm (H)





Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)





Modern Cornice / Pelmet Quadrant 220mm (L) x 220mm (W) x 30mm (H)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)





Tangent Cornice 72mm (W) x 44mm (H) 3050mm Lengths





Curved Tangent Cornice 400mm (L) x 400mm (W) x 44mm (H)





Tangent Cornice Quadrant 88mm (L) x 88mm (W) x 44mm (H)





Tangent Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)





MTM Corner Post 715mm (150 x 150mm Max)

MTM



Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Square Base Pilaster 70mm (W) x 50mm (H) 3050mm Lengths




Limited Finishes. See Page 46.



Arched Pelmet 2400mm (L) x 18mm (W) x 200mm (H)





Fluted Rail 18mm (W) x 60mm (H) 2500mm Lengths





Plain Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm






Fluted Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Special Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm






Reeded Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Gun Barrel Pilaster 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)





Roman Reed Pilaster 90mm (W) x 900mm (H) 0mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)



Fenwick | Accessories





Pre-Glued Edging Tape 50m Roll.



Not available in Legno Marine Blue, Legno Taupe and Legno White Grey



Peel 'n' Stick Per m2









Shelf Bracket 180mm (D) x 37mm (W) x 210mm (H)





Wall Quad / Base Quad MTM





400mm (L) x 350mm (W) x 470mm (H)





Single Square Mirror 485mm (W) x 570mm (H)






Single Oval Mirror 485mm (W) x 570mm (H)




See page 88 for all full mirror dimensions



Classic Canopy 1000mm (W) x 215mm (D) x485mm (H)





18mm Thick

Standard Size MM:

785X360 900X650 965X360 2400X650

EXS




Pressed Plain Panel 18mm Thick

Standard Sizes MM:

785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm

Made to Measure per m2





Pressed T&G Panel 18mm Thick

Standard Sizes MM:

785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm


Made to Measure per m2





Moulded Top $Made \,to\, Measure\, per\, m2$






Return Gable Made to Measure per m2 See page 222 for Order Form





Modern Canopy 1000mm (L) x 193mm (D) x 525mm (H)











5Piece Headboards are supplied as single panels in design of your chosen door style as standard. Panelled Headboards must be clearly specified when ordering.

Height Range: 500mm - 900mm Width Range: 915mm - 1830mm

Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel





Bastille | 5Piece Collection







Door Specification	
Description	5Piece Beaded Shaker Style Door with 84mm Stiles
Finish	Wrapped in Solid, Uni-Colour, Legno Grain Embossed Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	French-Cut Door Construction Provides Extra Durability
Edge	2mm ABS End Caps and Chamfered Edges



7 Ex.Stock Legno Finishes



Available Made to Measure









Uni-Colour Vinyl

Embossed Texture

Durable Construction



Bastille | Colours / Finishes



Legno White Grey



Legno Taupe



Legno Light Grey



Legno Dust Grey



Legno Graphite



Legno Evergreen



Legno Indigo

 $The \ Bastille \ Door \ colour \ of fering \ is \ being \ expanded \ with \ the \ addition \ of \ three \ new \ colours \ Legno \ Graphite, Legno \ Indigo \ and \ Legno \ Evergreen.$

Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Bastille | Door and Drawer Sizes





Curved Door Sizes	Kitchen Doo	Kitchen Door Sizes							
140X296 355X996 895X396 1245 x 300 140X396 450X596 895X446 1245 x 300 140X446 500X596 895X496 1965 x 300 140X496 570X296 895X596 140X596 570X396 980X596 140X596 570X446 1060X396 140X996 570X596 1060X596 175X396 715X146 1245X296 715X496 (Glazed) 175X496 715X246 1245X396 715X496 (Glazed) 283X496 715X313 1060X396 (Glazed) 283X596 715X346 1245X596 1060X596 283X896 715X346 1060X596 1060X596 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X596 715X346 1060X596 1060X596 (Glazed) 283X896 715X346 1060X596 (Glazed) 283X896 715X346 1060X596 (Glazed) 283X896 715X446 355X496 715X446 355X496 715X496 355X596 715X546	Doors and Dra	wer Sizes	Curved Door Sizes	MTM					
140X396	115X596	355X896	895X296	715 x 300					
140X446 500X596 895X496 1965 x 300 140X496 570X296 895X596 140X596 570X396 980X596 140X796 570X446 1060X396 140X896 570X596 1060X596 175X396 715X146 1245X296 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X313 1060X396 (Glazed) 283X596 715X346 1245X596 895X496 (Glazed) 283X896 715X346 1245X596 1060X596 283X896 715X346 1245X596 1060X596 (Glazed) 283X896 715X346 1245X596 1060X396 (Glazed) 283X896 715X346 1060X396 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X346 1060X596 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X446 1060X596 (Glazed)	140X296	355X996	895X396	895 x 300					
140X496 570X296 895X596 140X596 570X396 980X596 140X796 570X446 1060X396 140X896 570X496 1060X496 140X896 570X596 1060X596 175X396 715X146 1245X296 715X496 (Glazed) 175X496 715X246 1245X396 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X346 1060X596 (Glazed) 283X896 715X346 1060X596 (Glazed) 283X896 715X446 355X496 715X446	140X396	450X596	895X446	1245 x 300					
140X596 570X396 980X596 140X796 570X446 1060X396 140X896 570X496 1060X496 140X996 570X596 1060X596 175X396 715X146 1245X296 715X396 (Glazed) 175X496 715X246 1245X396 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X446 355X496 715X446 355X496 715X446	140X446	500X596	895X496	1965 x 300					
140X796 570X446 1060X396 140X896 570X496 1060X496 140X896 570X596 1060X596 175X396 715X146 1245X296 715X496 (Glazed) 175X496 715X246 1245X396 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X446 355X496 715X446 355X496 715X446	140X496	570X296	895X596						
140X896 570X496 1060X496 140X996 570X596 1060X596 175X396 715X146 1245X296 715X396 (Glazed) 175X496 715X246 1245X396 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X446 355X496 715X446 355X496 715X446	140X596	570X396	980X596						
140X996 570X596 1060X596 175X396 715X146 1245X296 715X396 (Glazed) 175X496 715X246 1245X396 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X896 715X446 355X496 715X446 355X496 715X446	140X796	570X446	1060X396						
175X396 715X146 1245X296 715X396 (Glazed) 175X496 715X246 1245X396 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X996 715X446 355X496 715X446 355X496 715X446	140X896	570X496	1060X496	Plain Frames	EXS				
175X496 715X246 1245X396 715X496 (Glazed) 175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X996 715X446 355X496 715X446 355X496 715X496	140X996	570X596	1060X596						
175X596 715X256 1245X496 895X396 (Glazed) 283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X996 715X446 355X496 715X446 355X596 715X546	175X396	715X146	1245X296	715X396 (Glazed)					
283X496 715X296 1245X596 895X496 (Glazed) 283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X996 715X446 355X496 715X446 355X596 715X546	175X496	715X246	1245X396	715X496 (Glazed)					
283X596 715X313 1060X396 (Glazed) 283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X996 715X446 355X496 715X496 355X596 715X546	175X596	715X256	1245X496	895X396 (Glazed)					
283X796 715X346 1060X496 (Glazed) 283X896 715X396 1060X596 (Glazed) 283X996 715X446 355X496 715X496 355X596 715X546	283X496	715X296	1245X596	895X496 (Glazed)					
283X896 715X396 1060X596 (Glazed) 283X996 715X446 355X496 715X496 355X596 715X546	283X596	715X313		1060X396 (Glazed)					
283X996 715X446 355X496 715X496 355X596 715X546	283X796	715X346		1060X496 (Glazed)					
355X496 715X496 355X596 715X546	283X896	715X396		1060X596 (Glazed)					
355X596 715X546	283X996	715X446							
710/10/10	355X496	715X496							
355X796 715X596	355X596	715X546							
	355X796	715X596							

 $\textbf{Non-Standard Kitchen Door Sizes} \ - \ \mathsf{Priced} \ \mathsf{next} \ \mathsf{door} \ \mathsf{size} \ \mathsf{up} \ \mathsf{plus} \ \mathsf{40\%}$

 $\label{eq:def:Drilling-Additional} \textbf{Drilling} - \textbf{Additional charge per hole}.$

Non-Standard Curved Kitchen Door Sizes - Priced next door size up Curved Kitchen Doors available any height up to 2250mm Concave Kitchen Doors are not available.

5Piece Curved Kitchen Door Specifications - See page 84.

All Standard Kitchen Plain Frame Sizes are supplied Glazed.

Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.

Non-Standard Kitchen Frame Sizes - Priced next door size up plus 40%.

MTM Frames - Supplied as individual pieces and require manual assembly.

Non-Standard Bedroom Door Sizes - Priced next door size up plus 40%

Drilling - Additional charge per hole.


Non-Standard Curved Bedroom Door Sizes - Priced next door size up Curved Bedroom Doors available any height up to 2250mm Concave Bedroom Doors are not available.


5Piece Curved Bedroom Door Specifications - See page 84.

All Bedroom Frame Sizes are supplied Unglazed.
Top Open Frames are not available.
Non-Standard Bedroom Frame Sizes - Priced next door size up.
MTM Frames - Supplied as individual pieces and require manual assembly.

Bastille | Handleless Rail System Door Sizes









Drilling - Additional charge per hole.






Bastille | Door Specifications






Bastille Kitchen Glazed Frame




Bastille Kitchen







Bastille Pan Drawer




Bastille Bedroom Standard 2 Panel Door




Bastille Bedroom Top Open Frame




Bastille Bedroom Frame



Bastille Bedroom 2 Panel Curved Door




Bastille Bedroom Single Panel Door No mid-rails included*



Bastille Bedroom 3 Panel Door Includes 2 separate mid-rail pieces*



Bastille Bedroom 4 Panel Door Includes 3 separate mid-rail pieces*



Bastille Bedroom 5 Panel Door Includes 4 separate mid-rail pieces*

Bastille Kitchen Doors:

Kitchen Door sizes between 283 - 2400mm high are supplied 5-piece as standard. The centre panel grain direction will always be vertical.

Minimum Door width 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM in height only.

Mid-Rails are available.

Bastille Drawers:

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See drawer visual for reference).

MTM height Drawers are manufactured from the next nearest profile size (115, 140, 146, 175 and 215mm high) with the bottom cut and edged. This edge should always be placed at the bottom during installation. Drawers are supplied with horizontal grain.

Minimum Drawer width 246mm. Drawers are not available between 216 – 283mm high.

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. The centre panel grain direction will always be vertical. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Bastille Frames:

Full Open Frames between 283 - 2400mm high are supplied as single panels as standard. It's important to always specify either Full Open Frame when ordering to ensure your order is processed correctly.

Top Open Frames are available. Georgian Frames are not available.

Standard Kitchen Frame sizes are supplied glazed. Non-Standard Frame Sizes are supplied unglazed.

Non-Standard MTM Frames are supplied as individual pieces and require manual assembly.

Minimum Frame width is 246mm.

Bastille Curved Doors:

Curved Doors are made to suit 300×300 mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Doors are supplied as single panels as standard. The centre panel grain direction will always be vertical.

Mid-Rails are available. Concave Doors are not available.

Bastille Bedroom Doors:

Bedroom Door sizes between 1735 - 2400mm high are supplied as single panels with a separate 105mm mid-rail as standard. The mid-rail must then be attached manually during installation.

*Panelled Bedroom Doors must clearly state 3, 4 or 5 when ordering to ensure the extra 105mm mid-rail pieces are included with your order.

The centre panel grain direction will always be vertical. Minimum Door width is 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM height only.

Drilling:


All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.


Angled Doors and Frames are not available.

Bastille | Technical Specifications

Bastille Door Cross Section







Bastille | Accessories



Classic Cornice 76mm (W) x 63mm (H) 3050mm Lengths





Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Plain Plinth 300mm (L) x 300mm (W) x 150mm (H)





Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)





Modern Cornice / Pelmet Quadrant 220mm (L) x 220mm (W) x 30mm (H)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)





Tangent Cornice 72mm (W) x 44mm (H) 3050mm Lengths





Curved Tangent Cornice 400mm (L) x 400mm (W) x 44mm (H)





Tangent Cornice Quadrant 88mm (L) x 88mm (W) x 44mm (H)





Tangent Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)





MTM Corner Post 715mm (150 x 150mm Max)





Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths



Limited Finishes. See Page 46.



Square Base Pilaster 70mm (W) x 50mm (H) 3050mm Lengths




Limited Finishes. See Page 46.



Arched Pelmet 2400mm (L) x 18mm (W) x 200mm (H)






Fluted Rail 18mm (W) x 60mm (H) 2500mm Lengths





Plain Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm






Fluted Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Special Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm






Reeded Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Gun Barrel Pilaster 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 94mm (W) x 2150 (H)





Roman Reed Pilaster 90mm (W) x 900mm (H) 0mm/94mm (W) x 1250 (H) 94mm (W) x 2150 (H)



Bastille | Accessories





Pre-Glued Edging Tape 50m Roll.



Not available in Legno White Grey, Legno Taupe, Legno Marine Blue, Legno Indigo and Legno Evergreen



Peel 'n' Stick Per m2



Not available in Legno Indigo and Legno Evergreen



Vinyl





Shelf Bracket 180mm (D) x 37mm (W) x 210mm (H)





Wall Quad / Base Quad MTM





400mm (L) x 350mm (W) x 470mm (H)





Single Square Mirror 485mm (W) x 570mm (H)






Single Oval Mirror 485mm (W) x 570mm (H)






See page 88 for all full mirror dimensions



Classic Canopy 1000mm (W) x 215mm (D)

x485mm (H)



Modern Canopy 1000mm (L) x 193mm (D)



x 525mm (H)




Pressed Plain Panel 18mm Thick

Standard Sizes MM:

785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm

Made to Measure per m2





Pressed T&G Panel 18mm Thick

Standard Sizes MM:

785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm


Made to Measure per m2






Moulded Top Made to Measure per m2





Return Gable Made to Measure per m2 See page 222 for Order Form





Flat Laminated Panel 18mm Thick

Standard Size MM: 785X360 900X650 965X360 2400X650






Headboards

MTM per m2.

5Piece Headboards are supplied as single panels in design of your chosen door style as standard. Panelled Headboards must be clearly specified when ordering.

Height Range: 500mm - 900mm Width Range: 915mm - 1830mm

Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single Panel
4.6ft Headboard / 1371mm	Single Panel
5ft Headboard / 1510mm	Single Panel
6ft Headboard / 1830mm	Single Panel




5 Piece | Curved Door Specifications

5Piece Curved Doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

Curved Doors are supplied with a single mid-rail positioned at 660mm high as standard. This is measured from the bottom of the door to the bottom of the mid-rail. The mid-rail position can be changed if necessary and must be clearly stated when ordered as it cannot be moved afterwards.

5 Piece Concave Doors are not available.



5 Piece | RAL Colour Match References

Doors Vinyl Colour	RAL Colour Match
Legno White (Fenwick)	RAL 9003
Legno Ivory (Fenwick)	RAL 095 93 05
Legno Taupe (Harlem / Fenwick / Bastille)	RAL 090 85 05
Legno White Grey (Harlem / Fenwick / Bastille)	RAL 000 90 00
Legno Light Grey (Harlem / Fenwick / Bastille)	RAL 000 80 00
Legno Dust Grey (Harlem / Fenwick / Bastille)	RAL 000 60 00
Legno Graphite (Fenwick / Bastille)	RAL 000 30 00
Legno Marine Blue (Fenwick)	RAL 260 20 15
Legno Indigo (Harlem / Bastille)	RAL 280 20 05
Legno Evergreen (Harlem / Bastille)	RAL 180 20 10
Legno Black (Harlem)	RAL 000 15 00
Urban Oak Woodgrain	N/A

RAL Colour Match References						
O&S Doors Vinyl Colour	RAL Colour Match					
Matt White Grey (Dylan)	RAL 000 90 00					
Matt Light Grey (Dylan)	RAL 080 80 00					
Matt Dust Grey (Dylan)	RAL 000 65 00					
Matt Taupe (Dylan)	RAL 080 80 05					
Matt Indigo (Dylan)	RAL 280 20 05					

Important Notice: These RAL Colour match references are suggested options only. They are the closest RAL colour match to our vinyl colour, but please note they are not exact matches. Customers are strongly advised to obtain swatch samples to confirm a satisfactory colour match.

The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes without prior notice.

5 Piece | Moulding Specifications

	Vinyl Colour	Classic Cornice	Modern Cornice / Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Pilaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
	Legno White Grey	•	•	•	•	•	•	•	•	•	•	×	•	•
	Legno Light Grey	•	•	•	•	•	•	•	•	•	•	•	•	•
	Legno Dust Grey	•	•	•	•	•	•	•	•	•	•	•	•	•
	Legno Taupe	•	•	•	•	•	•	•	•	•	•	×	•	•
Harl	Legno Indigo	•	•	•	•	•	•	•	•	•	•	×	•	•
	Legno Evergreen	•	•	•	•	•	•	•	•	•	•	×	•	•
	Legno Black	•	•	•	•	•	•	•	•	•	•	×	•	•
	Urban Oak	•	•	•	•	•	•	•	•	•	•	×	×	•
	Matt White Grey	•	•	•	•	•	•		•		•	•	•	•
Dylan	Matt Taupe	•	•	_	•	•	•	×	•	×	•	•	•	•
	Matt Light Grey	•	•	•	•	•	•	•	•	×	•	•	•	•
	Matt Dust Grey	•	•	•	•	•	•	×	•	×	•	•	•	•
	Matt Indigo	•	•	•	•	•	•	×	•	×	•	•	•	•
	Watt Indigo													
	Legno White	•	•	•	•	•	•	•	•	•	•	•	•	•
	Legno Ivory	•	•	•	•	•	•	•	•	•	•	•	•	•
	Legno Taupe	•	•	•	•	•	•	•	•	•	•	×	•	•
Fenwick	Legno White Grey	•	•	•	•	•	•	•	•	•	•	×	•	•
-en	Legno Light Grey	•	•	•	•	•	•	•	•	•	•	•	•	•
	Legno Dust Grey	•	•	•	•	•	•	•	•	•	•	•	•	•
	Legno Graphite	•	•	•	•	•	•	•	•	•	•	•	•	•
	Legno Marine Blue	•	•	•	•	•	•	•	•	•	•	×	•	×
	Legno White Grey	•	•	•	•	•	•	•	•	•	•	×	•	_
	Legno Write Grey Legno Light Grey		-											
		•	•	•	•	•	•	•	•	•	•	•	•	•
Bastille	Legno Dust Grey	•	•	•	•	•	•	•	•	•	•	•	•	•
Bas	Legno Taupe Legno Graphite	•	•	•	•	•	•	•	•	•	•	×	•	•
	- '											•		_
	Legno Indigo Legno Evergreen	•	•	•	•	•	•	•	•	•	•	×	•	•


X Not Available

Available Ex.Stock


Available Pressed to Order

^{*}Edging Tape matches for Superior Matt finishes are colour matches only. They do not have a super smooth matt laminate effect finish.


5 Piece | Moulding Specifications




Classic Cornice 3050mm Lengths




Curved Classic Cornice 386mm (L) x 386mm (W) x 63mm (H)




Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)




Tangent Cornice 3050mm (L) x 72mm (W) x 44mm (H)




Curved Tangent Cornice 400mm (L) x 400mm (W) x 44mm (H)




Tangent Cornice Quadrant 88mm (L) x 88mm (W) x 44mm (H)




Modern Cornice / Pelmet 3050mm Lengths




Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)




Modern Cornice / Pelmet Quadrant 220mm (L) x 220mm (W) x 30mm (H)




Plain Plinth 3050mm Lengths






Torus Plinth



 $\begin{tabular}{ll} \textbf{Curved Torus Plinth} \\ 300mm (L) \times 300mm (W) \times 150mm (H) \\ \end{tabular}$


5 Piece | Moulding Specifications




5 Piece | Bedroom Accessory Specifications

5Piece Headboard Specificat	tions		
Headboard Type		Height Range MM	Height Range MM
Single Panel		500mm — 900mm	915mm — 1830mm
2 Panel		500mm — 900mm	915mm — 1830mm
3Panel		500mm — 900mm	1371mm — 1830mm
4 Panel		500mm — 900mm	1510mm — 1830mm

Headboards: All Headboards are supplied rectangular using the design of door style ordered. All Headboards will be supplied as single panels unless otherwise specified. **Bastille Headboards** - Available as single panels ONLY.



 $\textbf{Single Square Mirror}: Single Square \ Mirrors \ are \ supplied \ fully \ assembled.$



Oval Mirror: Oval Mirrors are supplied fully assembled.

5 Piece | Board Match Specifications

ML	OF Board Match References	Reco	mmended MFC Board Mat	ch References		
	Vinyl Colour	Egger	Kronospan	Pfleiderer	Finsa	Sonae
	Lagna White	W980 ST19	0101 GC	U11015 MO*	White 020	B020
	Legno White		******			-
	Legno Light Grey	U708 ST19	0112 GC	U12204 MO*	Natural Grey U12	
	Legno Dust Grey	-	0171 GC*	U12150 MO	Gris Tormenta S.3	-
<u>=</u>	Legno Taupe	U750 ST19*	-	=	=	=
	Legno Indigo	U599 ST19*	-	=	=	-
	Legno Evergreen	U699 ST19*	=	=	=	-
	Legno Black	U999 ST19*	-	=	=	-
	Urban Oak	-	K005 PW	=	=	-
	Matt White Grey	U775 ST9*	<u>-</u>	<u>-</u>	-	-
Dylan	Matt Taupe	U750 ST9*	-	-	-	-
	Matt Light Grey	U708 ST9*	0112 PE	U12204 MP	Natural Grey U12	-
	Matt Dust Grey	U732 ST9	0171PE	-	Gris Tormenta S.3*	-
	Matt Indigo	-	-	-	Azul Nautico Smooth*	-
	Legno White	W980 ST27	0101 GC	U11015 MO*	White 020	B020
	Legno Ivory	U104 ST27	7031 GC*	U11506 MO	Contempo Ivory 88V	L402
	Legno Taupe	U750 ST19*	=	-	-	-
Š	Legno White Grey	U775 ST19*	-	=	-	-
Fenwick	Legno Light Grey	U708 ST27	0112 GC	U12204 MO*	Natural Grey U12	-
	Legno Dust Grey	-	0171 GC*	U12150 MO	Gris Tormenta S.3	-
	Legno Graphite	U961 ST19*	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
	Legno Marine Blue	-	=	-	Azul Nautico Grained*	-
	Legno White Grey	U775 ST19*	-	-	-	-
	Legno Light Grey	U708 ST27	0112 GC	U12204 MO*	Natural Grey U12	-
<u>0</u>	Legno Dust Grey	-	0171 GC*	U12150 MO	Gris Tormenta S.3	-
Bastille	Legno Taupe	U750 ST19*	-	-	-	-
m	Legno Graphite	U961 ST19*	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
	Legno Indigo	U599 ST19*	-	=	=	-
	Legno Evergreen	U699 ST19*	-	-	-	-

*All MFC Board Matches marked in bold are available to order from O&S Doors Ltd, only supplied to Island of Ireland.

Important Notice: These board match references are only suggested options. Customers are strongly advised to obtain samples from their board or cabinet supplier in order to confirm a satisfactory match between the cabinet MFC and 5 Piece door finish.

 $O\&S\,Doors\,Ltd\,do\,not\,accept\,responsibility\,for\,any\,subsequent\,dissatisfaction\,between\,the\,board\,and\,door\,match.\,The\,listed\,finishes\,and\,board\,matches\,are\,correct\,at\,time\,of\,printing.\,Due\,to\,unforeseen\,changes\,in\,the\,supply\,chain,\,O\&S\,Doors\,Ltd\,reserve\,the\,right\,due\,to\,amend,\,alter\,or\,discontinue\,finishes\,and\,reverse\,boards\,without\,prior\,notice.\,If\,a\,match\,is\,of\,the\,essence\,a\,sample\,should\,always\,be\,sought\,first\,for\,final\,approval.$

We recommend Pressed or Laminated Panels for the closest match.

Distinctive Edging. Streamlined Aesthetics. Premium Finishes. Choose Edged.

The Edged Collection provides a range of contemporary door styles, designed with versatility and functionality in mind. Each door is compatible with the integrated Zenith handle.



Phoenix High Gloss Acrylic Finishes See Page 92



TribecaSuperior Matt Finishes
Page 98



VaasaMFC Finishes
See Page 104



Mather Legno MFC Finishes Page 110



Phoenix | Cut and Edged Gloss Doors







Door Specification	
Description	Flat Bonded Gloss Foil Laminated Door
Finish	Available in Ultra High Gloss and Metallic Finishes.
Door Thickness	18mm Thick
Base Material	MDF Core
Special Features	High Scratch Resistance and Highly Durable Core
Edge	1mm ABS Edge with a choice of Matching, Multiplex or Glass Effect.







8 High Gloss Finishes



High Gloss




Various Edging Options



Integrated



Phoenix | Colours / Finishes







Phoenix | Door and Drawer Sizes





Doors and Dra	wer Sizes	Curved Door Sizes	MTM	
115 x 596	355 x 496	715 x 546	715 x 300	
140 x 296	355 x 596	715 x 596	895 x 300	
140 x 396	355 x 796	895 x 296	1245 x 300	
140 x 446	355 x 896	895 x 396	1965 x 300	
140 x 496	355 x 996	895 x 446		
140 x 596	450 x 596	895 x 496		
140 x 796	500 x 596	895 x 596		
140 x 896	570 x 296	980 x 596		
140 x 996	570 x 396	1060 x 396		
175 x 396	570 x 446	1060 x 496		
175 x 496	570 x 496	1060 x 596		
175 x 596	570 x 596	1245 x 296		
175 x 796	715 x 146	1245 x 396		
175 x 896	715 x 246	1245 x 446		
175 x 996	715 x 296	1245 x 496		
283 x 496	715 x 313	1245 x 596		
283 x 596	715 x 346			
283×796	715 x 396			
283 x 896	715 x 446			
283 x 996	715 x 496			

Bedroom D	oor Sizes			
Doors and Dra	awer Sizes	Curved Door Sizes	МТМ	
215 x 296	650 x 396	2150 x 396	1495 x 300	
215 x 396	650 x 446	2150 x 446	1595 x 300	
215 x 446	650 x 496	2150 x 496	2150 x300	
215 x 496	650 x 596	2150 x 596	2250 x 300	
215 x 546	1495 x 296	2250 x 296		
215 x 596	1495 x 396	2250 x 396		
215 x 796	1495 x 446	2250 x 446		
215 x 896	1495 x 496	2250 x 496		
215 x 996	1495 x 596	2250 x 596		
415 x 296	1595 x 296	2400 x 296		
415 x 396	1595 x 396	2400 x 396		
415 x 446	1595 x 446	2400 x 446		
415 x 496	1595 x 496	2400 x 496		
415 x 596	1595 x 596	2400 x 596		
535 x 296	1735 x 296			
535 x 396	1735 x 396			
535 x 446	1735 x 446			
535 x 496	1735 x 496			
535 x 596	1735 x 596			
650 x 296	2150 x 296			

Non-Standard Kitchen Door Sizes - Priced next door size up.

Maximum Height MTM - 2400mm (H)

Maximum Width MTM - 1200mm (W)

Drilling - Additional charge per hole.

Non Standard Curved Kitchen Door Sizes - Priced next door size up. Curved Kitchen Doors available any height up to 2250mm Concave Kitchen Doors are not available.

Phoenix Curved Door Specifications - See page 97.

Kitchen Frames Not Available

Angled Kitchen Door Sizes - Priced as door size plus 50%. Zenith Handle Rebate - Priced as door size plus 7.5%. Letterbox Routering - Priced as door size plus 4%. Non-Standard Bedroom Door Sizes - Priced next door size up.

Maximum Height MTM - 2400mm (H) Maximum Width MTM - 1200mm (W) Drilling - Additional charge per hole.

Non Standard Curved Bedroom Door Sizes - Priced next door size up. Curved Bedroom Doors available any height up to 2250mm Concave Bedroom Doors are not available.


Phoenix Curved Door Specifications - See page 97.


Bedroom Frames Not Available

Angled Bedroom Door Sizes - Priced as door size plus 50%. **Letterbox Routering** - Priced as door size plus 4%.

Phoenix | Handleless Rail System Door Sizes








Drilling - Additional charge per hole.






Phoenix | Door Specifications



Phoenix | Technical Specifications



Phoenix | Accessories



Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths






Plain Plinth 18mm (W) x 150mm (H) 2400mm Lengths





VuPlex Cleaning Spray






Plain Panel 18mm Thick Supplied Cut and 1mm Edged

Standard Sizes MM: 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm 2400 x 1200mm

Made to Measure per m2



Phoenix Kitchen Featured in High Gloss Cashmere



Tribeca | Cut and Edged Superior Matt Doors







Door Specification	
Description	Flat Bonded Door
Finish	Available in a range of Superior Matt Finishes
Door Thickness	18mm Thick
Base Material	18mm E1 Grade MDF Board
Special Features	High Scratch Resistance, Highly Durable Core, Anti-Fingerprint Surface
Edge	1mm ABS Edging with a choice of Matching or Multiplex Finish











Available Made to Measure

14 Superior Matt ire Finishes


latt Silky Smooth Soft Touch

Various Edging Options

Integrated



Tribeca | Colours / Finishes



Multiplex Edge

Matching Edge

Tribeca | Door and Drawer Sizes





Kitchen Door Sizes

Non-Standard Kitchen Door Sizes - Priced next door size up.

Maximum Height MTM - 2400mm (H).

Maximum Width MTM - 1200mm (W).

Curved Kitchen Doors Not Available. Concave Kitchen Doors Not Available.

Kitchen Frames Not Available.


Angled Kitchen Door Sizes - Priced as door size plus 50%.

Zenith Handle Rebate - Priced as door size plus 7.5%.

Letterbox Routering - Priced as door size plus 4%.

Drilling - Additional charge per hole.

Bedroom Door Sizes



Non-Standard Bedroom Door Sizes - Priced next door size up.


Maximum Height MTM - 2400mm (H). Maximum Width MTM - 1200mm (W).

Curved Bedroom Doors Not Available. Concave Bedroom Doors Not Available.

Bedroom Frames Not Available.


Angled Bedroom Door Sizes - Priced as door size plus 50%. **Letterbox Routering** - Priced as door size plus 4%.


Drilling - Additional charge per hole.



Tribeca | Handleless Rail System Door Sizes








See page 236 for Handleless Rail System Kitchen and Bedroom Matrix. Drilling - Additional charge per hole.






Tribeca | Door Specifications



Tribeca | Technical Specifications



Tribeca | Accessories




Classic Cornice 76mm (W) x 63mm (H)

3050mm Lengths




Not available in Superior Matt Black



Modern Cornice / Pelmet

50mm (W) x 30mm (H) 3050mm Lengths






Plain Plinth

18mm (W) x 150mm (H) 2400mm Lengths






Tangent Cornice

72mm (W) x 44mm (H) 3050mm Lengths




Not available in Superior Matt Black



Tangent Pelmet 18mm (W) x 57mm (H) 3050mm Lengths



Not available in Superior Matt Black or Superior Matt Marine Blue



Plain Panel

18mm Thick Supplied Cut & 1mm Edged

Standard Sizes MM:

785 x 360mm 900 x 650mm 900 x 1200mm

965 x 360mm 2400 x 360mm 2400 x 650mm

Made to Measure per m2






Corner Post

715mm (150 x 150mm Max)





Square Base Pilaster 70mm (W) x 50mm (H)

3050mm Lengths



Not available in Superior Matt Black or Superior Matt Indigo

Vaasa | Cut and Edged MFC Doors







Door Specification	
Description	Flat Bonded Melamine Door
Finish	Available in a range of Gloss, Smooth Matt and Tactile Finishes
Door Thickness	18mm Thick
Base Material	MFC Core
Special Features	High Scratch Resistance and Highly Durable Core
Edge	Matching 0.8mm ABS Edging.











Available

24 MFC re Finishes

Emb

d Integrated Handle Options

High Scratch Resistance



Vaasa | Colours / Finishes

Material Effect / Available MTM



Sand Grey Halifax Oak H1336 ST37



White Halifax Oak H1176 ST37



Shorewood H3090 ST22



Natural Halifax Oak H1180 ST37



Natural Kendal Oak H3170 ST12



Urban Oak K005PW



Grey Bardolino Oak H1146 ST10



Lincoln Walnu H1714 ST19



Sepia Gladstone Oak H3342 ST28 While Stock Lasts




Light Grey Concrete F186 ST9



Anthracite Metal Fabric F461 ST10 While Stock Lasts


Matt / Available MTM




Premium White W1000 ST9



Porcelain W1200 ST9



White Grey U775 ST9



Light Grey U708 ST9



Dust Grey U732 ST9



Alabaster U104 ST9



Pebble U201ST9



Taupe Grey U750 ST9



Cashmere Grey U702 ST9



Stone Grey U727 ST9



Denim Blue U540 ST9



Indigo Blue U599 ST9



Fir Green (Evergreen) U699 ST9

Vaasa | Door and Drawer Sizes





Kitchen Door Sizes **Doors and Drawer Sizes** 115 x 596 355 x 496 715 x 546 140 x 296 355 x 596 715 x 596 140 x 396 355 x 796 895 x 296 140 x 446 355 x 896 895 x 396 140 x 496 355 x 996 895 x 446 140 x 596 450 x 596 895 x 496 140 x 796 500 x 596 895 x 596 140 x 896 570 x 296 980 x 596 140 x 996 570 x 396 1060 x 396 175 x 396 570 x 446 1060 x 496 570 x 496 1060 x 596 175 x 496 175 x 596 570 x 596 1245 x 296 175 x 796 715 x 146 1245 x 396 175 x 896 715 x 246 1245 x 446 175 x 996 715 x 296 1245 x 496 283 x 496 715 x 313 1245 x 596

Non-Standard Kitchen Door Sizes - Priced next door size up.

Maximum Height MTM - 2750mm (H).

Maximum Width MTM - 2000mm (W).

Horizontal Grain - Priced as door size plus 20%.

715 x 346

715 x 396

715 x 446

715 x 496

Curved Kitchen Doors Not Available. Concave Kitchen Doors Not Available.

283 x 596

283 x 796

283 x 896

283 x 996

Kitchen Frames Not Available.

Angled Kitchen Door Sizes - Priced as door size plus 50%.

Zenith Handle Rebate - Priced as door size plus 7.5%.

Letterbox Routering - Priced as door size plus 4%.

Drilling - Additional charge per hole.

Non-Standard Bedroom Door Sizes - Priced next door size up.

Maximum Height MTM - 2750mm (H).
Maximum Width MTM - 2000mm (W).
Horizontal Grain - Priced as door size plus 20%.

Curved Bedroom Doors Not Available. Concave Bedroom Doors Not Available.


Bedroom Frames Not Available. Angled Bedroom Door Sizes - Priced as door size plus 50%.

Letterbox Routering - Priced as door size plus 4%.

Drilling - Additional charge per hole.


Vaasa | Handleless Rail System Door Sizes





Drilling - Additional charge per hole.












Vaasa | Door Specifications




Vaasa | Technical Specifications



Vaasa | Accessories





Plain Panel 18mm Thick Supplied Cut & 1mm Edged

Standard Sizes MM: 785 × 360mm 900 × 650mm 900 × 1200mm 965 × 360mm 2400 × 360mm 2400 × 650mm

Made to Measure per m2



 $Vaasa\,Kitchen\,Featured\,in\,Shorewood\,H3090\,\,ST22$



Mather | Cut and Edged Legno Doors







Door Specification	
Description	Flat Bonded Melamine Door
Finish	Available in a range of Uni-Colour, Legno Grain Embossed Finishes.
Door Thickness	18mm Thick
Base Material	MFC Core
Special Features	Tactile Surface
Edge	Matching 1mm ABS Edge.









Available Made to Measure


12 Legne Finishes

Texture

Integrated Handle Options



Mather | Colours / Finishes





Mather | Door and Drawer Sizes





Kitchen Door Sizes

Non-Standard Kitchen Door Sizes - Priced next door size up.

Maximum Height MTM - 2750mm (H).

Maximum Width MTM - 2000mm (W).

Horizontal Grain - Priced as door size plus 20%.

Curved Kitchen Doors Not Available. Concave Kitchen Doors Not Available.

Kitchen Frames Not Available.

Angled Kitchen Door Sizes - Priced as door size plus 50%.

Zenith Handle Rebate - Priced as door size plus 7.5%.

Letterbox Routering - Priced as door size plus 4%.

Drilling - Additional charge per hole.

Bedroom Door Sizes

•	Doors and Drawe	r Sizes		MTM
	215 x 296	650 x 396	2150 x 396	
	215 x 396	650 x 446	2150 x 446	
	215 x 446	650 x 496	2150 x 496	
	215 x 496	650 x 596	2150 x 596	
	215 x 546	1495 x 296	2250 x 296	
	215 x 596	1495 x 396	2250 x 396	
	215 x 796	1495 x 446	2250 x 446	
	215 x 896	1495 x 496	2250 x 496	
	215 x 996	1495 x 596	2250 x 596	
	415 x 296	1595 x 296	2400 x 296	
	415 x 396	1595 x 396	2400 x 396	
	415 x 446	1595 x 446	2400 x 446	
	415 x 496	1595 x 496	2400 x 496	
	415 x 596	1595 x 596	2400 x 596	
	535 x 296	1735 x 296		
	535 x 396	1735 x 396		
	535 x 446	1735 x 446		
	535 x 496	1735 x 496		
	535 x 596	1735 x 596		
	650 x 296	2150 x 296		

Non-Standard Bedroom Door Sizes - Priced next door size up.

Maximum Height MTM - 2750mm (H).
Maximum Width MTM - 2000mm (W).
Horizontal Grain - Priced as door size plus 20%.

Curved Bedroom Doors Not Available. Concave Bedroom Doors Not Available.


Bedroom Frames Not Available.


Angled Bedroom Door Sizes - Priced as door size plus 50%. **Letterbox Routering** - Priced as door size plus 4%.




Mather | Handleless Rail System Door Sizes













Mather | Door Specifications




Mather | Technical Specifications



Mather | Accessories





Plain Panel 18mm Thick Supplied Cut & 1mm Edged

Standard Sizes MM: 785 × 360mm 900 × 650mm 900 × 1200mm 965 × 360mm 2400 × 360mm 2400 × 650mm

Made to Measure per m2



Wide Colour Choice. MTM Flexibility. Crafted Aesthetic.



Choose MDF Painted.

Our MDF Painted Collection has been carefully selected to provide you with the most sought after door styles and colours. We only use the best quality, highest performing and durable paints to ensure you get colour that lasts.



Arena
MDF Matt Painted (Smooth)
Page 118



Parker MDF Matt Painted (Smooth) Page 124



Hartford MDF Matt Painted (Smooth) Page 130



Wellington MDF Matt Painted (Smooth) Page 138



Belair
MDF Matt Painted (Smooth)
Page 146




Gladstone MDF Matt Painted (Smooth) Page 154



Arena | MDF Matt Painted (Smooth)







Door Specification	
Description	J-Pull Handleless Door with 40mm Deep Handle Cavity
Finish	Smooth Matt Painted Finish
Door Thickness	22mm Thick
Base Material	MDF Core



4 Ex.Stock











Available Made to Measure Unfinished Only*







Smooth



Arena | Colours / Finishes



Arena | Door and Drawer Sizes





Kitchen Door	Sizes		
Doors Sizes	EXS PTO MTM	Corner Door sizes	EXS PTO MTM
115 x 596	570 x 496	715 x 273 / Pair L&R	
140 x 296	570 x 596	715 x 313 / Pair L&R	
140 x 396	645 x 596		
140 x 446	715 x 146		
140 x 496	715 x 246	Hidden Handle Slab Door	EXS PTO MTM
140 x 596	715 x 296		
140 x 796	715 x 315	1245 x 296	
140 x 896	715 x 346	1245 x 396	
140 x 996	715 x 396	1245 x 496	
175 x 396	715 x 446	1245 x 596	
175 x 496	715 x 496		
175 x 596	715 x 546		
283 x 496	715 x 596	Curved Door sizes	EXS PTO MTM
283 x 596	895 x 296		
283 x 796	895 x 396	715 x 300	
283 x 896	895 x 446		
283 x 996	895 x 496		
355 x 496	895 x 596	Plain Frame Sizes	EXS PTO MTM
355 x 596	980 x596		
355×796	1245 x 296	355 x 796 (Glazed)	
355 x 896	1245 x 396	355 x 996 (Glazed)	
355 x 996	1245 x 496	715 x 396 (Glazed)	
450 x 596	1245 x 596	715 x 496 (Glazed)	
495 x 596	1965 x 596		
570 x 296			
570 x 396			
570 x 446			

Bedroom Do	or Sizes		
Doors Sizes	МТМ	Corner Door sizes	MTM
215 x 296	1495 x 596	1495 x 300	
215 x 396	1595 x 296	1595 x 300	
215 x 446	1595 x 396	2150 x 300	
215 x 496	1595 x 446	2250 x 300	
215 x 546	1595 x 496		
215 x 596	1595 x 596		
215 x 796	1735 x 296		
215 x 896	1735 x 396		
215 x 996	1735 x 446		
415 x 296	1735 x 496		
415 x 396	1735 x 596		
415 x 446	2150 x 296		
415 x 496	2150 x 396		
415 x 596	2150 x 446		
535 x 296	2150 x 496		
535 x 396	2150 x 596		
535 x 446	2250 x 296		
535 x 496	2250 x 396		
535 x 596	2250 x 446		
650 x 296	2250 x 496		
650 x 396	2250 x 596		
650 x 446	2400 x 296		
650 x 496	2400 x 396		
650 x 596	2400 x 446		
1495 x 296	2400 x 496		
1495 x 396	2400 x 596		
1495 x 446			
1495 x 496			

Primed MTM Kitchen Door Sizes are not available.
*Unfinished MTM - These doors will be supplied as raw MDF.

Non-Standard Kitchen Door Sizes - Priced next door size up.
Angled Kitchen Door Sizes - Priced as door size plus 50%.

Curved Kitchen Doors available any height up to 2250mm. Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Primed MTM Bedroom Door Sizes are not available.

*Unfinished MTM -These doors will be supplied as raw MDF.

Non-Standard Bedroom Door Sizes - Priced next door size up.


Non-Standard Bedroom Door Sizes - Priced next door size up. **Angled Bedroom Door Sizes** - Priced as door size plus 50%.

 $Curved\ Bedroom\ Doors\ available\ any\ height\ up\ to\ 2250mm$


Non-Standard Curved Bedroom Door Sizes - Priced next door size up.

MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).


Arena | Door Specifications



Arena | Technical Specifications




Arena Door Cross Section




Arena | Accessories





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)






Modern Cornice / Pelmet Quadrant 50mm (L) 50mm (W) x 30mm (H)





Radius Profile (Radius 48mm) 70mm (W) x 50mm (H) 3050mm Lengths






Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths







Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)





Internal J-Pull Corner Post 70mm (L) x 70mm (W) x 715mm (H)







External J-Pull Corner Post 75mm (L) x 75mm (W) x 965mm (H)








Corner Post 30mm (L) x 30mm (W) x 720mm (H)








MTM Corner Post 715mm (150 x 150mm Max)





Chimney Canopy 900mm (W) x 400mm (D) x 1130mm (H)





Plain Panel - Standard Sizes

18mm / 785 x 360mm 18mm/900x650mm 18mm/900x864mm 18mm / 900 x 1160mm 18mm / 900 x 1200mm 18mm / 965 x 360mm 18mm / 2400 x 360mm 18mm / 2400 x 650mm 18mm/2400 x 900mm





Plain Panel - Non Standard Sizes 18mm Thick / MTM per m2 22mm Thick / MTM per m2






Square Base Pilaster 965mm (L) x 70mm (W) x 50mm (H) Also available in 3050mm lenghts








Square Base Pilaster Insert 965mm (L) x 18mm (W) x 18mm (H)







Single Square Mirror 485mm (W) x 570mm (H)







Headboard MTM per m2. / Supplied as a flat panel





Touch Up Paint $\label{eq:available 30ml or 1 Litre volumes.}$



Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Parker | MDF Matt Painted Door (Smooth)







Door Specification	
Description	Plain Shaker Style Door with 60mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core







Available Painted to Order



Available Made to Measure Unfinished Only*



Available Primed / Unfinished*



Smooth Surface



Parker | Colours / Finishes



Parker | Door and Drawer Sizes





Kitchen Doo	rSizes		
Doors Sizes	РТО МТМ	Curved Door Sizes	рто мтм
115 x 596	570 x 446	715 x 300	
140 x 296	570 x 496		
140 x 396	570 x 596		
140 x 446	645 x 596	Plain Frame Sizes	РТО МТМ
140 x 496	715 x 146		
140 x 596	715 x 246	355 x 496 (Glazed)	
140 x 796	715 x 275	715 x 396 (Glazed)	
140 x 896	715 x 296	715 x 496 (Glazed)	
140 x 996	715 x 315	895 x 495 (Glazed)	
175 x 396	715 x 346	1060 x 49 (Glazed)	
175 x 496	715 x 396		
175 x 596	715 x 446		
283 x 496	715 x 496		
283 x 596	715 x 546		
283 x 796	715 x 596		
283 x 896	895 x 296		
283 x 996	895 x 396		
355 x 496	895 x 446		
355 x 596	895 x 496		
355×760	895 x 596		
355 x 796	980 x 596		
355 x 896	1245 x 296		
355 x 996	1245 x 396		
450 x 596	1245 x 496		
495 x 396	1245 x 596		
495 x 596			
570 x 296			
570 x 396			

Doors and Dra	wer Sizes MT	Curved Door Sizes	МТМ
215 x 296	1495 x 596	1495 x 300	
215 x 396	1595 x 296	1595 x 300	
215 x 446	1595 x 396	2150 x 300	
215 x 496	1595 x 446	2250 x 300	
215 x 546	1595 x 496		
215 x 596	1595 x 596		
215 x 796	1735 x 296		
215 x 896	1735 x 396		
215 x 996	1735 x 446		
415 x 296	1735 x 496		
415 x 396	1735 x 596		
415 x 446	2150 x 296		
415 x 496	2150 x 396		
415 x 596	2150 x 446		
535 x 296	2150 x 496		
535 x 396	2150 x 596		
535 x 446	2250 x 296		
535 x 496	2250 x 396		
535 x 596	2250 x 446		
650 x 296	2250 x 496		
650 x 396	2250 x 596		
650 x 446	2400 x 296		
650 x 496	2400 x 396		
650 x 596	2400 x 446		
1495 x 296	2400 x 496		
1495 x 396	2400 x 596		
1495 x 446			
1495 x 496			

Non-Standard Kitchen Door Sizes - Priced next door size up. Angled Kitchen Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

*Unfinished MTM -These doors will be supplied as raw MDF.

Curved Kitchen Doors available any height up to 2250mm Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

Standard Kitchen Frame Sizes - Supplied Glazed. MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Non-Standard Bedroom Door Sizes - Priced next door size up. Angled Bedroom Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.


 * Unfinished MTM -These doors will be supplied as raw MDF.


Curved Bedroom Doors available any height up to 2250mm Non-Standard Curved Bedroom Door Sizes - Priced next door size up.

MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).

Parker | Handleless Rail System Door Sizes












STANDARD DOUBLE MID-RAIL


Parker | Door Specifications









Parker Kitchen Frame (Glazed)




Curved Door








Curved Door





Parker Kitchen Doors:

Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

Parker Drawers:

Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Parker Frames:

Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions).

The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

Parker Curved Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions).

The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.

Concave doors are not available

Parker Bedroom Doors:


Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


Minimum Bedroom Door width is 246mm.

Drilling:


All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.



Parker Kitchen Angled Door




Parker Kitchen Angled Flat Top Door



Parker Bedroom Door


Parker Bedroom (5 Panel Door also available)



Parker Bedroom

Full Open Frame

Parker Bedroom




Parker Bedroom

Top Open Frame


Parker Bedroom Angled Door

Parker | Technical Specifications

Parker Door Cross Section



Parker Stile Cross Section **Through the true of the community of the com



Hartford | MDF Matt Painted Door (Smooth)







Door Specification	
Description	Plain Shaker Style Door with 90mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core



4 Ex.Stock







Available Painted to Order standard sizes.



Available Made to Measure Unfinished Only*



/ Unfinished*



Smooth Surface



Hartford | Colours / Finishes



Hartford | Door and Drawer Sizes





Kitchen Door	Sizes		
Doors Sizes	EXS PTO MTM	Curved Door sizes	EXS PTO MTM
115 x 596	570 x 446	715 x 300	
140 x 296	570 x 496		
140 x 396	570 x 596		
140 x 446	645 x 596	Plain Frame Sizes	EXS PTO MTM
140 x 496	715 x 146		
140 x 596	715 x 246	355 x 496 (Glazed)	
140 x 796	715 x 275	715 x 396 (Glazed)	
140 x 896	715 x 296	715 x 496 (Glazed)	
140 x 996	715 x 315	895 x 496 (Glazed)	
175 x 396	715 x 346	1060 x 496 (Glazed)	
175 x 496	715 x 396		
175 x 596	715 x 446		
283 x 496	715 x 496		
283 x 596	715 x 546		
283×796	715 x 596		
283 x 896	895 x 296		
283 x 996	895 x 396		
355 x 496	895 x 446		
355 x 596	895 x 496		
355×760	895 x 596		
355×796	980 x 596		
355 x 896	1245 x 296		
355 x 996	1245 x 396		
450 x 596	1245 x 496		
495 x 396	1245 x 596		
495 x 596			
570 x 296			
570 x 396			

Doors and Dra	wer Sizes MTM	Curved Door Sizes	МТМ
215 x 296	1495 x 596	1495 x 300	
215 x 396	1595 x 296	1595 x 300	
215 x 446	1595 x 396	2150 x 300	
215 x 496	1595 x 446	2250 x 300	
215 x 546	1595 x 496		
215 x 596	1595 x 596		
215 x 796	1735 x 296		
215 x 896	1735 x 396		
215 x 996	1735 x 446		
415 x 296	1735 x 496		
415 x 396	1735 x 596		
415 x 446	2150 x 296		
115 x 496	2150 x 396		
415 x 596	2150 x 446		
535 x 296	2150 x 496		
535 x 396	2150 x 596		
535 x 446	2250 x 296		
535 x 496	2250 x 396		
535 x 596	2250 x 446		
650 x 296	2250 x 496		
650 x 396	2250 x 596		
650 x 446	2400 x 296		
650 x 496	2400 x 396		
650 x 596	2400 x 446		
1495 x 296	2400 x 496		
1495 x 396	2400 x 596		
1495 x 446			
1495 x 496			

Non-Standard Kitchen Door Sizes - Priced next door size up. Angled Kitchen Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

*Unfinished MTM -These doors will be supplied as raw MDF.

Curved Kitchen Doors available any height up to 2250mm Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

Standard Kitchen Frame Sizes - Supplied Glazed.

MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Non-Standard Bedroom Door Sizes - Priced next door size up. Angled Bedroom Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

 * Unfinished MTM ${}^{\cdot}$ -These doors will be supplied as raw MDF.


Curved Bedroom Doors available any height up to 2250mm


Non-Standard Curved Bedroom Door Sizes - Priced next door size up.

MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).


Hartford | Handleless Rail System Door Sizes












Hartford | Door Specifications


Hartford Kitchen Door

Hartford Bedroom Door

STANDARD DOUBLE MID-RAIL



Hartford Kitchen Frame (Glazed)




Hartford Kitchen Curved Door


Hartford Bedroom

Top Open Frame










Curved Door





Hartford Kitchen Doors:

Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

Hartford Drawers:

Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Hartford Frames:

Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.

Top Open Frames between 1735mm -2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

Hartford Curved Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order $\dot{\ }$ (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.

Concave doors are not available.

Hartford Bedroom Doors:


Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


Minimum Bedroom Door width is 246mm.

Drilling:


All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full nsions for all holes required.




Hartford Kitchen



Hartford Kitchen Angled Flat Top Door



Hartford Bedroom (5 Panel Door also available)



Hartford Bedroom

Full Open Frame

Hartford Bedroom Hartford Bedroom




Hartford Bedroom Angled Flat Top Door

Hartford | Technical Specifications

Hartford Door Cross Section



Hartford Stile Cross Section 90mm Stile Width Width MTM



Hartford | Accessories



Classic Cornice 102mm (W) x 70mm (H) 3050mm Lengths







Curved Classic Cornice 419mm (L) x 419mm (W) x 70mm (H)






Classic Cornice Quadrant 98mm (L) x 98mm (W) x 70mm (H)





Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) $3050 \text{mm} \, \text{Lengths}$











Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths







Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)







Under Cornice 50mm (W) x 30mm (H) 3050mm Lengths







Curved Under Cornice 350mm (L) x 350mm (W) x 30mm (H)







53mm (L) $\times 53$ mm (W) x 30mm (H)







30mm (L) x 30mm (W) x 720mm (H)





MTM Corner Post 715mm (150 x 150mm Max)






Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths








Arched Pelmet 2400mm (L) x 18mm (W) x 200mm (H)





Fluted Rail 18mm (W) x 60mm (H) 2500mm Lengths









Square Base Pilaster 3050mm Lengths





Square Base Pilaster Insert 965mm (L) x 18mm (W) x18mm (H)









Plain Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm






Fluted Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Special Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Chimney Canopy 900mm (W) x 400mm (D) x 1130mm (H)





Order online at weborders.osdoors.com

Hartford | Accessories





Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)







Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)





Single Square Mirror 485mm (W) x 570mm (H)





Available Primed Ex.Stock Only.



Single Oval Mirror 485mm (W) x 570mm (H)









Touch Up Paint Available 30ml or 1 Litre volumes.


Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	•	•	×	×
Plain Panel	18mm / 900 x 360mm	•	•	×	×
Plain Panel	18mm / 900x 650mm	•	•	×	×
Plain Panel	18mm / 900 x 864mm	•	•	×	×
Plain Panel	18mm / 900 x 1160mm	•	•	×	×
Plain Panel	18mm / 900 x 1200mm	•	•	×	×
Plain Panel	18mm / 965 x 360mm	•	•	×	×
Plain Panel	18mm / 2400 x 360mm	•	•	×	×
Plain Panel	18mm / 2400x 650mm	•	•	×	×
Plain Panel	18mm / 2400x 900mm	•	•	×	×
Plain Panel	Made to Measure per m2	×	×	•	•
T&G Panel	Made to Measure per m2	×	×	•	•

*Unfinished MTM - These items will be supplied as unfinished MDF.




Plain Panel / 18mm Thick





T&G Panel / 18mm Thick МТМ






Single Feature Panel 900mm (H) x 600mm (W)





Not available Primed. Standard Sizes Only.



Double Feature Panel 900mm (H) x 864mm (W) / 900mm (H) x 1160mm (W)





Not available Primed. Standard Sizes Only.

MTM per m2. Hartford Headboards are supplied as single panels as standard unless otherwise specified.

Height Range: 500mm - 900mm Width Range: 915mm - 1830mm






Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel

Wellington | MDF Matt Painted Door (Smooth)







Door Specification	
Description	Mock In-Frame Style Door with 90mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core



31 Painted







Available
Painted to Order
standard sizes.



Made to Measure Unfinished Only*



/ Unfinished*



Smooth



Wellington | Colours / Finishes



Wellington | Door and Drawer Sizes





Kitchen Door Sizes					
Doors Sizes	EXS PTO MTM	Curved Door sizes	EXS PTO MTM		
115 x 596	570 x 446	715 x 300			
140 x 296	570 x 496				
140 x 396	570 x 596				
140 x 446	645 x 596	Plain Frame Sizes	EXS PTO MTM		
140 x 496	715 x 146				
140 x 596	715 x 246	355 x 496 (Glazed)			
140 x 796	715 x 275	715 x 396 (Glazed)			
140 x 896	715 x 296	715 x 496 (Glazed)			
140 x 996	715 x 315	895 x 496 (Glazed)			
175 x 396	715 x 346	1060 x 496 (Glazed)			
175 x 496	715 x 396				
175 x 596	715 x 446				
283 x 496	715 x 496				
283 x 596	715 x 546				
283×796	715 x 596				
283 x 896	895 x 296				
283 x 996	895 x 396				
355 x 496	895 x 446				
355 x 596	895 x 496				
355×760	895 x 596				
355×796	980 x 596				
355 x 896	1245 x 296				
355 x 996	1245 x 396				
450 x 596	1245 x 496				
495 x 396	1245 x 596				
495 x 596					
570 x 296					
570 x 396					

Bedroom Door Sizes						
Doors and Dra	wer Sizes	МТМ	Curved Door Sizes	МТМ		
215 x 296	1495 x 596		1495×300			
215 x 396	1595 x 296		1595 x 300			
215 x 446	1595 x 396		2150 x 300			
215 x 496	1595 x 446		2250 x 300			
215 x 546	1595 x 496					
215 x 596	1595 x 596					
215 x 796	1735 x 296					
215 x 896	1735 x 396					
215 x 996	1735 x 446					
415 x 296	1735 x 496					
415 x 396	1735 x 596					
415 x 446	2150 x 296					
415 x 496	2150 x 396					
415 x 596	2150 x 446					
535 x 296	2150 x 496					
535 x 396	2150 x 596					
535 x 446	2250 x 296					
535 x 496	2250 x 396					
535 x 596	2250 x 446					
650 x 296	2250 x 496					
650 x 396	2250 x 596					
650 x 446	2400 x 296					
650 x 496	2400 x 396					
650 x 596	2400 x 446					
1495 x 296	2400 x 496					
1495 x 396	2400 x 596					
1495 x 446						
1495 x 496						

Non-Standard Kitchen Door Sizes - Priced next door size up. Angled Kitchen Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

*Unfinished MTM -These doors will be supplied as raw MDF.

Curved Kitchen Doors available any height up to 2250mm Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

Standard Kitchen Frame Sizes - Supplied Glazed. MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.


Non-Standard Bedroom Door Sizes - Priced next door size up. Angled Bedroom Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available. * Unfinished MTM -These doors will be supplied as raw MDF.


Curved Bedroom Doors available any height up to 2250mm Non-Standard Curved Bedroom Door Sizes - Priced next door size up.

MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).


Wellington | Handleless Rail System Door Sizes














Wellington | Door Specifications



Wellington Kitchen Door



Wellington Kitchen Frame (Glazed)




Wellington Kitcher Curved Door




Wellington Pan Drawer






Wellington Bedroom Door


STANDARD DOUBLE MID-RAIL




Wellington Bedroom Full Open Frame (Unglazed)




Wellington Bedroom Top Open Frame (Unglazed)




Wellington Bedroom Curved Door




Wellington Bedroom 4 Panel Door (5 Panel Door also available)



Wellington Bedroom 3 Panel Stable Door



Wellington Bedroom



Wellington Bedroom Angled Flat Top Door

Wellington Kitchen Doors:

Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

Wellington Drawers:

Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Wellington Frames:

Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

Wellington Curved Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.

Concave doors are not available.

Wellington Bedroom Doors:

Bedroom Door sizes between 1735mm-2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions).


The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


 ${\bf Minimum\,Bedroom\,Door\,width\,is\,246mm.}$

Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.




Wellington Kitchen Angled Door





Wellington Kitchen Angled Flat Top Door

Wellington | Technical Specifications



Wellington Stile Cross Section





Wellington | Accessories



Classic Cornice 102mm (W) x 70mm (H) $3050 mm\, Lengths$







Curved Classic Cornice 419mm (L) x 419mm (W) x 70mm (H)






Classic Cornice Quadrant 98mm (L) x 98mm (W) x 70mm (H)





Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) $3050 \text{mm} \, \text{Lengths}$





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)





Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Torus Plinth







Under Cornice 50mm (W) x 30mm (H) 3050mm Lengths







Curved Under Cornice 350mm (L) x 350mm (W) x 30mm (H)





Under Cornice Quadrant 53mm (L) $\times 53$ mm (W) x 30mm (H)







30mm (L) x 30mm (W) x 720mm (H)





MTM Corner Post 715mm (150 x 150mm Max)






Radius Profile (R 48mm 3050mm Lengths








Arched Pelmet 2400mm (L) x 18mm (W) x 200mm (H)





Fluted Rail 18mm (W) x 60mm (H) 2500mm Lengths





Available Primed Ex.Stock Only.



Square Base Pilaster 3050mm Lengths






Square Base Pilaster Insert 965mm (L) x 18mm (W) x18mm (H)






Plain Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm






Fluted Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Special Pilaster 100mm (W) x 900mm (H) MTM up to 2500mm





Chimney Canopy 900mm (W) x 400mm (D) x 1130mm (H)





Wellington | Accessories





Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)



Available Primed Ex.Stock Only.



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)





Single Square Mirror 485mm (W) x 570mm (H)





Available Primed Ex.Stock Only.



Single Oval Mirror 485mm (W) x 570mm (H)









Touch Up Paint Available 30ml or 1 Litre volumes.

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	•	•	×	×
Plain Panel	18mm / 900 x 360mm	•	•	×	×
Plain Panel	18mm / 900x 650mm	•	•	×	×
Plain Panel	18mm / 900 x 864mm	•	•	×	×
Plain Panel	18mm / 900 x 1160mm	•	•	×	×
Plain Panel	18mm / 900 x 1200mm	•	•	×	×
Plain Panel	18mm / 965 x 360mm	•	•	×	×
Plain Panel	18mm / 2400 x 360mm	•	•	×	×
Plain Panel	18mm / 2400x 650mm	•	•	×	×
Plain Panel	18mm / 2400x 900mm	•	•	×	×
Plain Panel	Made to Measure per m2	×	×	•	•
T&G Panel	Made to Measure per m2	×	×	•	•

*Unfinished MTM - These items will be supplied as unfinished MDF.



Plain Panel / 18mm Thick




T&G Panel / 18mm Thick МТМ












Single Feature Panel 900mm (H) x 600mm (W)





Not available Primed. Standard Sizes Only.



Double Feature Panel 900mm (H) x 864mm (W) / 900mm (H) x 1160mm (W)





Not available Primed. Standard Sizes Only.


MTM per m2. Hartford Headboards are supplied as single panels as standard unless otherwise specified.

Height Range: 500mm - 900mm Width Range: 915mm - 1830mm





Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel





Belair | MDF Matt Painted Door (Smooth)







Door Specification		
Description	Plain Slab Style Door	
Finish	Smooth Matt Painted Finish	
Door Thickness	18mm Thick	
Base Material	MDF Core	
Edge	Paint-able 1mm ABS Edging	



31 Painted



Available Painted to Order standard sizes.



Available Made to Measure



Available Infinished*



Smooth



Belair | Kitchen Door Sizes



Belair | Door and Drawer Sizes





Kitchen Door Sizes			
Doors and Dra	ower Sizes	Curved Door sizes	МТМ
115 x 596	570 x 446	715 x 300	
140 x 296	570 x 496	895 x 300	
140 x 396	570 x 596	1245 x 300	
140 x 446	645 x 596	1965 x 300	
140 x 496	715 x 146		
140 x 596	715 x 246		
140 x 796	715 x 275		
140 x 896	715 x 296		
140 x 996	715 x 315		
175 x 396	715 x 346		
175 x 496	715 x 396		
175 x 596	715 x 446		
283 x 496	715 x 496		
283 x 596	715 x 546		
283 x 796	715 x 596		
283 x 896	895 x 296		
283 x 996	895 x 396		
355 x 496	895 x 446		
355 x 596	895 x 496		
355 x 760	895 x 596		
355 x 796	980 x 596		
355 x 896	1060 x 396		
355 x 996	1060 x 496		
450 x 596	1060 x 596		
495 x 396	1245 x 296		
495 x 596	1245 x 396		
570 x 296	1245 x 496		
570 x 396	1245 x 596		

Doors and Dra	wer Sizes MTM	Curved Door Sizes	MTI
215 x 296	1495 x 596	1495 x 300	
215 x 396	1595 x 296	1595 x 300	
215 x 446	1595 x 396	2150 x 300	
215 x 496	1595 x 446	2250 x 300	
215 x 546	1595 x 496		
215 x 596	1595 x 596		
215 x 796	1735 x 296		
215 x 896	1735 x 396		
215 x 996	1735 x 446		
415 x 296	1735 x 496		
415 x 396	1735 x 596		
415 x 446	2150 x 296		
415 x 496	2150 x 396		
415 x 596	2150 x 446		
535 x 296	2150 x 496		
535 x 396	2150 x 596		
535 x 446	2250 x 296		
535 x 496	2250 x 396		
535 x 596	2250 x 446		
650 x 296	2250 x 496		
650 x 396	2250 x 596		
650 x 446	2400 x 296		
650 x 496	2400 x 396		
650 x 596	2400 x 446		
1495 x 296	2400 x 496		
1495 x 396	2400 x 596		
1495 x 446			
1495 x 496			

Non-Standard Kitchen Door Sizes - Priced next door size up. Angled Kitchen Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

 $\label{lem:continuous} \textbf{Unfinished MTM} \ \ \text{-} These doors will be supplied as raw MDF.$

Curved Kitchen Doors available any height up to 2250mm Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Non-Standard Bedroom Door Sizes - Priced next door size up. Angled Bedroom Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

Unfinished MTM -These doors will be supplied as raw MDF.


Curved Bedroom Doors available any height up to 2250mm Non-Standard Curved Bedroom Door Sizes - Priced next door size up.


MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Belair | Handleless Rail System Door Sizes









Drilling - Additional charge per hole.





Belair | Door Specifications



Belair Kitchen Doors:

Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

Belair Drawers:

Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Belair Frames:

Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stille as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

Belair Curved Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.


Belair Bedroom Doors:

Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.

Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Belair | Technical Specifications



Belair | Accessories



Classic Cornice 102mm (W) x 70mm (H) 3050mm Lengths





Curved Classic Cornice 419mm (L) x 419mm (W) x 70mm (H)






Classic Cornice Quadrant 98mm (L) x 98mm (W) x 70mm (H)





Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)





Modern Cornice / Pelmet 50mm (W) x 30mm (H) $3050 \text{mm} \, \text{Lengths}$





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W)

EXS PTO





Modern Cornice / Pelmet Quadrant 50mm (L) $\times 50$ mm (W) $\times 30$ mm (H)







Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)







Under Cornice 50mm (W) x 30mm (H) 3050mm Lengths







Curved Under Cornice 350mm (L) x 350mm (W)



x 30mm (H)







Under Cornice Quadrant 53mm (L) $\times 53$ mm (W) x 30mm (H)







30mm (L) x 30mm (W) x 720mm (H)





MTM Corner Post 715mm (150 x 150mm Max)





Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths







Square Base Pilaster 3050mm Lengths








Square Base Pilaster Insert 965mm (L) x 18mm (W) x 18mm (H)









 $\begin{array}{c} \textbf{Chimney Canopy} \\ 900mm \text{(W)} \times 400mm \text{(D)} \times 1130mm \text{(H)} \end{array}$





Shelf Bracket x 150mm (H)







Corbel x 165mm (H)







French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Belair | Accessories





Plate Cot (Pair) / 1000mm (L) x 23mm (W) x 308mm (H)





Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)






Touch Up Paint Available 30ml or 1 Litre volumes.

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	•	•	×	•
Plain Panel	18mm / 900 x 360mm	•	•	×	•
Plain Panel	18mm / 900x 650mm	•	•	×	•
Plain Panel	18mm / 900 x 864mm	•	•	×	•
Plain Panel	18mm / 900 x 1160mm	•	•	×	•
Plain Panel	18mm / 900 x 1200mm	•	•	×	•
Plain Panel	18mm / 965 x 360mm	•	•	×	•
Plain Panel	18mm / 2400 x 360mm	•	•	×	•
Plain Panel	18mm / 2400x 650mm	•	•	×	•
Plain Panel	18mm / 2400x 900mm	•	•	×	•
Plain Panel	Made to Measure per m2	×	•	•	•
T&G Panel	Made to Measure per m2	×	•	•	•





Plain Panel / 18mm Thick



T&G Panel / 18mm Thick











Single Square Mirror 485mm (W) x 570mm (H)







Single Oval Mirror 485mm (W) x 570mm (H)








Headboard $MTM\,per\,m2.\,\,/\,Supplied\,as\,a\,flat\,panel$



Gladstone | MDF Matt Painted Door (Smooth)







Door Specification		
Description	Faux In-frame slab door style with 28mm border	
Finish	Smooth Matt Painted Finish	
Door Thickness	18mm Thick	
Base Material	MDF Core	
Edge	1mm ABS Edge	







Available Painted to Order Available Made to Measure standard sizes.



Available Primed / Unfinished*





Gladstone | Colours / Finishes



Gladstone | Door and Drawer Sizes





Kitchen Door Sizes			
Doors and Dra	awer Sizes	Curved Door sizes	MTM
115 x 596	570 x 446	715×300	
140 x 296	570 x 496	895 x 300	
140 x 396	570 x 596	1245 x 300	
140 x 446	645 x 596	1965 x 300	
140 x 496	715 x 146		
140 x 596	715 x 246		
140 x 796	715 x 275		
140 x 896	715 x 296		
140 x 996	715 x 315		
175 x 396	715 x 346		
175 x 496	715 x 396		
175 x 596	715 x 446		
283 x 496	715 x 496		
283 x 596	715 x 546		
283 x 796	715 x 596		
283 x 896	895 x 296		
283 x 996	895 x 396		
355 x 496	895 x 446		
355 x 596	895 x 496		
355 x 760	895 x 596		
355 x 796	980 x 596		
355 x 896	1060 x 396		
355 x 996	1060 x 496		
450 x 596	1060 x 596		
495 x 396	1245 x 296		
495 x 596	1245 x 396		
570 x 296	1245 x 496		
570 x 396	1245 x 596		

Doors and Dra	wer Sizes	итм	Curved Door Sizes	MTN
215 x 296	1495 x 596		1495 x 300	
215 x 396	1595 x 296		1595 x 300	
215 x 446	1595 x 396		2150 x 300	
215 x 496	1595 x 446		2250 x 300	
215 x 546	1595 x 496			
215 x 596	1595 x 596			
215 x 796	1735 x 296			
215 x 896	1735 x 396			
215 x 996	1735 x 446			
415 x 296	1735 x 496			
415 x 396	1735 x 596			
415 x 446	2150 x 296			
415 x 496	2150 x 396			
415 x 596	2150 x 446			
535 x 296	2150 x 496			
535 x 396	2150 x 596			
535 x 446	2250 x 296			
535 x 496	2250 x 396			
535 x 596	2250 x 446			
650 x 296	2250 x 496			
650 x 396	2250 x 596			
650 x 446	2400×296			
650 x 496	2400 x 396			
650 x 596	2400 x 446			
1495 x 296	2400 x 496			
1495 x 396	2400 x 596			
1495 x 446				
1495 x 496				

Non-Standard Kitchen Door Sizes - Priced next door size up. Angled Kitchen Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available. Unfinished MTM -These doors will be supplied as raw MDF.

Curved Kitchen Doors available any height up to 2250mm Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Non-Standard Bedroom Door Sizes - Priced next door size up. Angled Bedroom Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available. Unfinished MTM - These doors will be supplied as raw MDF.


Curved Bedroom Doors available any height up to 2250mm Non-Standard Curved Bedroom Door Sizes - Priced next door size up.


MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Gladstone | Handleless Rail System Door Sizes








Drilling - Additional charge per hole.







Gladstone | Door Specifications



Gladstone Kitchen Door



Gladstone Kitchen Frame (Unglazed) 70mm stile




Gladstone Kitchen Curved Door




Gladstone Pan Drawer




Gladstone Drawer



Bedroom Door



Full Open Frame



Gladstone Bedroom Curved Door

Gladstone Kitchen Doors:

Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

Gladstone Drawers:

Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Gladstone Frames:

Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

Gladstone Curved Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

Gladstone Bedroom Doors:


Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard.

Minimum Bedroom Door width is 246mm.

Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Gladstone | Technical Specifications



Gladstone | Accessories



Classic Cornice 102mm (W) x 70mm (H) 3050mm Lengths





Curved Classic Cornice 419mm (L) x 419mm (W) x 70mm (H)






Classic Cornice Quadrant 98mm (L) x 98mm (W) x 70mm (H)





Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)





Modern Cornice / Pelmet 50mm (W) x 30mm (H) $3050 \text{mm} \, \text{Lengths}$





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)

EXS PTO





Modern Cornice / Pelmet Quadrant 50mm (L) $\times 50$ mm (W) $\times 30$ mm (H)







Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths







Curved Torus Plinth 300mm (L) x 300mm (W) x 150mm (H)







Under Cornice 50mm (W) x 30mm (H) 3050mm Lengths







Curved Under Cornice 350mm (L) x 350mm (W)



x 30mm (H)







53mm (L) $\times 53$ mm (W) x 30mm (H)







30mm (L) x 30mm (W) x 720mm (H)





MTM Corner Post 715mm (150 x 150mm Max)





Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths







Square Base Pilaster 3050mm Lengths








Square Base Pilaster Insert 965mm (L) x 18mm (W) x 18mm (H)







 $\begin{array}{c} \textbf{Chimney Canopy} \\ 900mm \text{(W)} \times 400mm \text{(D)} \times 1130mm \text{(H)} \end{array}$





Shelf Bracket x 150mm (H)







Corbel x 165mm (H)







French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Gladstone | Accessories





Plate Cot (Pair) / 1000mm (L) x 23mm (W) x 308mm (H)





Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)







Touch Up Paint Available 30ml or 1 Litre volumes.

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	•	•	•	•
Plain Panel	18mm / 900 x 360mm	•	•	•	•
Plain Panel	18mm / 900x 650mm	•	•	•	•
Plain Panel	18mm / 900 x 864mm	•	•	•	•
Plain Panel	18mm / 900 x 1160mm	•	•	•	•
Plain Panel	18mm / 900 x 1200mm	•	•	•	•
Plain Panel	18mm / 965 x 360mm	•	•	•	•
Plain Panel	18mm / 2400 x 360mm	•	•	•	•
Plain Panel	18mm / 2400x 650mm	•	•	•	•
Plain Panel	18mm / 2400x 900mm	•	•	•	•
Plain Panel	Made to Measure per m2	×	•	•	•
T&G Panel	Made to Measure per m2	×	•	•	•









T&G Panel / 18mm Thick











Single Square Mirror 485mm (W) x 570mm (H)







Single Oval Mirror 485mm (W) x 570mm (H)







Headboard $MTM\,per\,m2.\,\,/\,Supplied\,as\,a\,flat\,panel$



Crafted Aesthetic. MTM Flexibility. One Simple Price. **Choose Timber Painted.**



you can give your customers the kitchen they've always wanted. Better yet, they all













Hampton Solid Timber Painted Page 194







Hyde MDF Matt Painted (Grained)



Campbell | Solid Timber Matt Painted Door







Door Specification		
Description	Plain Shaker Door with 75mm Stiles	
Finish	Matt Painted Finish	
Door Thickness	20mm Thick	
Base Material	Solid Ash Core with Veneered Centre Panel	
Edge	1mm Bevelled Edge.	





Available Made to Order.



Available Painted to Order standard sizes.



Available Made to Measure



Campbell Curved Door



Campbell Door



Campbell Pan Drawer



Campbell Frame



Campbell Drawer



Campbell | Colours / Finishes



Campbell | Door and Drawer Sizes





Kitchen Door	Sizes	
Doors Sizes	РТО МТМ	Curved Door sizes
115 x 596	570 x 396	716×300
140 x 296	570 x 446	896 x 300
140 x 396	570 x 496	
140 x 446	570 x 596	
140 x 496	645 x 596	Plain Frame Sizes PTO MTM
140 x 596	716 x 146	
140 x 796	716 x 256	716 x 396 (Glazed)
140 x 896	716 x 275	716 x 496 (Glazed)
140 x 996	716 x 296	896 x 496 (Glazed)
176 x 396	716 x 315	1060 x 496 (Glazed)
176 x 496	716 x 346	
176 x 596	716 x 396	
284 x 496	716 x 446	
284 x 596	716 x 496	
284×796	716 x 546	
284 x 896	716 x 596	
284 x 996	896 x 296	
356 x 496	896 x 396	
356 x 596	896 x 446	
356 x 796	896 x 496	
356 x 896	896 x 596	
356 x 996	980 x 596	
450 x 596	1245 x 296	
496 x 396	1245 x 396	
496 x 596	1245 x 496	
570 x 296	1245 x 596	

Handleless Rail System / Door Sizes				
Kitchen Door	Sizes		МТМ	
160 x 296	325 x 596	685 x 146		
160 x 396	325 x 796	685 x 296		
160 x 446	325 x 896	685 x 315		
160 x 496	325 x 996	685 x 346		
160 x 596	490 x 296	685 x 396		
160 x 796	490 x 396	685 x 446		
160 x 896	490 x 446	685 x 496		
160 x 996	490 x 496	685 x 596		
325 x 496	490 x 596			

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM Angled Doors are not available.

Primed MTM Sizes are not available. MTM timber doors cannot be cancelled once ordered. MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Plain Frame Sizes - Supplied Glazed.Non Standard Plain Frame Sizes - Supplied Unglazed.Non Standard Plain Frame Sizes - Priced as door size plus 35%. Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%. Georgian Frame Sizes are not available.

Drilling - Additional charge per hole.

Available Made to Order.

Campbell | Technical Specification

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.


Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.


Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.

Angled Frames are not available.

Campbell Door Cross Section





Solid Timber Curved Doors: Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved The Core Doors are available in standard listed sizes only. 20mm Solid Ash Polyurethane Painted Finish MTM Solid Timber Doors are not available. 20mm Solid Ash Concave doors are not available. Drilling: Polyurethane Painted Finish All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required. Design 75mm wide stiles and rails **Exterior Face** Centre Panel Mock In-Frame Construction Polyurethane 7mm Ash Veneered 6mm Wide / 3mm Deep Profiled tenon joints Polyurethane **Primer Coating** Painted Finish Painted Finish Polyurethane Primer Particle Board 30mm from the edge Glued with PVA Adhesive

Campbell | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths







Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths







Curved Modern Cornice Pelmet 350mm (L) x 350mm (W) x 30mm (H)







Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)








Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths











Turned Pilaster 30mm (L) x 30mm (W)








Corner Post 30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)






Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)





Campbell | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)






Plate Cot (Pair) 1000mm (L) x 23mm (W) x 308mm (H)






Touch Up Paint Available 30ml or 1 Litre volumes.




Campbell Overmantle Kit

Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



Modern Canopy 1000mm (W) x 228mm (D) x 525mm (H)




Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)




Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•

*Unfinished MTM - These items will be supplied as unfinished MDF.









 $\textbf{T\&G Panel} \, / \, 18 \text{mm Thick}$







Rainey | Solid Timber Matt Painted Door







Door Specification	
Description	Beaded Shaker Door with 84mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel



32 Painted Colours



Available Made to Order.



Painted to Order standard sizes.



e Available Order Made to Measure



Solid Ash



Rainey Door




Rainey Pan Drawer



Rainey Georgian Frame



Rainey Curved Door



Rainey Drawer

Rainey | Colours / Finishes



Rainey | Door and Drawer Sizes





Kitchen Door Sizes			
Doors Sizes	РТО МТМ	Curved Door sizes	
115 x 596	570 x 396	716×300	
140 x 296	570 x 446	896 x 300	
140 x 396	570 x 496		
140 x 446	570 x 596		
140 x 496	645 x 596	Plain Frame Sizes MTM	
140 x 596	716 x 146		
140 x 796	716 x 256	716 x 396 (Unglazed)	
140 x 896	716 x 275	716 x 496 (Unglazed)	
140 x 996	716 x 296	896 x 496 (Unglazed)	
176 x 396	716 x 315	1060 x 496 (Unglazed)	
176 x 496	716 x 346		
176 x 596	716 x 396		
284 x 496	716 x 446	Georgian Frame Sizes PTO	
284 x 596	716 x 496		
284×796	716 x 546	716 x 396 (Glazed)	
284 x 896	716 x 596	716 x 496 (Glazed)	
284 x 996	896 x 296	896 x 496 (Glazed)	
356 x 496	896 x 396	1060 x 496 (Glazed)	
356 x 596	896 x 446		
356×796	896 x 496		
356 x 896	896 x 596		
356 x 996	980 x 596		
450 x 596	1245 x 296		
496 x 396	1245 x 396		
496 x 596	1245 x 496		
570 x 296	1245 x 596		

Handleless Rail System / Door Sizes				
Kitchen Door	Sizes		МТМ	
160×296	325 x 596	685 x 146		
160 x 396	325 x 796	685 x 296		
160 x 446	325 x 896	685 x 315		
160 x 496	325 x 996	685 x 346		
160 x 596	490 x 296	685 x 396		
160 x 796	490 x 396	685 x 446		
160 x 896	490 x 446	685 x 496		
160 x 996	490 x 496	685 x 596		
325 x 496	490 x 596			

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM Angled Doors are not available.

Primed MTM Sizes are not available. MTM timber doors cannot be cancelled once ordered. MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Georgian Frame Sizes - Supplied Glazed. Non Standard Georgian Frame Sizes are not available. Non Standard Plain Frame Sizes - Supplied Unglazed. Non Standard Plain Frame Sizes - Priced as door size plus 35%.

Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.

Drilling - Additional charge per hole.

Rainey | Technical Specification

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.


Solid Timber Curved Doors:


Drilling: All door styles are supplied un-drilled unless

requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Rainey Door Cross Section







Rainey | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths







Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths





Curved Modern Cornice Pelmet 350mm (L) x 350mm (W) x 30mm (H)





Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths






Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)







Turned Pilaster 30mm (L) x 30mm (W)








30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)






Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)





Rainey | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)







Plate Cot (Pair) 1000mm (L) x 23mm (W) x 308mm (H)






Touch Up Paint Available 30ml or 1 Litre volumes.




Rainey Overmantle Kit

Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



Modern Canopy 1000mm (W) x 228mm (D) x 525mm (H)




Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)



Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•

*Unfinished MTM - These items will be supplied as unfinished MDF.



Plain Panel / 18mm Thick









T&G Panel / 18mm Thick







Edison | Solid Timber Matt Painted Door







Door Specification	
Description	Beaded Shaker Door with 84mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel



Available Primed Ex.Stock



32 Painted Colours



Painted to Order standard sizes.



Available Made to Measure




Edison Curved Door



Edison Door



Edison Pan Drawer



Edison Georgian Frame



Edison Drawer

Edison | Colours / Finishes



Edison | Door and Drawer Sizes





Kitchen Door Sizes	
Doors Sizes EXS PTO MTM	Curved Door sizes EXS PTO
115 x 596 570 x 396	716×300
140 x 296 570 x 446	896 x 300
140 x 396 570 x 496	
140 x 446 570 x 596	
140 x 496 645 x 596	Plain Frame Sizes MTM
140 x 596 716 x 146	
140 x 796 716 x 256	716 x 396 (Unglazed)
140 x 896 716 x 275	716 x 496 (Unglazed)
140 x 996 716 x 296	896 x 496 (Unglazed)
176 x 396 716 x 315	1060 x 496 (Unglazed)
176 x 496 716 x 346	
176 x 596 716 x 396	
284 x 496 716 x 446	Georgian Frame Sizes EXS PTO
284 x 596 716 x 496	
284×796 716×546	716 x 396 (Glazed)
284 x 896 716 x 596	716 x 496 (Glazed)
284×996 896×296	896 x 496 (Glazed)
356 x 496 896 x 396	1060 x 496 (Glazed)
356 x 596 896 x 446	
356 x 796 896 x 496	
356 x 896 896 x 596	
356 x 996 980 x 596	
450 x 596 1245 x 296	
496 x 396 1245 x 396	
496 x 596 1245 x 496	
570 x 296 1245 x 596	

Handleless Rail System / Door Sizes				
Kitchen Door	Sizes		МТМ	
160×296	325×596	685 x 146		
160 x 396	325 x 796	685 x 296		
160 x 446	325 x 896	685 x 315		
160 x 496	325 x 996	685 x 346		
160 x 596	490 x 296	685 x 396		
160 x 796	490 x 396	685 x 446		
160 x 896	490 x 446	685 x 496		
160 x 996	490 x 496	685 x 596		
325 x 496	490 x 596			

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM Angled Doors are not available.

Primed MTM Sizes are not available. MTM timber doors cannot be cancelled once ordered. MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Georgian Frame Sizes - Supplied Glazed. Non Standard Georgian Frame Sizes are not available. Non Standard Plain Frame Sizes - Supplied Unglazed. Non Standard Plain Frame Sizes - Priced as door size plus 35%.

Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.

Drilling - Additional charge per hole.

Edison | Technical Specification

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.


Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.


MTM Georgian Frames not available.


Solid Timber Curved Doors:

Drilling: All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Edison Door Cross Section







Edison | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths





Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths





Curved Modern Cornice Pelmet 350mm (L) x 350mm (W)





Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths






Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)







Turned Pilaster 30mm (L) x 30mm (W)








Corner Post 30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)






Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)





Edison | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)






Plate Cot (Pair) 1000mm (L) x 23mm (W) x 308mm (H)







Touch Up Paint Available 30ml or 1 Litre volumes.



Includes: $2\,x$ Classic Corbels / $2\,x$ Corbel back Panels / $2\,x$ Doors 896 x 296mm / $2\,x$ Drawers 284 x 596mm / $1\,x$ Mantle Shelf






Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)



Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•


 $\hbox{\bf *Unfinished MTM} - \hbox{These items will be supplied as unfinished MDF}.$











T&G Panel / 18mm Thick







Monroe | Solid Timber Matt Painted Door







Door Specification	
Description	Plain Shaker Door with 75mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.







32 Painted





Painted to Order standard sizes.



Available Made to Measure





Monroe Door



Monroe Pan Drawer



Monroe Frame



Monroe Drawer



Monroe Curved Door

Monroe | Colours / Finishes



Monroe | Door and Drawer Sizes





Kitchen Door	Sizes		
Doors Sizes	EXS PTO MTM	Curved Door sizes	РТО
115 x 596	570×396	716×300	
140 x 296	570 x 446	896 x 300	
140 x 396	570 x 496		
140 x 446	570 x 596		_
140 x 496	645 x 596	Plain Frame Sizes EXS PTO	MTM
140 x 596	716 x 146		
140 x 796	716 x 256	716 x 396 (Glazed)	
140 x 896	716 x 275	716 x 496 (Glazed)	
140 x 996	716 x 296	896 x 496 (Glazed)	
176 x 396	716 x 315	1060 x 496 (Glazed)	
176 x 496	716 x 346		
176 x 596	716 x 396		
284 x 496	716 x 446		
284 x 596	716 x 496		
284 x 796	716 x 546		
284 x 896	716 x 596		
284 x 996	896 x 296		
356 x 496	896 x 396		
356 x 596	896 x 446		
356 x 796	896 x 496		
356 x 896	896 x 596		
356 x 996	980 x 596		
450 x 596	1245 x 296		
496 x 396	1245 x 396		
496 x 596	1245 x 496		
570 x 296	1245 x 596		

Handleless	Rail System / Do	or Sizes	
Kitchen Door	Sizes		MTM
160 x 296	325 x 596	685 x 146	
160 x 396	325×796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM Angled Doors are not available

Primed MTM Sizes are not available. MTM timber doors cannot be cancelled once ordered. MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Plain Frame Sizes - Supplied Glazed.Non Standard Plain Frame Sizes - Supplied Unglazed.Non Standard Plain Frame Sizes - Priced as door size plus 35%. Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%. Georgian Frame Sizes are not available.

Drilling - Additional charge per hole.

Monroe | Technical Specification

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.


Solid Timber Curved Doors:


Doors are available in standard listed sizes only. MTM Solid Timber Doors are not available. Concave doors are not available.


Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Monroe Door Cross Section







Monroe | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths







Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths





Curved Modern Cornice Pelmet 350mm (L) x 350mm (W) x 30mm (H)





Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths






Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)








Turned Pilaster

30mm (L) x 30mm (W)





30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)






Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)






Monroe | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)






1000mm (L) x 23mm (W) x 308mm (H)







Touch Up Paint Available 30ml or 1 Litre volumes.



Includes: $2\,x$ Classic Corbels / $2\,x$ Corbel back Panels / $2\,x$ Doors 896 x 296mm / $2\,x$ Drawers 284 x 596mm / $1\,x$ Mantle Shelf



Modern Canopy 1000mm (W) x 228mm (D) x 525mm (H)




Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)



Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•

 $\hbox{\bf *Unfinished MTM} - \hbox{These items will be supplied as unfinished MDF}.$









T&G Panel / 18mm Thick







Albany | Solid Timber Matt Painted Door











Door Specification	
Description	Lined Shaker Door with 105mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.



Available Primed Ex.Stock



32 Painted





Painted to Order standard sizes.



Available Made to Measure





Albany Door



Albany Pan Drawer



Albany Frame



Albany Curved Door



Albany | Kitchen Door Sizes



Albany | Door and Drawer Sizes





Kitchen Door	Sizes		
Doors Sizes	EXS PTO MTM	Curved Door sizes	EXS PTO
115 x 596	570 x 396	716×300	
140 x 296	570 x 446	896 x 300	
140 x 396	570 x 496		
140 x 446	570 x 596		
140 x 496	645 x 596	Plain Frame Sizes	EXS PTO MTM
140 x 596	716 x 146		
140 x 796	716 x 256	716 x 396 (Glazed)	
140 x 896	716 x 275	716 x 496 (Glazed)	
140 x 996	716 x 296	896 x 496 (Glazed)	
176 x 396	716 x 315	1060 x 496 (Glazed)	
176 x 496	716 x 346		
176 x 596	716 x 396		
284 x 496	716 x 446		
284 x 596	716 x 496		
284 x 796	716 x 546		
284 x 896	716 x 596		
284 x 996	896 x 296		
356 x 496	896 x 396		
356 x 596	896 x 446		
356 x 796	896 x 496		
356 x 896	896 x 596		
356 x 996	980 x 596		
450 x 596	1245 x 296		
496 x 396	1245 x 396		
496 x 596	1245 x 496		
570 x 296	1245 x 596		

Handleless	Rail System / Do	or Sizes	
Kitchen Door	Sizes	•	MTM
160 x 296	325 x 596	685 x 146	
160 x 396	325×796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM Angled Doors are not available

Primed MTM Sizes are not available. MTM timber doors cannot be cancelled once ordered. MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Plain Frame Sizes - Supplied Glazed.Non Standard Plain Frame Sizes - Supplied Unglazed.Non Standard Plain Frame Sizes - Priced as door size plus 35%. Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%. Georgian Frame Sizes are not available.

Drilling - Additional charge per hole.

Albany | Technical Specifications

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.

Solid Timber Curved Doors:


MTM Solid Timber Doors are not available. Concave doors are not available.


Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Albany Door Cross Section







Albany | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths







Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths











Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths






Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)







Turned Pilaster 30mm (L) x 30mm (W)








Corner Post 30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)






Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)





Albany | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)






Plate Cot (Pair) 1000mm (L) x 23mm (W) x 308mm (H)







Touch Up Paint



Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf





Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)



Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•

*Unfinished MTM - These items will be supplied as unfinished MDF.




Plain Panel / 18mm Thick









T&G Panel / 18mm Thick







Hampton | Solid Timber Matt Painted Door







Door Specification	
Description	Raised Panel Door with 105mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.



Available Primed Ex.Stock



32 Painted



Painted to Order standard sizes.











Hampton Door



Hampton Pan Drawer



Hampton Georgian Frame



Hampton Curved Door



Hampton Drawer

Hampton | Colours / Finishes



Hampton | Door and Drawer Sizes





Kitchen Doo	r Sizes	
Doors Sizes	EXS PTO MTM	Curved Door sizes EXS PTO
115 x 596	570 x 396	716×300
140 x 296	570 x 446	896 x 300
140 x 396	570 x 496	
140 x 446	570 x 596	
140 x 496	645 x 596	Plain Frame Sizes EXS PTO MTM
140 x 596	716 x 146	
140 x 796	716 x 256	716 x 396 (Glazed)
140 x 896	716 x 275	716 x 496 (Glazed)
140 x 996	716 x 296	896 x 496 (Glazed)
176 x 396	716 x 315	1060 x 496 (Glazed)
176 x 496	716 x 346	
176 x 596	716 x 396	
284 x 496	716 x 446	Georgian Frame Sizes EXS PTO
284 x 596	716 x 496	
284 x 796	716 x 546	716 x 396 (Glazed)
284 x 896	716 x 596	716 x 496 (Glazed)
284 x 996	896 x 296	896 x 496 (Glazed)
356 x 496	896 x 396	1060 x 496 (Glazed)
356 x 596	896 x 446	
356 x 796	896 x 496	
356 x 896	896 x 596	
356 x 996	980 x 596	
450 x 596	1245 x 296	
496 x 396	1245 x 396	
496 x 596	1245 x 496	
570 x 296	1245 x 596	

Handleless Rail System / Door Sizes Kitchen Door Sizes 160 x 296 325 x 596 685 x 146 160 x 396 325 x 796 685 x 296 160 x 446 325 x 896 160 x 496 325 x 996 685 x 346 160 x 596 490 x 296 685 x 396 160 x 796 490 x 396 685 x 446 160 x 896 490 x 446 685 x 496 160 x 996 490 x 496 685 x 596 325 x 496 490 x 596

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM Angled Doors are not available.

Primed MTM Sizes are not available.
MTM timber doors cannot be cancelled once ordered.
MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Frame Sizes - Supplied Glazed.

Non Standard Georgian Frame Sizes are not available. Non Standard Plain Frame Sizes - Supplied Unglazed. Non Standard Plain Frame Sizes - Priced as door size plus 35%.

Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.

Drilling - Additional charge per hole.

Hampton | Technical Specification

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are $supplied\,unglazed.\,Unglazed\,frames\,are\,rebated\,on\\the\,reverse\,side\,and\,supplied\,with\,a\,glazing\,gasket.$

MTM Georgian Frames not available.

Solid Timber Curved Doors:


MTM Solid Timber Doors are not available. Concave doors are not available.


Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Hampton Door Cross Section







Hampton | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths





Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)





Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths











Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths






Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)







Turned Pilaster 30mm (L) x 30mm (W)







Corner Post 30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)





French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)







Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)






Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)






Hampton | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)






1000mm (L) x 23mm (W) x 308mm (H)






Touch Up Paint




Hampton Overmantle Kit

Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



Modern Canopy 1000mm (W) x 228mm (D) x 525mm (H)




Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)




Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•

 $\hbox{\bf *Unfinished MTM} - \hbox{These items will be supplied as unfinished MDF}.$



Plain Panel / 18mm Thick



T&G Panel / 18mm Thick













Greenwich Ash | Solid Timber Matt Painted Door







Door Specification	
Description	Flat Beaded Shaker Door with 105mm Stiles
Finish	Matt Painted Finish
Door Thickness	21mm Thick
Base Material	Solid Ash Core with a Veneered Centre Panel
Edge	1mm Bevelled Edge







32 Painted





Available Painted to Order standard sizes. Made to Measure







Greenwich Ash Door



Greenwich Ash Pan Drawer



Greenwich Ash Frame



Greenwich Ash Drawer



Greenwich Ash Curved Door

Greenwich Ash | Colours / Finishes



Greenwich Ash | Door and Drawer Sizes





Kitchen Door	Sizes	
Doors Sizes	EXS PTO MTM	Curved Door sizes EXS PTO
115 x 596	570×396	716×300
140 x 296	570 x 446	896×300
140 x 396	570 x 496	
140 x 446	570 x 596	
140 x 496	645 x 596	Plain Frame Sizes EXS PTO MTM
140 x 596	716 x 146	
140 x 796	716 x 256	716 x 396 (Glazed)
140 x 896	716 x 275	716 x 496 (Glazed)
140 x 996	716 x 296	896 x 496 (Glazed)
176 x 396	716 x 315	1060 x 496 (Glazed)
176 x 496	716 x 346	
176 x 596	716 x 396	
284 x 496	716 x 446	
284 x 596	716 x 496	
284 x 796	716 x 546	
284 x 896	716 x 596	
284 x 996	896 x 296	
356 x 496	896 x 396	
356 x 596	896 x 446	
356 x 796	896 x 496	
356 x 896	896 x 596	
356 x 996	980 x 596	
450 x 596	1245 x 296	
496 x 396	1245 x 396	
496 x 596	1245 x 496	
570 x 296	1245 x 596	

Handleless	Rail System / Do	oor Sizes	
Kitchen Door	Sizes		MTM
160 x 296	325 x 596	685 x 146	
160 x 396	325 x 796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM. Angled Doors are not available.

Primed MTM Sizes are not available.
MTM timber doors cannot be cancelled once ordered.
MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Plain Frame Sizes - Supplied Glazed.

Non Standard Plain Frame Sizes - Supplied Unglazed.

Non Standard Plain Frame Sizes - Priced as door size plus 35%.

Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.

Georgian Frame Sizes are not available.

Drilling - Additional charge per hole.

Greenwich Ash | Technical Specification

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.


Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.


Solid Timber Curved Doors:

Drilling:

Greenwich Ash Door Cross Section







Greenwich Ash | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths





Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)





Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths







Curved Modern Cornice Pelmet 350mm (L) x 350mm (W) x 30mm (H)







Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths






Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)







Turned Pilaster 30mm (L) x 30mm (W)








Corner Post 30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)







Corbel 125mm (L) x 90mm (W) x 165mm (H)







French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)







Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)








Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)







Greenwich Ash | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)













Touch Up Paint
Available 30ml or 11 itre volumes




Greenwich Overmantle Kit

Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



Modern Canopy 1000mm (W) x 228mm (D) x 525mm (H)




Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)




Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•

 $\hbox{\bf *Unfinished MTM} - \hbox{These items will be supplied as unfinished MDF}.$







T&G Panel / 18mm Thick













Greenwich Oak | Solid Timber Matt Painted Door







Door Specification	
Description	Flat Beaded Shaker Door with 105mm Stiles
Finish	Sanded or Lacquered Oak Finish
Door Thickness	21mm Thick
Base Material	Solid Oak Core with a Veneered Centre Panel
Edge	1mm Radius Edge



Available Lacquered to Order standard



Available Made to Measure







Greenwich Oak Door





Greenwich Oak Curved Door




Greenwich Oak Pan Drawer



Greenwich Oak Drawer

Greenwich Oak | Kitchen Door Sizes





Greenwich Oak | Door and Drawer Sizes





Kitchen Door	Sizes	
Doors Sizes	EXS LTO MTM	Curved Door sizes
115 x 596	570 x 396	716×300
140 x 296	570 x 446	896 x 300
140 x 396	570 x 496	
140 x 446	570 x 596	
140 x 496	645 x 596	Plain Frame Sizes EXS LTO MTM
140 x 596	716 x 146	
140 x 796	716 x 256	716 x 396 (Glazed)
140 x 896	716 x 275	716 x 496 (Glazed)
140 x 996	716 x 296	896 x 496 (Glazed)
176 x 396	716 x 315	1060 x 496 (Glazed)
176 x 496	716 x 346	
176 x 596	716 x 396	
284 x 496	716 x 446	
284 x 596	716 x 496	
284 x 796	716 x 546	
284 x 896	716 x 596	
284 x 996	896 x 296	
356 x 496	896 x 396	
356 x 596	896 x 446	
356 x 796	896 x 496	
356 x 896	896 x 596	
356 x 996	980 x 596	
450 x 596	1245 x 296	
496 x 396	1245 x 396	
496 x 596	1245 x 496	
570 x 296	1245 x 596	

Handleless	Rail System / Do	oor Sizes	
Kitchen Door	Sizes		МТМ
160 x 296	325 x 596	685 x 146	
160 x 396	325 x 796	685 x 296	
160 x 446	325 x 896	685 x 315	
160 x 496	325 x 996	685 x 346	
160 x 596	490 x 296	685 x 396	
160 x 796	490 x 396	685 x 446	
160 x 896	490 x 446	685 x 496	
160 x 996	490 x 496	685 x 596	
325 x 496	490 x 596		

Drilling - Additional charge per hole.

 $\label{lower-standard} \textbf{Non-Standard Kitchen Door Sizes} - \texttt{Priced as MTM}. \\ \textbf{Angled Doors are not available}.$

MTM timber doors cannot be cancelled once ordered. MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available. Concave Doors are not available.

Standard Plain Frame Sizes - Supplied Glazed.

Non Standard Plain Frame Sizes - Supplied Unglazed.

Non Standard Plain Frame Sizes - Priced as door size plus 35%.

Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.

 $\label{thm:condition} \textbf{Georgian Frame Sizes are not available}.$

Drilling - Additional charge per hole.

Greenwich Oak | Technical Specification

Exterior Face

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm Minimum Door Width is 246mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.

Solid Timber Curved Doors:

Doors are available in standard listed sizes only. MTM Solid Timber Doors are not available.

Drilling: All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full




Greenwich Ash Door Cross Section

105mm Stile Width

21mm





Greenwich Oak | Accessories



Classic Cornice (Grained) 76mm (W) x 63mm (H) 3050mm Lengths







Curved Classic Cornice 364mm (L) x 364mm (W) x 63mm (H)





Classic Cornice Quadrant 84mm (L) x 84mm (W) x 63mm (H)







Tangent Light Pelmet 18mm (W) x 57mm (H) 3050mm Lengths





Curved Tangent Pelmet 300mm (L) x 300mm (W) x 57mm (H)







Modern Cornice / Pelmet 50mm (W) x 30mm (H) 3050mm Lengths







Curved Modern Cornice Pelmet 350mm (L) x 350mm (W) x 30mm (H)







Modern Cornice / Pelmet Quadrant 50mm (L) x 50mm (W) x 30mm (H)







Plain Plinth 18mm (W) x 150mm (H) 2850mm Lengths






Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)








Turned Pilaster 30mm (L) x 30mm (W)







Corner Post 30mm (L) x 30mm (W)





MTM Corner Post 715mm (150 x 150mm Max)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile $(R48mm)70mm(W) \times 50mm(H)$ 3050mm Lengths







Square Base Pilaster 965mm (L) x 70mm (W)





Square Base Pilaster Insert 965mm (L) x 19mm (W)







Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)





Corbel 125mm (L) x 90mm (W) x 165mm (H)







French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)







Corbel Back Panel 284mm (W) x 18mm (W) x 296mm (H)






Mantle Shelf 1784mm (L)x 180mm (W) x 18mm (H)






Greenwich Oak | Accessories



Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)
















Greenwich Oak Overmantle Kit


Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf








Panel	Size MM	Sanded Ex.Stock	To Order	Sanded MTM	Lacquered MTM
Plain / T&G Panel	18mm / 785 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 900x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 864mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1160mm	•	•	•	•
Plain / T&G Panel	18mm / 900 x 1200mm	•	•	•	•
Plain / T&G Panel	18mm / 965 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400 x 360mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 650mm	•	•	•	•
Plain / T&G Panel	18mm / 2400x 900mm	•	•	•	•
Plain / T&G Panel	Made to Measure per m2	×	•	•	•



Plain Panel / 18mm Thick



T&G Panel / 18mm Thick











Hyde | Grained MDF Matt Painted Door







Door Specification	
Description	Embossed Wood Grain Effect, Slab Style Door
Finish	Matt Painted Finish
Door Thickness	18mm Thick
Base Material	Moisture Resistant MDF Core
Edge	Paint-able 1mm ABS Edging











Available Made to Measure



Available Unfinished*



Grain



Hyde | Kitchen Door Sizes



Hyde | Bedroom Door Sizes





Kitchen Doo	or Sizes		
Doors Sizes	MTM	Curved Door sizes	МТМ
115 x 596	570 x 446	715 x 300	
140 x 296	570 x 496	895 x 300	
140 x 396	570 x 596	1245 x 300	
140 x 446	645 x 596	1965 x 300	
140 x 496	715 x 146		
140 x 596	715 x 246		
140 x 796	715 x 275		
140 x 896	715 x 296		
140 x 996	715 x 315		
175 x 396	715 x 346		
175 x 496	715 x 396		
175 x 596	715 x 446		
283 x 496	715 x 496		
283 x 596	715 x 546		
283 x 796	715 x 596		
283 x 896	895 x 296		
283 x 996	895 x 396		
355 x 496	895 x 446		
355 x 596	895 x 496		
355 x 760	895 x 596		
355 x 796	980 x 596		
355 x 896	1060 x 396		
355 x 996	1060 x 496		
450 x 596	1060 x 596		
495 x 396	1245 x 296		
495 x 596	1245 x 396		
570 x 296	1245 x 496		
570 x 396	1245 x 596		

Doors and Dra	wer Sizes M	TM Curved Door Sizes	МТМ
215 x 296	1495 x 596	1495 x 300	
215 x 396	1595 x 296	1595 x 300	
215 x 446	1595 x 396	2150 x 300	
215 x 496	1595 x 446	2250 x 300	
215 x 546	1595 x 496		
215 x 596	1595 x 596		
215 x 796	1735 x 296		
215 x 896	1735 x 396		
215 x 996	1735 x 446		
415 x 296	1735 x 496		
415 x 396	1735 x 596		
415 x 446	2150 x 296		
415 x 496	2150 x 396		
415 x 596	2150 x 446		
535 x 296	2150 x 496		
535 x 396	2150 x 596		
535 x 446	2250 x 296		
535 x 496	2250 x 396		
535 x 596	2250 x 446		
650 x 296	2250 x 496		
650 x 396	2250 x 596		
650 x 446	2400 x 296		
650 x 496	2400 x 396		
650 x 596	2400 x 446		
1495 x 296	2400 x 496		
1495 x 396	2400 x 596		
1495 x 446			
1495 x 496			

Non-Standard Kitchen Door Sizes - Priced next door size up. Angled Kitchen Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

 $\label{lem:continuous} \textbf{Unfinished MTM} \ \ \text{-} These doors will be supplied as raw MDF.$

Curved Kitchen Doors available any height up to 2250mm Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Non-Standard Bedroom Door Sizes - Priced next door size up. Angled Bedroom Door Sizes - Priced as door size plus 50%. Primed MTM Sizes are not available.

Unfinished MTM -These doors will be supplied as raw MDF.

Curved Bedroom Doors available any height up to 2250mm Non-Standard Curved Bedroom Door Sizes - Priced next door size up.


MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Hyde | Handleless Rail System Door Sizes




Handleless Rail System Door Sizes				
Kitchen Door Sizes MTM		Bedroom Doo	r Sizes	МТМ
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	




Drilling - Additional charge per hole.





Hyde | Door Specifications



Hyde Kitchen Doors:

Kitchen Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

Hyde Drawers:

Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Hyde Frames:

Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

Hyde Curved Doors:

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

Hyde Bedroom Doors:

Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.

Hyde Direction:


Door sizes between 250mm - 2400mm are supplied with vertical grain as standard. Horizontal grain (up to 1220mm only) is available on request.

Drawer sizes between 100mm - 282mm are supplied with horizontal grain as standard. Vertical grain is available on request.


Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Hyde | Technical Specifications



Hyde | Accessories







Radius 141mm

Plain Plinth 18mm (W) x 150mm (H) 3050mm Lengths



Curved Plain Plinth 540mm (L) x 232mm (W) x 150mm (H)





Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W)





Modern Cornice / Pelmet Quadrant 50mm (L) $\times 50$ mm (W) $\times 30$ mm (H)





Torus Plinth 18mm (W) x 150mm (H) 3050mm Lengths





Radius Profile (R 48mm 70mm (W) x 50mm (H) 3050mm Lengths







Square Base Pilaster 70mm (W) x 50mm (H) 3050mm Lengths







Square Base Pilaster Insert 965mm (L) x 18mm (W)







30mm (L) x 30mm (W) x 720mm (H)







MTM Corner Post 715mm (150 x 150mm Max)





Touch Up Paint Available 30ml or 1 Litre volumes.



Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)







Corbel 125mm (L) x 90mm (W) x 165mm (H)








French Mantle Corbel 350mm (L) x 90mm (W) x 600mm (H)





Available Primed Ex.Stock Only.




Wine Rack Rail 1200mm (L) x 18mm (W) x 60mm (H)
















Hyde | Accessories

Panel	Size MM	Unfinished Ex.Stock*	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 360mm	•	•	•	•
Plain Panel	18mm / 900 x 360mm	•	•	•	•
Plain Panel	18mm / 900x 650mm	•	•	•	•
Plain Panel	18mm / 900 x 864mm	•	•	•	•
Plain Panel	18mm / 900 x 1160mm	•	•	•	•
Plain Panel	18mm / 900 x 1200mm	•	•	•	•
Plain Panel	18mm / 965 x 360mm	•	•	•	•
Plain Panel	18mm / 2400 x 360mm	•	•	•	•
Plain Panel	18mm / 2400x 650mm	•	•	•	•
Plain Panel	18mm / 2400x 900mm	•	•	•	•
Plain Panel	Made to Measure per m2	×	•	•	•
T&G Panel	Made to Measure per m2	×	•	•	•



















Single Square Mirror 485mm (W) x 570mm (H)







Single Oval Mirror 485mm (W) x 570mm (H)







Headboard MTM per m2. / Supplied as a flat panel



Painted | Curved Door Specifications

MDF Matt / Gloss Painted Curved Door Specification


Arena / Parker / Tenby / Belair / Hyde / Hartford

MDF Painted Curved Doors are made to suit 300mm x 300mm cabinets only.

Height availability ranges from 570mm up to 2250mm.

Luzzi Curved Doors only available at 715mm High.

MDF Concave Doors are not available.




Solid Timber Painted Curved Door Specification


Edison / Monroe / Albany / Hampton / Greenwich Ash / Greenwich Oak

Solid Timber Curved Doors are made to suit 300mm x 300mm cabinets only. Height availability 715mm ONLY.


 ${\sf Solid\,Timber\,Concave\,Doors\,are\,not\,available}.$




Painted | Moulding Specifications




Classic Cornice (Smooth) 3050mm Lengths




Curved Classic Cornice (Smooth) 419mm (L) x 419mm (W) x 70mm (H)




Classic Cornice Quadrant (Smooth) 98mm (L) x 98mm (W) x 70mm (H)




Classic Cornice (Grained) 3050mm Lengths




Curved Classic Cornice (Grained) 364mm (L) x 364mm (W) x 63mm (H)




Classic Cornice Quadrant (Grained) 84mm (L) x 84mm (W) x 63mm (H)




Modern Cornice / Pelmet 3050mm Lengths




Curved Modern Cornice / Pelmet 350mm (L) x 350mm (W) x 30mm (H)




Modern Cornice / Pelmet Quadrant 50mm (L) $\times 50$ mm (W) $\times 30$ mm (H)



Under Cornice (Smooth) 3050mm Lengths




Curved Under Cornice (Smooth) 350mm (L) x 350mm (W) x 30mm (H)




Under Cornice Quadrant (Smooth) 53mm (L) x 53mm (W) x 30mm (H)

Painted | Moulding Specifications




Plain Plinth

MDF-3050mm Lengths Soild Ash Timber - 2850mm Lenghts Soild Oak Timber - 2440mm Lengths




Curved Plain Plinth


540mm (L) x 250mm (W) x 150mm (H)



Torus Plinth 3050mm Lengths




Curved Torus Plinth (Smooth) 300mm (L) x 300mm (W) x 150mm (H)




Tangent Light Pelmet

3050mm Lengths




Turned Pilaster (Solid Timber)


900mm (H) x 94mm (W) 900mm (H) x 57mm (W) 1250mm (H) x 57mm (W)



3050mm Lengths




Square Pilaster 3050mm Lengths



Corner Post


3050mm Lengths




MTM Corner Post

715mm (150mm x 150mm Max)


Painted | Moulding Specifications



Shelf Bracket 100mm (L) x 18mm (W) x 150mm (H)



Classic Corbel 125mm (L) x 90mm (W) x 165mm (H)



French Mantle Corbel 350mm (L) x 90mm (H) x 600mm (H)







Plate Cot 1000mm (L) x 23mm (W) x 308mm (H)




2500mm Lengths




Wine Rack Rail 1200mm (L) \times 18mm (W) \times 60mm (H)



 $\begin{array}{c} \textbf{Chimney Canopy} \\ 900mm \, (W) \, \times \, 400mm \, (D) \, \times \, 1130mm \, (H) \end{array}$



Modern Canopy 1000mm (W) x 228mm (D) x 525mm (H)




Classic Canopy 1000mm (W) x 215mm (D) x 485mm (H)

Painted | Bedroom Accessories Specifications


Painted Headboard Specifications			
Headboard Type	Height Range MM	Height Range MM	Applicable Door Styles
Single Panel	500mm — 900mm	915mm — 1830mm	Hartford
2 Panel	500mm — 900mm	915mm — 1830mm	Hartford
3 Panel	500mm — 900mm	1371mm — 1830mm	Hartford
4 Panel	500mm — 900mm	1510mm — 1830mm	Hartford
Flat Panel	500mm — 900mm	915mm — 1830mm	Arena, Tenby, Belair, Hyde and Hartford

Headboards: All Headboards are supplied rectangular using the design of door style ordered.

 $All Headboards \ will be supplied as Single Panels \ / \ Flat Panels \ (Applicable to Door Style) \ as standard, unless otherwise specified \ (Door Design permitting).$



 $\textbf{Single Square Mirror}: Single Square \ Mirrors \ are \ supplied \ fully \ assembled.$



Oval Mirror: Oval Mirrors are supplied fully assembled.

Painted | RAL Colour Match References

RAL Colour Match References	
D&S Doors Paint Colour	RAL Colour Match
White	RAL 9003
lvory	RAL 100 90 10
Porcelano	RAL 110 90 05
Mussel	RAL 095 80 10
Pebble	RAL 080 70 05
Dakar	RAL 090 70 10
Taupe Grey	RAL 080 80 05
Cashmere	RAL 080 80 05
Stone Grey	RAL 060 60 05
Honeycomb	RAL 080 70 40
French Lavender	RAL 320 50 05
French Chalk	RAL 050 85 01
Heritage Pink	RAL 030 70 10
Foraged Fruit	RAL 320 20 10
Heritage Red	RAL 010 30 20
Sea Breeze	RAL 160 70 05
Sage	RAL 100 70 10
Moss Green	RAL 120 60 10
Liberty Green	RAL 180 50 10
Heritage Green	RAL 180 40 05
Conifer	RAL 160 30 05
Nautical	RAL 230 20 15
Light Blue	RAL 140 70 05
Denim	RAL 250 70 10
Eiffel Blue	RAL 260 40 20
Marine Blue	RAL 260 20 15
Indigo	RAL 280 20 05
Highland Grey	RAL 000 90 00
Light Grey	RAL 7035

RAL Colour Match References				
O&S Doors Paint Colour	RAL Colour Match			
Dust Grey	RAL 000 60 00			
Graphite	RAL 000 30 00			
Carbon Black	RAL 000 15 00			

Important Notice: These RAL Colour match references are suggested options only. They are the closest RAL colour match to our paint colour, but please note they are not exact matches. Customers are strongly advised to obtain paint swatch samples to confirm a satisfactory colour match.

 $\hbox{O\&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction}$ between our paint colours and externally sourced paint colour matches. The $\label{listed RAL Colour matches} \ are \ correct \ at \ time \ of \ printing. \ Due \ to \ unforeseen$ changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue paint finishes without prior notice.

For closest colour match we recommend using paint supplied by O&S Doors Ltd.

Please note whilst every effort is made to manufacture painted products to a consistently high standard, there may be variations in the actual finish in certain $\,$ circumstances. Samples are offered as a reference guide only and may be subject to slight variations.





Heat Deflectors | Profiles and Technical Specifications



Assembly G	uide
------------	------

Before you start, check the pack to make sure all the components are included. If not please call our customer services team on 028 3754 9190.

Step 1: Position the left side heat deflector as shown in figure 1 and align with the top edge of the oven aperture. Mark the screw positions with a bradawl and secure using the 12mm screws provided.

Step 2: Repeat for the right side heat deflector.

Step 3: Position the lower heat deflector as shown in figure 2. Mark the screw positions with a bradawl and secure using the 12mm screws provided.

Important Note:


Cut outs are provided in the heat deflector to allow your oven to be fixed to the cabinet once the heat deflectors are in place. If the fixing positions for your oven do not align with any of the standard cut outs, drill through the heat defector using a suitable metal drill bit. Please note that with some models of oven it may be necessary to omit fitting the lower heat deflector to allow the oven door to open correctly.

Care and Maintenance:

- Wipe clean regularly with a soft damp cloth.
- More stubborn marks can be removed with a soft damp cloth using mild detergents.
- DO NOT use corrosive or abrasive cleaners, which may damage the protective coating of the heat deflectors.

Product Code	Area Needed	Pack Includes
HEATDEFLECT BU 18MM	Built Under Oven	-2 x side heat deflectors / 603mm (L)
HEATDEFLECT DO 18MM	Double Oven	-2 x side heat deflectors / 898mm (L)
		-1x lower heat deflector / 596mm (L)
EATDEFLECT SO 18MM	Single Oven	-2 x side heat deflectors / 634mm (L)
		-1x lower heat deflector / 596mm (L)

All Heat Deflector sizes shown above are made to suit 18mm board thickness. For double under oven use HDS02 Double Oven and trim to size.






Figure 2 / Lower Heat Deflector Assembly

Carefully Curated. Durably Designed. Beautifully Built. Handle Accessories

Add the finishing touch to your cabinet design with our wide range of Handle components. With various styles including Bar, Cup, Scoop, Bow, Knobs and 'D' Handles. We have multiple finishes available, from rustic brushed nickel to modern chrome, there's a handle to suit every type of Kitchen, Bedroom and Bathroom.



Standard Handles
Page 228



Integrated Handles
Page 232

Standard Handles | Black | Satin Brass | Brushed Nickel




































Standard Handles | Chrome | Bronze | Antique Copper | Pewter













128mm (Double)

124


144mm



















Levi 'D' Handle




Standard Handles | Chrome | Brushed Nickel | Wood


Windsor 'D' Handle



'D' Handle




Beech Knob



While Stock Lasts

Windsor Modern Cup




Aries Steel Bar Handle




Code Length		Hole Centre
003 (214)	214mm	198mm (Double)
003 (502) 502mm		486mm (Double)

Scoop Integrated Handle



Beam Handle




Letterbox Handle



New Handle | Hampton 'D' Handle



Hampton 'D' Handle



Integrated Handles | Handle Accessories



Zenith is Compatible with our **Edged Collection**.

Please note an additional door rebate cost is incurred when ordering the Zenith Handle along with Phoenix, Tribeca, Vaasa or Mather Doors.

It is important to specify that you want to include the rebate when ordering. This will ensure your order is processed correctly.


Zenith Handleless Rebate Door - Priced as door size plus 7.5%. See page 90 for applicable Door Ranges.

Door Size Guidance

Please be aware the top section of the Zenith Handle will add 3mm to the height of your door size, so therefore you must allow space on your cabinet height to allow for this additional 3mm, or else decrease the height of your door size by 3mm when ordering MTM.



Zenith Integrated Handle Range Code Length MM Finish 094 146mm Brushed Nickel 094 278mm Brushed Nickel 094 296mm Brushed Nickel 094 308mm Brushed Nickel 094 313mm Brushed Nickel 094 346mm Brushed Nickel 094 396mm Brushed Nickel 094 446mm Brushed Nickel 094 496mm Brushed Nickel 094 546mm Brushed Nickel 094 596mm Brushed Nickel 094 796mm Brushed Nickel 094 896mm Brushed Nickel 094 996mm Brushed Nickel 094 1196mm Brushed Nickel




Integrated Handles | Handle Accessories





Scoop Integrated Handle					
Code	Length	Hole Centre	Finish		
010	197mm	160mm (Double)	Satin Chrome		


Applicable Door Styles - 5G Vinyl Seymour Door Style - See page 16.





Applicable Door Styles - 5G Vinyl Frankfurt Door Style - See page 16.







Door Matrix | Standard Kitchen Door Configurations

- Standard Kitchen dimensions shown are based on 40mm thick worktops.
- All dimensions shown are in millimetres.
- All dimensions shown refer to door frontal sizes unless otherwise stated.
- Refer to individual range pages for definitive list of door sizes available.
- In relation to appliances, follow the manufacturer's installation instructions carefully, particularly for hob to extractor / hood distances and ventilation. Allow proper clearances and ventilation below and behind the appliance (typically 50mm high / deep).
- All appliance units shown are based on 600mm wide. Dimensions shown in brackets refer to appliance aperture heights (the overall distance between door frontals).
- To reduce an aperture to the exact size, cut trimmer panels from a 596mm wide door. The appliance shelf position must be correctly calculated to ensure appropriate appliance door positioning.
- Allow gaps between the appliance and cabinet doors. These are typically 3mm between horizontally adjacent cabinet door frontals and 5mm between vertically adjacent cabinet door frontals.


1825mm / Base and Wall Unit Door Configurations



1970mm / Base and Wall Unit Door Configurations




2150mm / Base and Wall Unit Door Configurations




Door Matrix | Standard Kitchen Door Configurations


1250mm / Studio Height Unit Door and Appliance Configurations




1825mm / Full Height Unit Door and Appliance Configurations



1970mm / Full Height Unit Door and Appliance Configurations




2150mm / Full Height Unit Door and Appliance Configurations




Door Matrix | Handleless Rail Kitchen Door Configurations

- All appliance units shown are based on 600mm wide. Dimensions shown in brackets refer to appliance aperture heights (the overall distance between door frontals).
- To reduce an aperture to the exact size, cut trimmer panels from a 596mm wide door. The appliance shelf position must be correctly calculated to ensure appropriate appliance door positioning.
- Allow gaps between the appliance and cabinet doors. These are typically 3mm between horizontally adjacent cabinet door frontals and 5mm between vertically adjacent cabinet door frontals.
- In relation to appliances, follow the manufacturer's installation instructions carefully, particularly for hob to extractor / hood distances and ventilation. Allow proper clearances and ventilation below and behind the appliance (typically 50mm high / deep).
- Refer to individual range pages for a definitive list of door sizes available.


1970mm / 2150mm / Base and Wall Unit Door Configurations




1250mm / Studio Height Unit Door and Appliance Configurations



1970mm / Full Height Unit Door and Appliance Configurations




2150mm / Full Height Unit Door and Appliance Configurations




Door Matrix | Bedroom Door Configurations

- All dimensions shown are in millimetres.
- All dimensions shown refer to door frontal sizes unless otherwise stated.
- Refer to individual range pages for definitive list of door sizes available.

Standard Bedroom / 2150mm / 2250mm / Base and Full Height Unit Door Configurations



Handleless Rail Bedroom / 2150mm / 2250mm / Base and Full Height Unit Door Configurations



Order Form | Doors, Accessories and Components

Please IIII	in all necessary details	s to ensure your order is pro	ocessed correctly and	a avoid any disci	repancies.			1/2
Company Name				PO Number				
Telephone Account Code				Reference				
Email Address					Date R	equired		
Please not	te all deliveries will be made	e via standard delivery to your co	ompany account address.	If Special or Expres	ss delivery is requi	red please conta	ct our Customer Services	steam.
Door Sty	·le*							
Colour /	Finish*		F	Reverse Colour				
*Please no	te you can only use one (Order Form per Door Style and	Colour / Finish.					
Doors	/ Drawers / Frame	es						
Qty	Height	Width	Item	Description		Drilling**	Drilling Description	n
**If Drilling	is required please tick Dr	illing box and detail specificatio	ons within space provided	d.				
Access	sories			Handle Acc	essories			
Qty		Item Description		Qty	lt	em Descriptio	า	Code
-								

Order Form | Doors, Accessories and Components

Please fill in a	all necessary details t	to ensure your order is pr	rocessed correctly and avoid any discrepancies.	2/2
Panels /	Moulded Tops / I	MFC / Headboards		
Qty	Height	Width	Item Description	Drawing*
Important	Notes / Special In	structions / Drawings	s / Drilling Specifications	
Please che	ck your order before	signing below		
Date Order	ed:	S	Signed:	


Order Form | Return Gables Order Form


To order a return gable please fill in the necessary details and dimensions below:

The grain direction will run VERTICALLY along the height dimensions - unless otherwise specified.

Company Name Order No.

Reference Colour





Double Return Gable


A. Gable Height:

B. Gable Width:

E. Rear Width:

C. Front Width:

F. Rear Return Width:




Order Form | Cloaking End Panel Order Form

Reference

To order a Cloaking End Panel please fill in the necessary details and dimensions below: The grain direction will run VERTICALLY along the height dimensions - unless otherwise specified. Company Name Order No.

Colour



O&S Doors Ltd Terms and Conditions

Definitions

- 1.1 "Business Day" means a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.
 - "Company" means O & S Doors Limited (company number NI034182) a company registered in Northern Ireland whose registered office is at 106 Syerla Road, Benburb, Dungannon, Co. Tyrone, BT717ET.
 - "Conditions" means the terms and conditions set out in this document as amended from time to time in accordance with clause 14.5.
 - "Contract" means any contract between the Company and the Customer for the sale and purchase of the Goods that shall incorporate these Conditions in accordance with clause 2.1.
 - "Customer" means the person(s), firm or company who purchases the Goods from the Company.
 - "Force Majeure Event" means an event or circumstance beyond a party's reasonable control
 - "Goods" means any kitchen or bedroom doors, panels, associated accessories or any other goods (or any part of them) agreed in the Contract to be supplied to the Customer (including any part or parts of them) and as further detailed in the Order
 - "Order" means any order for the Goods accepted by the Company or the Customer's acceptance of the Company's quotation in accordance with clause 2.3, as the case may be.
 - "O&S Warranty" means the warranty given by the Company to the Customer contained in the Warranty Pack given by the Company to the Customer.
 - "Specification" means any specification for the Goods, including any related plans or drawings, that are agreed in writing by the Customer and the Company in relation to any bespoke products.
 - "Warranty Pack" refers to the warranty detailed in Appendix 1 of these Conditions.

Interpretation

- 1.2 In these Conditions references to any statute or statutory provision shall, unless the context otherwise requires, be construed as a reference to that statute or statutory provision as from time to time amended, consolidated, modified, extended, re-enacted or replaced.
- 1.3 In these Conditions any phrase introduced by the terms including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.
- **1.4** In these Conditions any reference to **writing** or **written** includes emails but not fax.

Order Process and Basis of Contract

- 2.1 These Conditions apply to each and every Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing. For the avoidance of doubt, no condition of purchase imposed by the Customer shall have any effect in relation to a sale by the Company of Goods unless the Company expressly agrees otherwise in writing.
- 2.2 Each Order (placed by telephone, by fax, by email in writing or by any other means) for Goods shall be subject to these Conditions. The Customer is responsible for ensuring the accuracy of the terms of the Order and, in the case of bespoke Goods, any applicable Specification.
- 2.3 A quotation for the Goods given by the Company shall not constitute an offer. A quotation shall only be valid for a period of 20 Business Days from its date of issue. All quoted prices (whether provided verbally or in writing) are based on the cost of materials, labour, transport and other relevant items relevant at the date when such prices are quoted. However, notwithstanding any such quotation, the Company reserves the right to charge Goods at the price relevant at the date of dispatch, unless the quotation validity period of 20 Business Days has not been exhausted at the date of dispatch.

- Any queries regarding prices charged on invoices must be made to the Company in writing within 10 Business Days of the date the Goods were purchased, otherwise they cannot be accepted.
- 2.4 The Goods are made to order. Once an Order is made the manufacturing process is deemed to have commenced immediately. As a result once an Order is made these Conditions will be deemed to have been incorporated, a Contract is created and the Customer is required to accept the Goods in accordance with clause 4.
- 2.5 All tenders, quotations and Orders are subject to supplies being available. Where the Company is unable to fulfil an Order as a result of unavailable supplies the Company shall not take payment for the same and shall not be liable to the Customer for any resulting loss (howsoever it arises).

Description of Goods

- 3.1 Technical specifications, advertising, illustrations, samples, descriptions and diagrams of Goods in the Company's trade literature, catalogue or other published matter ("Advertising Matter") is indicative only of the approximate and general class, character and colour of the Goods. Advertising Matter is approximate only and shall not form part of the Contract. The Company reserves the right to amend the Advertising Matter at its discretion.
- 3.2 Any clerical error or omission in any Advertising Matter, quotation, invoices or any other documents issued by the Company shall be subject to correction without any liability to the Company.
- 3.3 Unless stated otherwise, the dimensions for sawn dimensions are "nominal".
- 3.4 To the extent permitted by law, in no event is any condition made or warranty given by the Company that the Goods will correspond to sample unless specifically agreed to in writing by the Company for any one Contract.
- 3.5 If the Customer requires Goods to comply with any particular Specification it shall inform the Company of such requirements in the Customer's Order. The Company reserves the right to amend the Specification if required by any applicable statutory or regulatory requirements.
- 3.6 To the extent that the Goods are to be manufactured in accordance with a Specification supplied by the Customer, the Customer shall indemnify the Company against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses) suffered or incurred by the Company in connection with any claim made against the Company for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with the Company's use of the Specification. This clause 3.6 shall survive termination of the Contract.

Delivery and Acceptance of the Goods

- 4.1 The Company shall deliver the Goods to the location set out in the Order or such other location as the parties may agree ("Delivery Location") at any time after the Company notifies the Customer that the Goods are ready. The Customer shall be responsible for providing safe, proper, prompt and unhindered access to the Delivery Location to the Company at all reasonable times for unloading and shall be liable for any loss or damage, or cost of delay caused by lack thereof. Where the Customer assists with any unloading it shall be responsible for any damage caused to the Goods arising from Customer's employees acts or omissions.
- 4.2 The Company shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer's failure to provide the Company with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
- 4.3 The Company may deliver the Goods by separate instalments. The Company may raise a separate invoice and require payment for each instalment. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.
- 4.4 The Company shall ensure that each delivery of the Goods is accompanied by a delivery note that shows the date of delivery of the Order, all relevant Company reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Goods are being delivered by instalments, the outstanding balance of Goods remaining to be delivered.

- 4.5 Delivery is completed on the completion of unloading of the Goods at the Delivery Location.
- 4.6 If the Company fails to deliver the Goods, its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement goods of a similar description and quality in the cheapest market available, less the price of the Goods.
- 4.7 The Customer must inspect the Goods on receipt and mark the delivery note to record any alleged damage in transit. The Customer must within 2 Business Days of receipt of the Goods notify the Company of any alleged defect, shortage in quantity, damage or failure to comply with description by written notification to the Company to be sent to the following email address: orders@osdoors.com
- 4.8 If the Customer fails to comply with the provisions of clause 4.7 the Goods shall be presumed to be in accordance with the Contract and free from any defect or damage which would be apparent on a reasonable examination of the Goods and the Customer shall be deemed to have accepted the Goods. Notwithstanding the terms of the O & S Warranty, after acceptance of the Goods the Customer may not reject the Goods and payment for the same will be payable in accordance with these Conditions.
- 4.9 If the Customer fails to take delivery of the Goods within 3 Business Days of the Company notifying the Customer that the Goods are ready, then, except where such failure or delay is caused by a Force Majeure Event or the Company's failure to comply with its obligations under the Contract:
 - 4.9.1 Delivery of the Goods shall be deemed to have been completed at 9.00 am on the fourth Business Day after the day on which the Company notified the Customer that the Goods were ready; and
 - 4.9.2 The Company shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance)

Export Sales and Incoterms

- 5.1 Where the Goods are supplied for export from the United Kingdom, the provisions of this clause 5 shall apply notwithstanding any other provision of these Conditions.
- 5.2 Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these Conditions but if there is any conflict between the provisions of Incoterms 2010 and these Conditions, these Conditions shall prevail.
- 5.3 The Customer shall be responsible for complying with any legislation or regulations governing the importation, use or sale of the Goods in the country of destination, the payment of any duties or taxes on them and the transportation and storage of Goods including without limitation any obligation to translate any instructions, labelling or packaging into any other language.
- 5.4 The Company shall be under no obligation to give notice under section 32(3) of the Sale of Goods Act 1979.

Quality and the O&S Warranty

6.1 The Company provides the O & S Warranty for all Goods purchased pursuant to these Conditions. Please see the Warranty Pack for further details. The Warranty Pack is designed to set out guidance on how and to whom to report defects and the responsibilities for and terms upon which they will be remedied.

Title and Risk

- 7.1 The risk associated with the Goods shall pass to the Customer on completion of delivery of the Goods.
- 7.2 Title to the Goods shall not pass to the Customer until the Company receives payment in full (in cash or cleared funds) for the Goods and any other goods that the Company has supplied to the Customer in respect of which payment has become due, in which case title to the Goods shall pass at the time of payment of all such sums.

- 7.3 Until title to the Goods has passed to the Customer, the Customer shall:
 - 7.3.1 Store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the Company's property;
 - **7.3.2** Not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;
 - 7.3.3 Maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
 - **7.3.4** Notify the Company immediately if it becomes subject to any of the events listed in clause 11.1; and
 - **7.3.5** Give the Company such information relating to the Goods as the Company may require from time to time.
- 7.4 If before title to the Goods passes to the Customer, the Customer becomes subject to any of the events listed in clause 11.1, then, without limiting any other right or remedy the Company may have:
 - **7.4.1** The Customer's right to resell the Goods or use them in the ordinary course of its business ceases immediately; and
 - 7.4.2 The Company may at any time require the Customer to deliver up all Goods in its possession that have not been resold, or irrevocably incorporated into another product; and
 - 7.4.3 if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.

Returns

- 8.1 No Goods delivered to the Customer which are in accordance with the Contract will be accepted by the Company for return without the prior written approval of the Company and at its absolute discretion.
- 8.2 If the Company agrees to accept any such Goods from the Customer for return, the Customer shall be liable to pay a handling charge of 20% of the invoice price. Such Goods must be returned by the Customer (delivery paid) to the Company in their original shipping carton within 30 days.
- 8.3 Goods returned without the prior written approval of the Company or otherwise than in accordance with these Conditions may be returned to the Customer or stored at the Customer's cost without prejudice to any rights or remedies the Customer may have under statute, contract or otherwise.

Price and payment

- 9.1 The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price of the Goods as set out in the Company's published price list in force as at the date of delivery.
- 9.2 Unless stated in the Order to be a fixed price, the Company upon written notice to the Customer may increase the price at any time before the date of delivery if the cost of materials or labour or overheads relating to the production of the Goods has risen since the date of the Order.
- 9.3 The price for the Goods is exclusive of VAT and all charges in relation to storage, carriage, handling and off-loading. All other taxes, customs duties, duties and expenses shall be the responsibility of the Customer.
- 9.4 The Company may invoice the Customer for the Goods on, or at any time after, the completion of delivery.
- 9.5 The Customer shall pay the invoice in full and in cleared funds in accordance with the trading terms set out in the Order or as otherwise agreed between the Company and the Customer, or if no trading terms are agreed, invoices are payable on the date of the invoice ("Due Date"). Payment shall be made to the bank account nominated in writing by the Company. Time for payment is of the essence.

- 9.6 If the Customer fails to make any payment due to the Company under the Contract by the Due Date for payment, then the Customer shall pay interest on the overdue amount at the rate of 4% per annum above the Bank of England's base rate from time to time. Such interest shall accrue on a daily basis from the Due Date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount.
- 9.7 The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). The Company may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by the Company to the Customer. Where any sums are due to the Company from the Customer, the Company is entitled to suspend all services to the Customer until full payment has been received.
- 9.8 If the Company has to instruct solicitors or other agents to recover money owed by the Customer to the Company then the Customer will indemnify irrevocably, in full and on demand the Company against all fees, expenses and costs payable by the Company to its solicitors or agents.
- 9.9 Where a dispute arises in respect of part only of an invoice, the part(s) of such invoice, which are not be in dispute, shall be paid by the Customer to the Company in accordance with these Conditions.
- 9.10 Credit terms (if any) that are agreed between the Company and the Customer shall govern only the Customer's contractual obligation to make payments to the Company for the price of the Goods.

Goods Supplied on Credit

- 10.1 Goods may only be supplied on credit account terms if an agreement covering such supplies has been offered by the Company and accepted by an authorized representative of the Customer. The Customer must request and complete the credit account application form (the "Application Form") which must be signed by an authorized representative of both parties i.e. Director/Partner, proprietor of a company or in the case of a private individual that person or the person responsible for paying the account. All Goods supplied by the Company to a credit account will be invoiced to the account address by post as soon as possible after the day of sale and will be payable to the Company in accordance with these Conditions as they have been agreed with the account holder. In the case of one or more invoices in which special terms have been agreed in writing, these terms will be referred to on the invoice and payment must be made in accordance with those terms.
- 10.2 Credit accounts must be settled in accordance with the agreed Application Form and these Conditions or any other terms agreed between the parties in writing. Should any monies be outstanding outside the terms agreed between the Company and the account holder, the Company reserves its statutory right to claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.
- 10.3 The Company reserve the right to withdraw credit facilities at any time. Should the Customer fail to pay the whole amount of any sum due under the Contract by the due date, the full balance outstanding on any account between the Company and the Customer shall then become payable immediately and the Company shall further be entitled to cancel the Contract and/or suspend supplies of goods or services under any contract between the Company and the Customer.
- 10.4 The Company shall not be obliged to accept normal stock Goods returned for credit, but may at its absolute discretion do so. All such Goods returned for credit must be accompanied by evidence of original purchase from the Company and the Company shall be entitled at its absolute discretion to impose a 20% handling and/or damage charge in respect of any Goods accepted for return. Goods which are non-stock items and Goods which have been specially ordered will not normally be accepted by way of return for credit. Any Goods which are returned for credit shall not be regarded as having been accepted by the Company until the Company has issued a formal credit note through the channels laid down for such transactions by the Company in writing in respect thereof. The uplifting by the Company's vehicles of Goods for which credit is sought and for which the lorry driver may issue a receipt note is not an acceptance by the Company of liability for credit.

Termination

- 11.1 Without limiting its other rights or remedies, the Company may terminate a Contract (and suspend all future deliveries) with immediate effect by giving written notice to the Customer if:
 - 11.1.1 The Customer commits a material breach of any term of the Contract;
 - 11.1.2 The Customer takes any step or action in connection with its entering administration, provisional liquidation or any composition or arrangement with its creditors (other than in relation to a solvent restructuring), being wound up (whether voluntarily or by order of the court, unless for the purpose of a solvent restructuring), having a receiver appointed to any of its assets or ceasing to carry on business or, if the step or action is taken in another jurisdiction, in connection with any analogous procedure in the relevant jurisdiction:
 - **11.1.3** The Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all or a substantial part of its business; or
 - 11.1.4 The Customer's financial position deteriorates to such an extent that in the Company's opinion the Customer's capability to adequately fulfil its obligations under the Contract has been placed in jeopardy.
- 11.2 Without limiting its other rights or remedies, the Company may suspend provision of the Goods under the Contract or any other contract between the Customer and the Company if: (i) the Customer becomes subject to any of the events listed in clause 11.1.1 to clause 11.1.4; or (ii) the Company reasonably believes that the Customer is about to become subject to any of the events listed in clause 11.1.1 to clause 11.1.4; or (iii) if the Customer fails to pay any amount due under any Contract on the due date for payment; or (iv) the Customer fails to accept delivery of any Goods ordered by the Customer in accordance with clause 4; or (v) the Customer commits any other breach under these Conditions.
- 11.3 Without limiting its other rights or remedies, the Company may terminate the Contract with immediate effect by giving written notice to the Customer if the Customer fails to pay any amount due under the Contract (or any other contract between the Customer and the Company) on the due date for payment.
- 11.4 On termination of the Contract for any reason the Customer shall immediately pay to the Company all of the Company's outstanding unpaid invoices and any interest due thereon.
- 11.5 Termination of the Contract shall not affect any of the parties' rights and remedies that have accrued as at termination, including the right to claim damages in respect of any breach of the Contract that existed at or before the date of termination.
- 11.6 Any provision of the Contract that expressly or by implication is intended to come into force or to continue in force on or after termination of the Contract shall remain in full force and effect despite such termination.

Limitation of liability

- 12.1 Nothing in these Conditions shall limit or exclude the Company's liability for:
 - **12.1.1** Death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);
 - **12.1.2** Fraud or fraudulent misrepresentation:
 - 12.1.3 Breach of the terms implied by section 12 of the Sale of Goods Act 1979;
 - 12.1.4 Defective products under the Consumer Protection Act 1987; or
 - 12.1.5 Any matter in respect of which it would be unlawful for the Company to exclude or restrict liability.

12.2 Subject to clause 12.1:

- 12.2.1 The Company shall under no circumstances whatsoever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, loss of business, depletion of goodwill or otherwise (in each case whether direct or indirect) or any indirect or consequential loss (howsoever caused) arising under or in connection with the Contract; and
- 12.2.2 The Company's total liability to the Customer in respect of all other losses arising under or in connection with each Order, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall be limited a maximum sum equivalent to the original purchase price of the Order paid by the Customer to the Company under the Contract.

Force Majeure

13.1 The Company reserves the right to defer the date of delivery, to cancel the Contract or to reduce the volume of the Goods ordered by the Customer, in each case without liability to the Customer, if the Company is prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Company including, without limitation, acts of God, governmental actions, war or national emergency, acts of terrorism, protests, riot, civil commotion, fire, explosion, flood, epidemic, lock-outs, strikes or other labour disputes (whether or not relating to either party's workforce), or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate or suitable materials provided that, if the event in question continues for a continuous period in excess of 180 days, the Customer shall be entitled to give notice in writing to the Company to terminate the Contract.

General

- 14.1 Assignment and other dealings The Company may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.
- 14.2 Assignment and other dealings The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of the Company.

Confidentiality

- 14.3 Each party undertakes that it shall not, at any time during the Contract and for a period of two years after termination of the Contract, disclose to any person any confidential information concerning the business, affairs, customers, clients or companies of the other, except as permitted by this clause 14.3 Each party may disclose the other party's confidential information:
 - 14.3.1 To its employees, officers, representatives or advisers who need to know such information for the purposes of exercising the party's rights or carrying out its obligations under or in connection with the Contract. Each party shall ensure that its employees, officers, representatives or advisers to whom it discloses the other party's confidential information comply with clause 14.3 and 14.4; and
 - **14.3.2** As may be required by law, a court of competent jurisdiction or any governmental or regulatory authority.
- 14.4 No party shall use any other party's confidential information for any purpose other than to exercise its rights and perform its obligations under or in connection with the Contract.

Data Protection

14.5 Any personal information shall be used in accordance with any and all applicable data protection legislation, including the Data Protection Act 1998 (as may be amended or replaced).

Entire Agreement

- 14.6 The Contract constitutes the entire agreement between the parties and supersedes and extinguishes all previous agreements, promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.
- 14.7 Each of the Company and the Customer agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in the Contract. Each of the Company and the Customer agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in the Contract.

14.8 Variation

No variation of the Contract shall be effective unless it is in writing and signed by the parties (or their authorised representatives).

14.9 Waiver

No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

14.10 Severance

If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract.

14.11 Notices

All notices to be served by one party on the other (unless specifically provided for in these Conditions) shall be deemed duly served 7 days after posting if posted by first class or airmail pre-paid to the registered office of the other party or in the absence of such registered office to the address notified in writing between the parties prior to or at the time of the Contract.

14.12 Third Party Rights

The parties to the Contract do not intend that any term of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.

14.13 Governing Law

The Contract, and any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with it or its subject matter or formation, shall be governed by and construed in accordance with the law of England and Wales.

14.14 Jurisdiction

Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with the Contract or its subject matter or formation.

Appendix | Product Warranty

O&S Doors Limited ("O&S Doors" or "we" or "us" or "our" or the "Company") is a leading manufacturer and distributor of Kitchen, Bedroom and Bathroom cabinet door frontals and associated accessories to kitchen retailers and manufacturers throughout the UK and Ireland. All of our Goods have been designed to provide you with a quality product that meets your needs. The following paragraphs contain important details concerning your O&S Warranty. You are advised to read these sections carefully so that you are fully aware of the benefits and associated terms. Should you have any questions or queries in relation to the provisions of this O&S Warranty, you should in the first instance, direct such questions to your appointed sales representative or our customer services team.

O&S Doors has implemented a number of industry-leading quality control initiatives and all of our employees are fully committed to delivering quality products that consistently meet independently audited standards and undergo rigorous quality control checks at every stage of the production process. We hold certification from the Forestry Stewardship Council and the Programme for the Endorsement of Forest Certification to ensure that all our timber and raw materials are sourced from ethically managed forests. We are also members of the Furniture Industry Research Association, an independent body sent up to ensure the quality and reliability of products used within the furniture industry supply chain. We pride ourselves on the high quality components we produce. However, there are inevitably occasions when defects become apparent following purchase. Initially there may be some snagging issues that require remedial work or items that require adjustment.

Please note that this O&S Warranty Pack is O&S Doors' contractual commitment to you (upon which we intend to rely) in relation to any defects that may arise in relation to the Goods. For the avoidance of doubt this O&S Warranty is personal to you and may not be transferred to any person. Capitalised terms used herein and not otherwise defined shall have the meaning given to them in the O&S Terms and Conditions of Sale.



Warranty Period: 6 Years From Invoiced Date Of Supply.

Important: The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply.

If you find you are unsatisfied with the goods that you have received, or you would like to make a Warranty claim please contact us via the relative email address below:

Warranty Claims — warranty@osdoors.com **Replacements / Damaged Goods** — aftersales@osdoors.com

O&S Product Warranty: General Terms

- 1.1 The Company warrants that on delivery, and for the relevant Warranty Period (as defined below) the Goods shall:
 - 1.1.1 Conform in all material respects with their description;
 - 1.1.2 Be free from material defects in design, material and workmanship; and
 - 1.1.3 Be of satisfactory quality (in line with the Sale of Goods Act 1979).
- 1.2 The Warranty Periods for each product and class of Goods are specified below (the "Warranty Period"):

Warranty Period: 6 Years From Invoiced Date Of Supply.

Important: The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply.

5G Vinyl / Made to Measure

(Including Matt, Superior Matt and High Gloss Finish Doors and Accessories)

5 Piece / Ex.Stock and Made to Measure

(Including Harlem / Fenwick / Dylan / Bastille Doors and Accessories)

Edged / Made to Measure

(Including Phoenix / Tribeca / Vaasa / Mather Doors and Accessories)

Painted / Stock, Painted to Order and Made to Measure

(Including Arena / Hartford / Belair / Wellington / Campbell / Rainey / Edison / Monroe / Albany / Hampton / Greenwich / Hyde Doors and Accessories)

Accessories

(Includes Mouldings / Vinyl Wrapped Accessories / Painted Accessories / Worktops / Panels / Return Gables and Handles)

- 1.3 Subject to exclusions and limitations set out in section 3 below and adherence of the care and maintenance guidelines set out in section 4 below, if:
 - 1.3.1 The Customer gives notice in writing to the Company during the Warranty Period that some or all of the Goods do not comply with the O&S Warranty; and
 - **1.3.2** The Company is given a reasonable opportunity of examining such Goods; and
 - **1.3.3** The Customer returns such Goods to the Company's place of business at the Customer's cost,

The Company shall, at its option, repair or replace the defective Goods, or refund the price of the Goods, that we agree are defective, in full.

- 1.4 Our obligations under this O&S Warranty are limited, at our option, to repairing or replacing any part which proves to be defective or refunding the price if the Goods that we accept are defective. Replacement parts where possible will either be the same or similar and we are under no obligation to replace any part or item with an identical part or item.
- 1.5 Except as provided in this section, the Company shall have no further liability to the Customer in respect of the Goods' failure to comply with the O&S Warranty.
- 1.6 The O&S Warranty for the Warranty Period is the full extent of our obligation to you in relation to the Goods and any other rights and remedies are excluded to the fullest extent of the law.
- 1.7 Any Goods repaired or replaced by the Company (including any repaired or replacement Goods) shall be guaranteed pursuant to this Warranty for the unexpired portion of the relevant Warranty Period that applied to the original Goods supplied. For the avoidance of doubt, the Warranty Period will not be extended by supplying replacement Goods or parts thereof or by repairing such Goods or parts thereof.
- 1.8 The Company reserves the right to charge the Customer for any completed warranty service work where it is found to be caused by negligence, poor commissioning, or any other factor not related to a manufacturing defect, or is otherwise excluded under section 3 below.

Making a Warranty Claim

- 2.1 If you wish to make a claim under the terms of this O&S Warranty then you should contact us immediately after the defect is found or becomes obvious to you.
- 2.2 As stated in section 1.3.1 above you will be required to give notice in writing to the Company during the Warranty Period within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in this Warranty Pack. You will provide the Company with:
 - **2.2.1** Evidence of the original invoice or proof of purchase (this may include the original invoice number or other evidence of the purchase);
 - 2.2.2 A full description of the defect;
 - 2.2.3 Photographs of the defect; and
 - 2.2.4 The defective part that requires replacement for inspection by either O&S Doors Ltd or a nominees.
- 2.3 On receipt of the above information our customer services department will issue an uplift docket along with a "claim number".
- 2.4 Once a claim is accepted by us (subject to the return of the defective Goods and satisfactory inspection of the same) we will notify you whether we intend to repair, replace or refund the relevant defective Goods. If we notify you that we will refund or replace, we may either (i) refund the value of the Goods where no replacement Goods are issued; (ii) replace the Goods free of charge; or (iii) credit your account where replacement Goods have been issued and charged to your account prior to inspection by us, where it is subsequently agreed by us that the Goods are defective following inspection.
- 2.5 Please be aware the maximum period for return and credit of defective product is limited to one month from the date of supply of the replacement doors.
- 2.6 You must allow us or our agents access to the Goods in order to remedy any defect, where applicable.
- 2.7 Where a claim is rejected we will provide details of why the claim has been rejected

Any communication with us should ALWAYS be sent in writing or by email and quoting any applicable invoice number to:

Address: O&S Doors Limited, 106 Syerla Road, Benburb, Co. Tyrone, BT717ET Email: warranty@osdoors.com

Exclusions to your Warranty

- 3.1 The O&S Warranty applies to the Goods under normal use, subject to the conditions set out in this Warranty Pack, and as determined by O&S Doors in its sole discretion.
- 3.2 O&S Doors shall not be liable for the Goods' failure to comply with the O&S Warranty and the O&S Warranty does not include the provision of, or the rectification of the Goods in any of the following events:
 - **3.2.1** Where the Customer makes any further use of such Goods after giving notice in accordance with section 1.3 above;
 - 3.2.2 The defect arises because the Customer failed to follow O&S

 Doors 'oral or written instructions as to the storage, commissioning, installation, use or the maintenance of the Goods or (if there are none) good trade practice regarding the same;
 - **3.2.3** The defect arises because the Goods have not been used, cared for or maintained in accordance with the care and maintenance instructions as set out in section 4 below;
 - 3.2.4 The defect arises as a result of O&S Doors following any drawing, design or material specification supplied by the Customer;
 - 3.2.5 The Customer alters or repairs such Goods without the prior written consent of O&S Doors:

- **3.2.6** The defect arises as a result of unfair wear and tear, willful damage, negligence, or abnormal storage or working conditions;
- 3.2.7 The Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements:
- 3.2.8 Any damages to the Goods are attributable to improper installation, inadequate maintenance, improper product use, after market product modifications, normal weathering, highly corrosive environments, damages caused by fire, accident, flood, acts of God, vandalism, building settlement or structure failures, or other circumstances beyond O&S Doors Ltd' control;
- **3.2.9** The damage to the Goods is caused by or within parts, fixtures or fittings that have not been manufactured or supplied by the Company;
- 3.2.10 Adjustment of hinges, catches or stays;
- 3.2.11 Damage caused by the use of unsuitable cleaning materials;
- 3.2.12 Damage occurring as a result of any alteration, modification, vandalism, or accidental damage to the Goods, misuse, neglect, overloading or abnormal use of your Goods;
- **3.2.13** Damage caused by the transportation to site or installation of the Goods;
- 3.2.14 Damage resulting from a failure or delay in arranging for an obvious defect (or any defect which should have been obvious to a reasonable person who has complied with all relevant owner manuals and this O&S Warranty) to be reported under your O&S Warranty or rectified;
- **3.2.15** Damage caused by repairs attempted or undertaken other than those carried out by us or a third party authorised by us;
- 3.2.16 Damage as a result of failure to carry our normal day to day maintenance or follow normal maintenance procedures including but not limited to the care and maintenance guidelines in section 4 below;
- **3.2.17** Damage as a result of toxic, explosive, corrosive or other hazardous materials brought into contact with the Goods;
- **3.2.18** Damage as a result of exposure to water, excessive moisture or humidity;
- 3.2.19 Damage as a result of exposure to heat above 60 degrees C;
- 3.2.20 Damage as a result of flies, insect, bird or rodent infestations;
- **3.2.21** Damage caused directly or indirectly by war, riot, revolution, act of god or any similar event or by vandalism, theft or attempted theft;
- $\textbf{3.2.22} \quad \text{Damage arising from any accident or any act or omission by you}; \\$
- **3.2.23** Where repairs are not authorised by us in writing or carried out by us. We will not take responsibility for any costs associated with or subsequent rectification of any unauthorised repairs;
- **3.2.24** Where Goods are modified with any parts not supplied by us, or where Goods are incorporated with a modified part; or
- **3.2.25** Where O&S Doors is NOT the manufacturer of any parts or fixtures and fittings of the Goods, this O&S Warranty does not apply.
- 3.3 We will pay for all parts associated with any repair work carried out under the O&S Warranty up to a maximum sum equivalent to the original purchase price of the Goods. Where multiple claims are made, for whatever reason, our aggregate maximum liability shall also be equivalent to the original purchase price of the Goods. Please see the limitation of liability provisions set out in the O&S Terms and Conditions of Sale.
- 3.4 We cannot accept responsibility for any loss or damage suffered, or incurred as a consequence of your failure or delay in reporting defects promptly.

Installation Care & Maintenance

Installation

- 4.1 Ensure that the relevant rooms have been left to environmentally stabilise prior to the installation of the Goods. Goods must not be installed into a damp moisture rich environment as it will cause undesirable movement in the joints and panels of the Goods. You should ensure that you adequately assess conditions.
- 4.2 To minimise any potential damage during installation we make the following recommendations
 - 4.2.1 Prior to installation confirm that you have the correct quantity and size of the Goods.
 - **4.2.2** Please make sure that you fully inspect the Goods before drilling or attaching any hinges or other accessories.
 - **4.2.3** Take care when unpacking the Goods, for example do not use sharp blades to cut away the packaging.
 - 4.2.4 When drilling or attaching the hinges, place the Goods face down on a soft clean surface, ensuring that there is no grit or dust underneath that may cause damage to the surface of the Goods. It is good practice to place a clean barrier between the Goods and the surface when drilling or attaching the hinges.
 - **4.2.5** We would recommend that you use a rubber mallet to knock the hinges into the Goods without using excessive force.
 - 4.2.6 Once the hinges have been attached we would recommend that you hang the door immediately to avoid any damage. Do not stack the Goods with the hinges touching other Goods as this may mark the Goods.
 - 4.2.7 The Goods should be stored flat and away from the working area. Please take care when stacking any Goods with hinges so that they do not mark the other products. Do not lean the Goods against each other or against any surface without proper protection in between the same.
 - 4.2.8 Do not stack the Goods on any hard surface as this may cause chipping and scratching along its edge. Prior to fitting, the doors should be stored flat, ensuring that they are not resting on any dirt or debris.
 - 4.2.9 Please take extreme care not to put the door down with excessive force on any edge, especially the handle edge as this will cause crushing/impact damage on these edges.
 - 4.2.10 Take extreme care not to put the door down on any hard or rough surface such as bare concrete floors, or on any debris such as sawdust, grit or screws, as this can damage the Goods.
 - 4.2.11 Where cutting décor panels and trim you must use a sharp quality saw blade of the appropriate grade for finecutting, or a suitable router. Small chips can appear along the cutedge, and so extra care must be taken to minimise the risk of chipping. Using a blunt or inappropriate saw blade will produce a poor finish and this will not be covered by the O&S Warranty.
 - **4.2.12** On Painted Products any fine chips along the cut edge should be smoothed with a fine grade sand paper prior to installation.
 - **4.2.13** All trims are supplied in long lengths and need to be cut down on site. Please ensure you use the appropriate tools.
 - 4.2.14 When fitting the plinth, ensure that you check the dimensions of any adjacent appliances. On occasion, the plinth may need to be pulled forward to ensure that it clears the front of the appliance. This can be achieved by using off cuts to fit blocks the rear of the plinth prior to attaching the plinth clips. This will step the plinth forward from its normal position.

General Care

- 4.3 The most common problems found occur as a result of excessive or prolonged exposure to heat and/or moisture. Always ensure that water is not left around the sink areas as damage caused as a result is not covered by the O&S Warranty.
- 4.4 Always wipe off excess moisture and be careful with extreme heat sources, such as kettles, ovens and toasters. It is recommended that these heat sources are not placed directly under any wall unit when they are in use as they generate a higher level of heat and moisture than is often expected and can quickly and easily lead to damage of the Goods.
- 4.5 Don't place appliances that create steam (e.g. steamers, coffee makers or kettles) underneath the Goods.
- 4.6 If using glass cleaner to clean your glass doors be careful not to damage fine finish of the door and cabinet parts while cleaning. Do not spray glass cleaner directly onto the glass or cabinet as this may discolour the finish or your kitchen cabinets. Instead spray a small amount of the cleaner on a lint free cloth and wipe down the glass.
- 4.7 Don't open the door of the dishwasher immediately once the cycle is finished as the exposure to the heat and humidity may cause the Goods to absorb the moisture and swell.
- 4.8 Please note that after a period of time it is quite normal for the colouring of kitchen units to mellow in colour. This is not a manufacturing fault and is a result of exposure to light. This means that any additional parts subsequently ordered, or supplied as replacements may not be an exact colour match. However, any additional Goods or parts supplied will also mellow over time to blend with your existing units.
- 4.9 The colour of doors and drawer fronts may appear mismatched. This apparent mismatch is sometimes the effect of differing light conditions within your room. To check your Goods you should place them side by side in natural daylight for comparison.

Cleaning Advice for all Door Types

- 4.10 Do not use wax furniture polish, abrasive or aggressive cleaners, bleach or other chlorine based cleaners, multipurpose cleaners, dilutes, acetone, alcohol, solvent or similar products on the Goods, as this will damage the surface.
 Additionally wax and polishes leave a residue build up that is difficult to remove.
- 4.11 Only use a 1% soap, 99% water (liquid soap) solution, wiping with a damp (not wet) cloth, finally drying with a soft clean cloth only.
- $\textbf{4.12} \quad \text{Ensure all cooking splashes are wiped immediately with a damp cloth.}$
- 4.13 Dust the Goods with a soft cloth only.
- 4.14 Never use any abrasive cloths or cleaners on the Goods. Spills and condensation on the Goods should be cleaned and dried immediately.
- 4.15 Our Goods should not be stored or installed in a newly plastered room or damp environment. If you need to store them for a while they should be kept flat, preferably in the room in which they are to be installed. This is of particular importance for tall/wardrobe doors.
- 4.16 Components placed adjacent or below a sink, or covering a dishwasher/washing machine or other water source are exempt from this O&S Warranty, unless the failure can be proven to be other than as a result of moisture penetration.
- 4.17 The Goods are wrapped in a manmade material, as are all similar ones in the kitchen and bedroom industry and should not be exposed to heat in excess of 60 degrees. To avoid damage caused as a result of exposure to excessive heat please follow these simple guidelines:
 - 4.17.1 When installing doors adjacent to ovens or other heat sources always ensure doors are shielded by the use of heat deflector strips.
 - 4.17.2 Never use an appliance that generates high levels of heat or concentrated steam (such as a toaster, kettle, pressure cooker or bread maker) directly under or adjacent to the Goods as this can cause damage.

- 4.18 Components damaged as a result of not following the above guidelines are not covered by the O&S Warranty unless protected by suitable heat strips and a suitable gap left for heat escape.
- 4.19 The correct care will help ensure that your Goods will look good for a long time.
- 4.20 All high gloss Goods should be allowed to "cure" for seven days after removing the protective film. During this curing process the Goods will be liable to scratching and other marks. Please treat the Goods very carefully during this period and avoid cleaning or wiping as much as possible.
- 4.21 To clean the surface of the Goods, wipe using a soft cloth with a mild nonabrasive, dishwashing detergent diluted in water. The mix should be 1 part detergent to 99 parts water. You should never use any vinegar based detergents, solvents, abrasive detergents, white spirit or furniture polish.
- 4.22 We recommend the use of VuPlex polish with a micro anti-scratch cloth.

Timber & Veneered Doors

4.23 It must be remembered that solid timber is a natural living product, therefore it is not possible nor desirable to achieve uniformity of grain or finish within the raw product. Timber will also change colour over time due to exposure to light. It is advised that this is taken into consideration when replacing or fitting new doors some time after the original installation. In addition to cleaning advice already detailed, it is recommended when cleaning timber doors care is taken to clean following the grain direction of the door using only a damp cloth.

Painted Doors

- 4.24 Painted finishes will change colour over time with exposure to light, the rate of change may differ between pieces and therefore is outside the control of O&S Doors Ltd and this O&S Warranty.
- 4.25 As with timber doors, painted product is made from natural products which by their nature are subject to movement depending on the environmental conditions in which they are placed. This natural movement may cause shrinkage or hairline cracks in the paint or along the joints of the Goods. This is considered as part of the features of painted Goods and therefore exempt from this O&S Warranty.
- **4.26** Extreme care should be taken when cleaning painted Goods. In all circumstances use only a damp cloth with a 1% soap, 99% water solution.

Dissatisfied with Parts or Repairs


- 5.1 In the unlikely event that you are dissatisfied with the repair undertaken by us or our agents or are dissatisfied with any parts supplied, you should report your dissatisfaction to us within 14 days of completion of the repair or supply of the part.
- 5.2 If no notice is received within 14 days of completion of the repair or supply of the part, the repair work or part supplied is deemed acceptable to you and the claim is deemed to have been satisfied in full.

Where The O&S Warranty Is Deemed Void

6.1 This O&S Warranty is deemed void and of no force or effect in circumstances including, but not limited to: (i) where you have failed to comply with any procedures laid down by us in this O&S Warranty or if you have failed to complete and return within the timescales prescribed any of the forms which we require; (ii) the specification of your Goods have been altered in any material way other than by us; (iii) your Goods have been the subject of an insurance claim to the extent of a write off (or the value of the holiday home/lodge has depreciated by 50% or more); or (iv) you refuse to allow access to the Goods in order to carry out repairs, where required.







106 Syerla Road Benburb County Tyrone BT717ET Northern Ireland



+44 (0)28 3754 9190



orders@osdoors.com



osdoors.com

Unit 9, Boeing Road, Airways Industrial Estate, Dublin, D17 P863

+353 (0) 1852 3002

trade@osdoors.com

Units F2 / F3, Clondalkin, Weatherwell Business Park, Dublin D22 HN36

+353 (0) 1572 6850

trade@osdoors.com

Unit 3a & 3b Castlehill Industrial Estate, Bredbury, Industrial Park Stockport SK62SU

01615114317

manchester@osdoors.com



