

# CS Doors<sup>®</sup>

## Product Guide 2025

UK & Ireland's Leading Manufacturer of  
Cabinet Frontals and Components



# Introducing New 5G Vinyl Micro Shaker Door Styles Available Now

The growing preference for skinnier shaker style cabinet doors has resulted in the expansion of our 5G Vinyl Collection. Introducing - 12mm / 20mm / 30mm / 40mm / 50mm Stile Width door styles to our Plain Shaker and Lined Shaker range.

For more information see page 20 and page 22.



Available in over 100 Finishes  
Choose from - Woodgrain Effects, Legno, Matt and Superior Matt.

## Contents

### INTRODUCTION

4	Introduction
6	Ordering Guide
8	Marketing
10	Customer Services
11	Logistics
228	Door Matrix
232	Order Forms
236	Terms and Conditions

### 5G VINYL

14	5G User Guide
16	5G Modern Door Styles
18	5G Handleless Door Styles
20	5G Lined Shaker Door Styles
22	5G Plain Shaker Door Styles
25	5G Mock In-Frame Door Styles
26	5G Raised Panel Door Styles
28	5G Arched Door Styles
30	5G Grooved Door Styles
33	5G Finishes
36	5G Door Sizes
44	5G Accessories
46	Moulding Specifications
52	Board Match Specifications

### 5 PIECE

56	Harlem Range
62	Dylan Range
68	Fenwick Range
74	Bastille Range

### EDGED

88	Phoenix Range (Gloss)
94	Tribeca Range (Superior Matt)
100	Vaasa Range (MFC)

### MDF PAINTED

108	Arena Range
114	Parker Range
120	Hartford Range
128	Wellington Range
136	Belair Range
144	Gladstone Range

### TIMBER PAINTED

154	Brooklyn Range
160	Brooklyn Oak Range
166	Campbell Range
172	Rainey Range
178	Edison Range
184	Monroe Range
190	Monroe Oak Range
196	Hyde Range
206	Moulding Specifications

### ALUMINIUM FRAMES

210	Aluminium Frames
211	Hinge Position

### HANDLES


214	Standard Handles
226	Integrated Handles

## NEW RANGES



We've introduced new door styles into our 5G Vinyl Collection. See page 20 and page 22.

## NEW FINISHES



We've introduced new finishes into all our Collections - 5G Vinyl, 5 Piece, Edged and Painted for more choice and ultimate flexibility.

## NEW HANDLES



Explore our brand new range of Handles and Knobs, we have multiple finishes available. See page 214.

Design that's **Flexible**  
Delivery that's **Fast**  
Service that's **First Class**

As the UK and Ireland's leading manufacturer of Kitchen, Bedroom and Bathroom cabinet door frontals, our aim is to deliver your order in full, on time, every time. We work together with you to create flexible manufacturing solutions that satisfy your business needs. Our experience, design expertise and purpose built 420,000 sq ft production facility means that we can successfully fulfill complex requests of any size. With over 6,000 Door Styles and Finish combinations to choose from, both Ex.Stock and Made to Measure sizes are all manufactured within the shortest KBB industry lead times. We are a flexible manufacturing partner that will go above and beyond for your business.

**Quality Assured** — We respect both our natural and working environments. That's why our approach to door production relies on intelligent manufacturing, safe work practices, quality control and e-conomic use of materials. We're dedicated to minimising waste and protecting our people. Our facility is ISO 45001, ISO 14001 and ISO 9001 certified, proving our dedication to health and safety, environmental sustainability and quality control. We hold certification from both the FSC® and the PEFC to ensure that our product is made of FSC® -certified and other controlled materials. Only the products that are identified as such on this document are FSC® certified. We are also members of FIRA, an independent body set up to ensure the quality of furniture products.

**Sustainability** — Here at O&S Doors Ltd, we are committed to maintaining our all encompassing eco policy. We have a zero waste to landfill policy which means that all our cardboard, plastics, foils and general waste are recycled. Our Environmental Officer and HSEQ Manager work together with company directors to ensure that our environmental standards are being maintained and to ensure that we are making steps in the right direction for the future of sustainable manufacturing.



**Shortest Industry Lead Times**

With Ex.Stock items ready for same day despatch, and MTM ready from as little as 5 working days.





# Ordering Simplicity

**Online Ordering** — Our custom designed, simple and secure online ordering service allows you to order directly and independently at anytime. You'll be in control, gaining access to inventory status, account management and orders with trade pricing and terms. Save both time and money, creating quick quotes, and placing orders with instant order confirmation. [Order Online at weborders.osdoors.com](http://weborders.osdoors.com)

We advise for all the orders to be placed using the online portal, however if you need help or for any special requests please use the relevant email address as listed below:


Northern Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)  
Republic of Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)  
United Kingdom - [OrdersUK@osdoors.com](mailto:OrdersUK@osdoors.com)  
Express - [OrdersExpress@osdoors.com](mailto:OrdersExpress@osdoors.com)  
Manchester - [Manchester@osdoors.com](mailto:Manchester@osdoors.com)

\*Please ensure emailed order enquiries are sent to the relevant listed address to avoid disappointment.

**Important:** Please include your 'Customer Account Number' when ordering to avoid any delays. Please ensure that all details are correct at time of ordering, as we are unable to guarantee that any amendments or cancellations will be possible. Once an order has been processed into our production system no amendments can be made. Items ordered incorrectly are non-refundable. O&S Doors Ltd cannot accept responsibility for any orders that cannot be altered after they have been placed.

**New Customers:** If you do not have an account with O&S Doors Ltd please email our customer services team using the relevant email address as listed below:

New Customer Enquiries UK - [helloUK@osdoors.com](mailto:helloUK@osdoors.com)  
New Customer Enquiries Express - [helloExpress@osdoors.com](mailto:helloExpress@osdoors.com)  
New Customer Enquiries NI - [helloNI@osdoors.com](mailto:helloNI@osdoors.com)  
New Customer Enquiries ROI - [helloROI@osdoors.com](mailto:helloROI@osdoors.com)  
New Customer Enquiries Manchester - [Manchester@osdoors.com](mailto:Manchester@osdoors.com)



To create your online ordering account please call our Customer Service team on +44 (0)28 3754 9190.

- Easy to use platform
- Instant order confirmation
- Mobile friendly website
- Live pricing for speedy quotes
- Click and collect service available
- Access to extensive product range

# Important Notes

**Changes to Orders** — You will receive an order acknowledgment via email once your order is registered on our system. It is crucial that you notify our Customer Service team of any discrepancies upon receipt of your order acknowledgement. Once an order has been processed on our system no amendments can be made.

**Shortages / Damages** — Any damages or discrepancies must be reported to Customer Services within 48 hours of delivery. O&S Doors Ltd do not accept any liability for any issues raised after this time.

**Replacements** — Replacement items must be ordered via email.

UK - [aftersalesuk@osdoors.com](mailto:aftersalesuk@osdoors.com)  
ROI & NI - [aftersales@osdoors.com](mailto:aftersales@osdoors.com)  
OS Express - [ordersexpress@osdoors.com](mailto:ordersexpress@osdoors.com)

All customers must fill out our customer service issues form, which you can request from your sales representative or a member of our customer service team. This form should include full details of the damage / discrepancies which must be provided along with clear images and the related O&S Doors Ltd delivery order number. Replacements will be despatched on the next available delivery date, and the original goods will either be retained or returned for inspection.

**Warranty (6 Year Limited Warranty)** — The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply. If you need to make a warranty claim please email your order details to [warranty@osdoors.com](mailto:warranty@osdoors.com).

**Payment Terms** — Unless credit facilities have been agreed in writing, all orders must be paid for in full prior to production. Accounts not operating in line with the agreed credit terms will be closed and outstanding orders will be held until all balances are cleared. O&S Doors Ltd reserve the right to revoke (at any time) any credit terms offered and return to a strictly proforma invoice basis.




[weborders.osdoors.com](http://weborders.osdoors.com)



## Explore Our Core Product Collections

We provide a range of consumer brochures that are designed to inspire you to create magnificent cabinetry.

We have a brochure for each of our 4 main product collections and accessories:  
**5G Vinyl, 5 Piece, Edged, Painted and Handle Accessories.**



Order Product Brochures via email : [orders@osdoors.com](mailto:orders@osdoors.com) / [ordersexpress@osdoors.com](mailto:ordersexpress@osdoors.com) / [ordersuk@osdoors.com](mailto:ordersuk@osdoors.com)

## Marketing Materials



**Design Library** — When you partner with us, you get exclusive access to our Design Library, complete with high resolution Kitchen and Bedroom CGI Images, Product Imagery, Product Brochures, Technical Specifications and Colour Swatch Guide PDFs.

For access email [marketing@osdoors.com](mailto:marketing@osdoors.com)



**Door Samples** — Door samples are available across all of our product ranges in order to help you illustrate the design and quality to your customers.

Door samples are 570mm x 396mm.

Order door samples via [orders@osdoors.com](mailto:orders@osdoors.com)  
[ordersuk@osdoors.com](mailto:ordersuk@osdoors.com)  
[ordersexpress@osdoors.com](mailto:ordersexpress@osdoors.com)  
[Manchester@osdoors.com](mailto:Manchester@osdoors.com)



**Colour Swatch Books** — To get a real sense for the quality of the finish and to ensure that your customer gets the exact colour that they want, we recommend using our Colour Swatch Books. We have individual Colour Swatch Books available for each of our main product ranges: 5G Vinyl, 5Piece, Painted or Edged.

Order Colour Swatch Books via: [orders@osdoors.com](mailto:orders@osdoors.com)  
[ordersuk@osdoors.com](mailto:ordersuk@osdoors.com)  
[ordersexpress@osdoors.com](mailto:ordersexpress@osdoors.com)  
[Manchester@osdoors.com](mailto:Manchester@osdoors.com)

# Customer Services

We have dedicated Account Managers to provide you with expert advice and insight on all of our services. Each dedicated Account Manager is supported by a member of our Customer Services team to ensure your ordering experience is as straightforward as possible. This approach means you will always speak to the right person, avoiding any delays and allowing your project to run smoothly.

**O&S Doors Head Office - Northern Ireland**

Reception

+44 (0) 28 3754 9190

www.osdoors.com

**Armagh, Down, Fermanagh & Tyrone**

Helen MacNeice

078 4241 9877

hmcneice@osdoors.com

Mairead Goodfellow

+44 (0) 28 3754 9190

mgoodfellow@osdoors.com

**Antrim, Cavan, Derry / Londonderry, Donegal & Down**

Richard Mawhinney

077 3404 5499

rmawhinney@osdoors.com

Louise Downey

+44 (0)28 3754 7291

ldowney@osdoors.com

**Trade Counter - Dublin (Santry)**

Reception

+353 (0) 1852 3002

trade@osdoors.com

Shaun Barnes

+353 (86) 467 9233 (2)

sbarnes@osdoors.com

**Trade Counter - Dublin (Clondalkin)**

Reception

+353 (0) 1572 6850

trade@osdoors.com

Shaun Barnes

+353 (86) 467 9233 (2)

sbarnes@osdoors.com

**Cavan, Clare, Cork, Dublin, Galway, Sligo, Kerry, Laois, Leitrim, Limerick, Longford, Mayo, Monaghan, Offaly, Roscommon & Wicklow**

Gordon Barry

+353 (86) 821 6561

gbarry@osdoors.com

Louise Downey

+44 (0)28 3754 7291

ldowney@osdoors.com

**England, Scotland & Wales**

Tim Dillon

tdillon@osdoors.com

sales@osdoors.com

**OS Express**

Customer Services

+44 (0)28 37 547 299

express@osdoors.com

**Louth, Meath, Westmeath**

Mark McNamee

+353 (86) 102 7046

mmcnamee@osdoors.com

Patrick Little

+44 (0) 28 3754 9190

plittle@osdoors.com

**Carlow, Kildare, Kilkenny, Tipperary, Waterford & Wexford**

Justina Kierepa

+44 (0) 28 3754 9190

jkierapa@osdoors.com

**Trade Counter - Manchester**

Reception

0161 511 4317

manchester@osdoors.com

Natalie Hazelhurst

07719 904028

nhazelhurst@osdoors.com



# Logistics

**Northern Ireland / Republic of Ireland / UK** — O&S Doors Ltd operate with a policy of making deliveries according to an area timetable. Delivery days for customers located in Northern Ireland, Republic of Ireland and UK are detailed in the despatch timetable below. Please note this despatch time-table may be subject to amendment.

Orders with a total value of less than £300 / €400 NETT incur a delivery charge of £18 / €22.\*

Monday	Tuesday	Wednesday	Thursday**	Friday
Armagh Banbridge Castleblaney Dublin Clondalkin Dublin Santry Dundalk Drogheda Louth Manchester West Meath Monaghan Newry	Bangor Ballymoney Belfast Carrickmore Carrystown Craigavon Coalisland Downpatrick Dublin Clondalkin Dublin Santry Dungannon Kilkeel Lurgan Manchester Newcastle Omagh Portadown Sixmilecross Sion Mills Strabane	Ballymena Castledawson Cavan Claudy Coleraine Cookstown Derry Donegal Dublin Clondalkin Dublin Santry Dungiven Enniskillen Fermanagh Kilrea Letterkenny Limavady Magherafelt Manchester Randalstown Rasharkin	Carlow Clare Cork Dublin Clondalkin Dublin Santry Galway Kerry Kildare Kilkenny Leitrim Limerick Longford Manchester Mayo Offaly Portlaoise Roscommon Sligo Tipperary Waterford West Meath Wexford Wicklow	Castledawson Cookstown Rasharkin

\*\*Thursday is a two day run. Some customers may not receive goods until Friday.

**Dublin Santry** — Unit 9, Boeing Rd, Kilmore Big, Dublin, D17 P863, Ireland  
**Dublin Clondalkin** — Weatherwell Business Park, Units F2/F3, Clondalkin, Co. Dublin, D22 HN36, Ireland

**England, Scotland and Wales** — Deliveries to England, Scotland and Wales are set per customer account and are subject to change depending on volume of individual deliveries.

**Manchester** — Units 3A & 3B, Castlehill Industrial Estate, Horsfield Way, Bredbury, SK6 2SU

**Special / Express Deliveries** — Deliveries outside of the normal arrangements are only available in exceptional circumstances and are subject to delivery surcharge. O&S Doors Ltd accept no liability for any damages incurred in transit in such circumstances.

**Sign On Receipt** — We kindly request that on receipt of goods, a delivery note is signed and returned to our driver. Your co-operation in this matter is appreciated.

\*Delivery charges may be subject to change.



# For Ultimate Design Flexibility **Choose 5G.** Next Generation Vinyl Doors



5G is a product of our determination and attention to detail. We use the highest quality materials, the most reliable adhesives, the latest advancements in finishing techniques and manufacturing technology.

Through 5G you have the ultimate design flexibility, with 100+ Door Styles to choose from and an extensive range of finishes including : **Embossed Woodgrain Textures, Legno, Matt, Superior Matt & Gloss.**

NEXT GENERATION  
**CORE SPECIFICATION**

NEXT GENERATION  
**MANUFACTURING  
TECHNOLOGY**

NEXT GENERATION  
**3D THERMOFORMED  
POLYMER FINISHES**

NEXT GENERATION  
**ADHESIVES**


NEXT GENERATION  
**DESIGN EXPERTISE**





STEP 1 / Choose your door style


Use the Door Style Selection Guide on pages 16 - 31 as a quick reference to find the specific Door Style you need. We have 100+ Door Styles to choose from. These are broken down into the following 8 sections:




**Modern** / 9 Door Styles  
See Page 16




**Handleless** / 10 Door Styles  
See Page 18




**Lined Shaker** / 12 Door Styles  
See Page 20




**Plain Shaker** / 15 Door Styles  
See Page 22




**Mock In-Frame** / 5 Door Styles  
See Page 25



**Raised Panel** / 12 Door Styles  
See Page 26




**Arched** / 9 Door Styles  
See Page 28



**Grooved** / 12 Door Styles  
See Page 30

Our 5G Vinyl door range is broken down into 4 Price Bands. The complexity of each individual Door Style design will determine which price category it fits into.

- Price Band A
- Price Band B
- Price Band C
- Price Band D



STEP 2 / Choose your finish

Choose from 3 finish types: Matt, Superior Matt and Gloss. Please note not every door style is available within every finish. Use the key under each door image to see what finishes are available for that door. You can also use the key to see if that door style is compatible with our new Handleless Rail System.

See page 33 for the full list of 5G Vinyl finishes.

STEP 3 / Choose your sizes

Standard size guides are available on page 36, however all our 5G Vinyl ranges are available Made to Measure.

STEP 4 / Place your order

To place your order we recommend using our dedicated online ordering service. It gives you full access to our extensive product range, real time inventory status and live pricing. It's easy to use and allows you to order directly and independently at any time of day. You'll save both time and money creating quotes at the click of a button and placing orders with instant order confirmation.


To find out more about setting up your online ordering account please speak to a member of our Customer Service team on +44 (0)28 3754 9190.

- M Matt (incl. Wood Grain / Legno)
- S Superior Matt
- G Gloss

Other enquiries send via email to:  
Northern Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)  
Republic of Ireland - [Orders@osdoors.com](mailto:Orders@osdoors.com)  
United Kingdom - [OrdersUK@osdoors.com](mailto:OrdersUK@osdoors.com)  
Express - [OrdersExpress@osdoors.com](mailto:OrdersExpress@osdoors.com)  
Manchester - [Manchester@osdoors.com](mailto:Manchester@osdoors.com)

Orders sent to any other email will not be processed. Telephone orders will not be accepted.

For more details on the ordering process see page 6.



5G Vinyl Door Styles | Modern



Galaxy M S G

Price Band A	
Thickness	18mm Thick
Edge	Profile Edge 3 (See page 32)
Design	Slab Style



Cutler (Formally Duleek) M S G

Price Band A	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Slab Style



Frankfurt (Formally Letterbox) M S G

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	HAN-446 Letterbox Handle Required




Oslo M S G

Price Band A	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Line Groove 60mm



Euroline M S G

Price Band A	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Line Groove 40mm



Seymour (Formally Scoop) M S G

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	HAN-445 Scoop Handle Required

5G Vinyl Door Styles | Modern



Savon (Formally Slab) M S G

Price Band A	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Pillow Style



Mona M S G

Price Band A	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	7mm Arched Edge Detail



Marino (Formally Modena) M S G

Price Band A	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	18mm Thick Line Detail



5G Vinyl Door Styles | **Handleless**



**Kassel** (Formally Gallo) M S G

Price Band D	
Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	J-Pull Handle



**Alaska** (Formally Europe) M S G


Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	J-Pull Handle



**Lane** M S


Price Band D	
Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	75mm Stile Width / J-Pull Handle

5G Vinyl Door Styles | **Handleless**




**Loretto** (Formally Ryandale) M S G

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Fixed Handle Width




**Mercury** M S G

Price Band D	
Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Fixed Handle Width




**Orion** (Formally Sperrin) M S G

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Fixed Handle Width




**Neptune** (Formally Brentford) M S G

Price Band D	
Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Variable Handle Width




**Rana** (Formally Overton) M S G

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Variable Handle Width



**Shepford** M S

Price Band D	
Thickness	22mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width Variable Handle Width



**Jasper** M S G

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	Fixed Handle Width



Kassel / Featured in Gloss White Grey.





NEW

Westbrook M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	12mm Stile Width (Bedroom Door - Single panel only)

No Frames below 60mm stile width- See page 38



NEW

Carlton M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	20mm Stile Width

No Frames below 60mm stile width- See page 38



NEW

Orchard M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	30mm Stile Width

No Frames below 60mm stile width- See page 38



Carmen M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



Allerford M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width



Bonn (Formerly Cologne) M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



NEW

Rosehill M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	40mm Stile Width

No Frames below 60mm stile width- See page 38



NEW

Norwich M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	50mm Stile Width

No Frames below 60mm stile width- See page 38



Basel M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	60mm Stile Width



Hillwell M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



Conway M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	110mm Stile Width



Auckland M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	105mm Stile Width

5G Vinyl Door Styles | Plain Shaker



Vilo M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 3 (See page 32)
Design	12mm Stile Width (Bedroom Door - Single panel only)

No Frames below 60mm stile width- See page 38



Hadley M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	20mm Stile Width

No Frames below 60mm stile width- See page 38



Morgan M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	30mm Stile Width

No Frames below 60mm stile width- See page 38



Lanark M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



Barnbrook M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width



Woking M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	60mm Stile Width

5G Vinyl Door Styles | Plain Shaker



Wilson M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	40mm Stile Width

No Frames below 60mm stile width- See page 38



Kelstone M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	50mm Stile Width

No Frames below 60mm stile width- See page 38



Melrose M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	60mm Stile Width



Taunton M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



Trenton M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



Welsford (Formerly Windermere) M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	105mm Stile Width

5G Vinyl Door Styles | Plain Shaker



Athlone M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	110mm Stile Width

Horton M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width

Chelsea M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	63mm Stile Width



5G Vinyl Door Styles | Mock In-Frame



Jones M S G

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	36mm Stile Width

Rathlin M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	95mm Stile Width

St. Ives M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	95mm Stile Width



Salisbury M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width

Ealing M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



5G Vinyl Door Styles | Raised Panel



Siesta M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	100mm Stile Width



Danforth M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	80mm Stile Width



Leon M S

Price Band C	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width

5G Vinyl Door Styles | Raised Panel



Lincoln M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	75mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	75mm Stile Width



Hazel M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	78mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	78mm Stile Width



Gibson M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	78mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	78mm Stile Width



Chatham M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	70mm Stile Width



Monza M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	56mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	56mm Stile Width



Calcutta M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	64mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	64mm Stile Width



Amsterdam M S

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	67mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	67mm Stile Width



Ashford M S G

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	75mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	75mm Stile Width



Capital Square M S G

Price Band B	
Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	60mm Stile Width

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	60mm Stile Width

5G Vinyl Door Styles | **Arched**



Annnabelle M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	55mm Stile Width



Windsor M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 4 (See page 32)
Design	65mm Stile Width



Cathedral Single M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	50mm Stile Width



Verona M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 4 (See page 32)
Design	54mm Stile Width



Hariette Single M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	50mm Stile Width



Capital Arch M S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 5 (See page 32)
Design	60mm Stile Width

5G Vinyl Door Styles | **Arched**



Bourbon M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	64mm Stile Width



Madrid M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 4 (See page 32)
Design	64mm Stile Width



Saxon Arch M S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	60mm Stile Width



5G Vinyl Door Styles | Grooved




Olivia

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 5mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.




Ella

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 10mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



Aria

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 15mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



Mila

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 25mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



Lena

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	5mm round lines / 2mm deep / 50mm flats in between grooves
T&G Panel	For this range will be supplied matching the door.



Pembroke

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	Line spacing may vary

5G Vinyl Door Styles | Grooved



Shutter Groove

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	70mm Stile Width



Newport

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	90mm Stile Width



Berwick (Formerly Stockholm)

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	65mm Stile Width



Amalfi

M

S

Price Band B

Thickness	18mm Thick
Edge	Profile Edge 1 (See page 32)
Design	85mm Stile Width



Westbury

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	70mm Stile Width



Saxon Square

M

S

Price Band C

Thickness	18mm Thick
Edge	Profile Edge 2 (See page 32)
Design	60mm Stile Width




5G Vinyl Door Styles | Profile Edge Specifications

Door Style Category	Door Style Name	Profile Edge	Price Band	M	S	G
Modern	Galaxy	Edge 3	Band A	●	●	●
Modern	Cutler	Edge 1	Band A	●	●	●
Modern	Frankfurt	Edge 1	Band B	●	●	●
Modern	Savon	Edge 5	Band A	●	●	●
Modern	Mona	Edge 5	Band A	●	●	●
Modern	Marino	Edge 1	Band A	●	●	●
Modern	Oslo	Edge 5	Band A	●	●	●
Modern	Euroline	Edge 5	Band A	●	●	●
Modern	Saymour	Edge 1	Band C	●	●	●
Handleless	Kassel	Edge 1	Band D	●	●	●
Handleless	Alaska	Edge 1	Band B	●	●	●
Handleless	Lane	Edge 1	Band D	●	●	×
Handleless	Loretto	Edge 5	Band C	●	●	●
Handleless	Mercury	Edge 1	Band D	●	●	●
Handleless	Orion	Edge 1	Band C	●	●	●
Handleless	Neptune	Edge 1	Band D	●	●	●
Handleless	Rana	Edge 1	Band B	●	●	●
Handleless	Shepford	Edge 1	Band D	●	●	×
Handleless	Jasper	Edge 5	Band B	●	●	●
Lined Shaker	Westbrook	Edge 1	Band C	●	●	×
Lined Shaker	Carlton	Edge 1	Band C	●	●	×
Lined Shaker	Orchard	Edge 1	Band C	●	●	×
Lined Shaker	Rosehill	Edge 1	Band C	●	●	×
Lined Shaker	Norwich	Edge 1	Band C	●	●	×
Lined Shaker	Basel	Edge 1	Band C	●	●	×
Lined Shaker	Carmen	Edge 1	Band C	●	●	×
Lined Shaker	Allerford	Edge 1	Band C	●	●	×
Lined Shaker	Auckland	Edge 5	Band C	●	●	×
Lined Shaker	Bonn	Edge 1	Band C	●	●	×
Lined Shaker	Hillwell	Edge 1	Band C	●	●	×
Lined Shaker	Conway	Edge 1	Band C	●	●	×
Plain Shaker	Vilo	Edge 3	Band C	●	●	×
Plain Shaker	Hadley	Edge 1	Band C	●	●	×
Plain Shaker	Morgan	Edge 1	Band C	●	●	×
Plain Shaker	Wilson	Edge 1	Band C	●	●	×
Plain Shaker	Kelstone	Edge 1	Band C	●	●	×
Plain Shaker	Melrose	Edge 1	Band C	●	●	×
Plain Shaker	Lanark	Edge 1	Band C	●	●	×
Plain Shaker	Barnbrook	Edge 1	Band C	●	●	×
Plain Shaker	Woking	Edge 1	Band C	●	●	×
Plain Shaker	Welsford	Edge 1	Band C	●	●	×
Plain Shaker	Horton	Edge 1	Band C	●	●	×
Plain Shaker	Taunton	Edge 1	Band C	●	●	×
Plain Shaker	Trenton	Edge 1	Band C	●	●	×
Plain Shaker	Athlone	Edge 1	Band C	●	●	×
Plain Shaker	Chelsea	Edge 1	Band C	●	●	×
Mock In-frame	Jones	Edge 1	Band B	●	●	●
Mock In-frame	Rathlin	Edge 1	Band C	●	●	×
Mock In-frame	St Ives	Edge 1	Band C	●	●	×
Mock In-frame	Salisbury	Edge 1	Band C	●	●	×
Mock In-frame	Ealing	Edge 1	Band C	●	●	×
Raised Panel	Siesta	Edge 1	Band B	●	●	×
Raised Panel	Danforth	Edge 1	Band C	●	●	×
Raised Panel	Leon	Edge 1	Band C	●	●	×
Raised Panel	Lincoln	Edge 1	Band B	●	●	×
Raised Panel	Hazel	Edge 1	Band B	●	●	×
Raised Panel	Gibson	Edge 1	Band B	●	●	×
Raised Panel	Chatham	Edge 1	Band B	●	●	×
Raised Panel	Monza	Edge 2	Band B	●	●	×
Raised Panel	Calcutta	Edge 2	Band B	●	●	×
Raised Panel	Amsterdam	Edge 2	Band B	●	●	×
Raised Panel	Ashford	Edge 5	Band B	●	●	●
Raised Panel	Capital Square	Edge 5	Band B	●	●	●

Door Style Category	Door Style Name	Profile Edge	Price Band	M	S	G
Arched	Annabelle	Edge 2	Band B	●	●	×
Arched	Windsor	Edge 4	Band B	●	●	×
Arched	Cathedral Single	Edge 2	Band B	●	●	×
Arched	Bourbon	Edge 2	Band C	●	●	×
Arched	Madrid	Edge 5	Band C	●	●	×
Arched	Saxon Arch	Edge 2	Band C	●	●	×
Arched	Verona	Edge 4	Band B	●	●	×
Arched	Hariette Single	Edge 2	Band B	●	●	×
Arched	Capital Arch	Edge 5	Band B	●	●	×
Grooved	Olivia	Edge 1	Band C	●	●	×
Grooved	Ella	Edge 1	Band C	●	●	×
Grooved	Aria	Edge 1	Band C	●	●	×
Grooved	Mila	Edge 1	Band C	●	●	×
Grooved	Lena	Edge 1	Band C	●	●	×
Grooved	Pembroke	Edge 1	Band C	●	●	×
Grooved	Shutter Groove	Edge 2	Band C	●	●	×
Grooved	Newport	Edge 1	Band C	●	●	×
Grooved	Berwick	Edge 1	Band C	●	●	×
Grooved	Amalfi	Edge 1	Band B	●	●	×
Grooved	Westbury	Edge 2	Band C	●	●	×
Grooved	Saxon Square	Edge 2	Band C	●	●	×


● Available    ✕ Not Available

Please note the Profile Edge is set per Door Style.  
The Profile Edge is not interchangeable across Door Styles.




5G Vinyl | Colours / Finishes

M Matt Finishes | Woodgrain Effects



M Matt Finishes | Legno




Note - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

M Matt Finishes | Smooth



S Superior Matt Finishes | Super Smooth Matt Laminate Uni-Colours



G Gloss Finishes | High Gloss Uni-Colours and Metallics



5G Vinyl | Door and Drawer Sizes



Kitchen Door Sizes			
Doors and Drawer Sizes			Curved Door Sizes
115 x 596	355 x 496	715 x 546	715 x 300
140 x 296	355 x 596	715 x 596	895 x 300
140 x 396	355 x 796	895 x 296	1245 x 300
140 x 446	355 x 896	895 x 396	1965 x 300
140 x 496	355 x 996	895 x 446	
140 x 596	450 x 596	895 x 496	
140 x 796	500 x 596	895 x 596	
140 x 896	570 x 296	980 x 596	
140 x 996	570 x 396	1060 x 396	
175 x 396	570 x 446	1060 x 496	
175 x 496	570 x 496	1060 x 596	
175 x 596	570 x 596	1245 x 296	
175 x 796	715 x 146	1245 x 396	
175 x 896	715 x 246	1245 x 446	
175 x 996	715 x 296	1245 x 496	
283 x 496	715 x 313	1245 x 596	
283 x 596	715 x 346	1425x596	
283 x 796	715 x 396		
283 x 896	715 x 446		
283 x 996	715 x 496		

Bedroom Door Sizes			
Doors and Drawer Sizes			Curved Door Sizes
215 x 296	650 x 396	2150 x 396	1495 x 300
215 x 396	650 x 446	2150 x 446	1595 x 300
215 x 446	650 x 496	2150 x 496	2150 x 300
215 x 496	650 x 596	2150 x 596	2250 x 300
215 x 546	1495 x 296	2250 x 296	
215 x 596	1495 x 396	2250 x 396	
215 x 796	1495 x 446	2250 x 446	
215 x 896	1495 x 496	2250 x 496	
215 x 996	1495 x 596	2250 x 596	
415 x 296	1595 x 296	2400 x 296	
415 x 396	1595 x 396	2400 x 396	
415 x 446	1595 x 446	2400 x 446	
415 x 496	1595 x 496	2400 x 496	
415 x 596	1595 x 596	2400 x 596	
535 x 296	1735 x 296		
535 x 396	1735 x 396		
535 x 446	1735 x 446		
535 x 496	1735 x 496		
535 x 596	1735 x 596		
650 x 296	2150 x 296		

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 10%.  
**Angled Kitchen Doors** - Door price plus 50%.  
**Horizontal Grain** - Door price plus 20%.  
**Drilling** - Additional charge per hole.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non Standard Curved Kitchen Door Sizes** - Priced next door size up plus 10%  
(Door design permitting - see page 40 for Curved Door Style availability).  
**Handle-less Curved Doors are only available at 715mm, 895mm and 1245mm.**  
**Tall or Non-Standard Handleless Curved Doors are not available.**

**MTM Kitchen Frames** - Supplied Unglazed.  
**Plain Kitchen Frames** - Door price plus 35%.  
**Georgian Kitchen Frames** - Door price plus 50%.  
**Gloss Georgian Bedroom Frames Not Available**

**No Foil Doors** - Priced as Matt Door Size.  
**No Foil Curved Doors** - Priced as Matt Door Size.


Please note not all 5G Vinyl finishes have Matching Reverse Colours.  
Please check available Matched Reverse Colours on page 51 before ordering.  
**22mm Door Reverse Colour** - Available in White, Ivory or Silver.  
Please note if reverse colour is unspecified, Silver reverse will be used as default.

5G Vinyl | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes				
Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	


**Drilling** - Additional charge per hole.



Plain Panel



Internal Corner Post



**Return Gable**  
Made to Measure per m2  
See page 232 for order form



External Corner Post



Save time & money with **automatic pricing** through our online ordering service.




Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 212 for full range of heat deflector sizes.



5G Vinyl | Door Specifications



**5G Kitchen Doors:**

Door sizes between 250mm - 1734mm high are supplied single panel as standard (door design permitting). Refer to pages 16-30 for visuals of how all standard kitchen door styles are supplied.

**5G Drawers:**

Design and tooling permitting, the drawer sizes between 100mm - 282mm high are supplied with internal mould with horizontal grain as standard.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels with horizontal grain as standard.

Refer to pages 16-30 for visuals of how all standard drawer styles are supplied. Please note it's important to always specify either Door, Drawer or Pan Drawer when ordering to ensure that the correct rout and grain direction is used.

**5G Frames:**

All orders must state if frames are full open or have mid rail. The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

**Frames for doors below 60mm stile width are not available.**

Angled Frames are available.

**5G Curved and Concave Doors:**

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

Concave doors are made to suit 300mm, 330mm and 340mm cabinets. They are available at 715mm and 895mm high only. Some door styles are not available in concave.

For a full range of Curved and Concave door style availability see page 40.

**5G Bedroom Doors:**

Door sizes between 1735mm - 2400mm high are supplied with a double mid-rail. The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If an alternative mid-rail position is required this must be clearly stated when ordering.

Refer to pages 16-30 for visuals of how all standard Bedroom Door Styles are supplied.

**Grain Direction:**


Door sizes between 283mm - 2400mm are supplied with vertical grain as standard. Horizontal grain (up to 1220mm only) is available on request.

Drawer sizes between 100mm - 282mm are supplied with horizontal grain as standard. Vertical grain available on request.

**Drilling:**

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

5G Vinyl | Door Specifications




**Angled Doors:**

Angled Doors are available in both Kitchen and Bedroom door sizes. Angled Door sizes between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

Angled Open Frames are available unglazed.

When placing your order for an Angled Door you must clearly state the Angle Height and the Flat Top Width if required.




Custom Panel Bedroom Doors:

Bedroom door sizes between 1735mm - 2400mm are supplied as 2 panel doors with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors are supplied with single mid-rails as standard.

Angled Doors are also available as single, double, 4 and 5 panel doors.



5G Door Style Category	5G Door Style Name	Curved Door	Concave Door	M	S	G
Modern	Galaxy	●	●	●	●	●
Modern	Cutler	●	●	●	●	●
Modern	Frankfurt	×	×	●	●	●
Modern	Savon	●	×	●	●	●
Modern	Mona	●	×	●	●	●
Modern	Marino	●	×	●	●	●
Modern	Oslo	●	×	●	●	●
Modern	Euroline	●	×	●	●	●
Modern	Saymour	×	×	●	●	●
Handleless	Kassel	●	●	●	●	●
Handleless	Alaska	●	×	●	●	●
Handleless	Lane	●	×	●	●	×
Handleless	Loretto	●	×	●	●	●
Handleless	Mercury	●	×	●	●	●
Handleless	Orion	●	×	●	●	●
Handleless	Neptune	●	●	●	●	●
Handleless	Rana	●	×	●	●	●
Handleless	Shepford	●	×	●	●	×
Handleless	Jasper	●	×	●	●	●
Lined Shaker	Westbrook	●	×	●	●	×
Lined Shaker	Carlton	●	×	●	●	×
Lined Shaker	Orchard	●	×	●	●	×
Lined Shaker	Rosehill	●	×	●	●	×
Lined Shaker	Norwich	●	×	●	●	×
Lined Shaker	Basel	●	×	●	●	×
Lined Shaker	Carmen	●	×	●	●	×
Lined Shaker	Allerford	●	×	●	●	×
Lined Shaker	Auckland	●	×	●	●	×
Lined Shaker	Bonn	●	×	●	●	×
Lined Shaker	Hillwell	●	×	●	●	×
Lined Shaker	Conway	●	×	●	●	×
Plain Shaker	Vilo	●	×	●	●	×
Plain Shaker	Hadley	●	×	●	●	×
Plain Shaker	Morgan	●	×	●	●	×
Plain Shaker	Wilson	●	×	●	●	×
Plain Shaker	Kelstone	●	×	●	●	×
Plain Shaker	Melrose	●	×	●	●	×
Plain Shaker	Lanark	●	×	●	●	×
Plain Shaker	Barnbrook	●	×	●	●	×
Plain Shaker	Woking	●	×	●	●	×
Plain Shaker	Welsford	●	×	●	●	×
Plain Shaker	Horton	●	×	●	●	×
Plain Shaker	Taunton	●	×	●	●	×
Plain Shaker	Trenton	●	×	●	●	×
Plain Shaker	Athlone	●	×	●	●	×
Plain Shaker	Chelsea	●	×	●	●	×
Mock In-frame	Jones	●	×	●	●	●
Mock In-frame	Rathlin	●	×	●	●	×
Mock In-frame	Stives	●	×	●	●	×
Mock In-frame	Salisbury	●	×	●	●	×
Mock In-frame	Ealing	●	×	●	●	×
Raised Panel	Siesta	●	×	●	●	×
Raised Panel	Danforth	●	×	●	●	×
Raised Panel	Leon	×	×	●	●	×
Raised Panel	Lincoln	●	×	●	●	×
Raised Panel	Hazel	●	×	●	●	×
Raised Panel	Gibson	●	×	●	●	×
Raised Panel	Chatham	●	×	●	●	×
Raised Panel	Monza	●	×	●	●	×
Raised Panel	Calcutta	●	×	●	●	×
Raised Panel	Amsterdam	●	×	●	●	×
Raised Panel	Ashford	×	×	●	●	●
Raised Panel	Capital Square	●	×	●	●	●

5G Door Style Category	5G Door Style Name	Curved Door	Concave Door	M	S	G
Arched	Annabelle	●	×	●	●	×
Arched	Windsor	●	×	●	●	×
Arched	Cathedral Single Arch	●	×	●	●	×
Arched	Bourbon	●	×	●	●	×
Arched	Madrid	●	×	●	●	×
Arched	Saxon Arch	●	×	●	●	×
Arched	Verona	●	×	●	●	×
Arched	Hariette Single Arch	●	×	●	●	×
Arched	Capital Arch	●	×	●	●	×
Grooved	Olivia	●	×	●	●	×
Grooved	Ella	●	×	●	●	×
Grooved	Aria	●	×	●	●	×
Grooved	Mila	●	×	●	●	×
Grooved	Lena	●	×	●	●	×
Grooved	Pembroke	●	×	●	●	×
Grooved	Shutter Groove	●	×	●	●	×
Grooved	Newport	●	×	●	●	×
Grooved	Berwick	●	×	●	●	×
Grooved	Amalfi	●	×	●	●	×
Grooved	Westbury	●	×	●	●	×
Grooved	Saxon Square	●	×	●	●	×


● Available    × Not Available




**Curved Door:** All 5G Curved Doors are designed to suit 300 x 300mm cabinet. 300mm Curved Doors are available any height up to 2250mm. Handle-less Curved Doors are only available at 715mm, 895mm and 1245mm. Tall or Non-Standard Handle-less Curved Doors are not available. All Curved Doors are available in Silver or Ivory reverse.

**Concave Door:** Available in 300mm, 330mm and 340mm. Concave Doors are available at 715mm and 895mm high only.


## 5G Vinyl | Curved Door Specifications




**330mm Concave Door**  
330mm x 330mm Concave Door for 900mm Base Unit



**340mm Concave Door**  
340mm x 340mm Concave Door for 900mm Base Unit




**300mm Concave Door**  
300mm x 300mm Concave Door for 600mm Wall Unit




**300mm Curved Door**  
300mm x 300mm Curved Radius Door


M Matt | Technical Specification





























G Gloss | Technical Specification





















S Superior Matt | Technical Specification





 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46. Not available in Gloss.</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p> <p>Not available in Gloss.</p>	
 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Cornice Quadrant</b> 88mm (L) x 88mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM</p>	
 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM</p> <p>Not available in Gloss.</p>	
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2400mm</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 90mm (W) x 2150 (H)</p> <p>EXS</p> <p>Not available in Gloss.</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 90mm (W) x 2150 (H)</p> <p>EXS</p> <p>Not available in Gloss.</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll. (SERICA® Colour match only)</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS</p> <p>Limited Finishes. See Page 46.</p>												
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Wall Quad / Base Quad</b> 720mm / 900mm</p> <p>MTM</p>	 <p><b>Stool</b> 400mm (L) x 350mm (D) x 470mm (H)</p> <p>MTM</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p> <p>See page 50 for all full mirror dimensions</p>  <p><b>Single Oval Mirror</b> 570mm (W) x 500mm (H)</p> <p>MTM</p>												
 <p><b>Overmantle Kit with Doors</b> x Doors / 2 x Shelf Brackets / 1 x Mantle Shelf / 1 x Back Panel</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Classic Canopy</b> 1000mm (W) x 193mm (D) x 525mm (H)</p> <p>MTM</p>	 <p><b>Modern Canopy</b> 1000mm (W) x 193mm (D) x 525mm (H)</p> <p>MTM</p>	 <p><b>Traditional Canopy</b> 1000mm (W) x 193mm (D) x 525mm (H) Supplied with fretwork and T&amp;G detail as standard. Fretwork detail can be removed on request.</p> <p>MTM</p> <p>Not available in Gloss.</p>												
 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p> <p>Not available in Gloss.</p>	 <p><b>Moulded Top</b> Made to Measure per m2</p> <p>MTM</p>	 <p><b>Headboards</b> MTM per m2.</p> <p>MTM</p> <p>5G Vinyl Headboards are supplied with the routed design of your chosen door style. All 5G Headboards will be supplied as single panels / flat panels as standard (Applicable to Door Style), unless otherwise specified.</p> <p>Height Range: 500mm - 900mm Width Range: 915mm - 1830mm</p> <table><tr><th>Standard Size MM:</th><th>Panel Availability:</th></tr><tr><td>3ft Headboard / 915mm</td><td>Flat Panel, Single Panel</td></tr><tr><td>4ft Headboard / 1208mm</td><td>Flat Panel, Single &amp; 2 Panel</td></tr><tr><td>4.6ft Headboard / 1371mm</td><td>Flat Panel, Single, 2 &amp; 3 Panel</td></tr><tr><td>5ft Headboard / 1510mm</td><td>Flat Panel, Single, 2, 3 &amp; 4 Panel</td></tr><tr><td>6ft Headboard / 1830mm</td><td>Flat Panel, Single, 2, 3 &amp; 4 Panel</td></tr></table>	Standard Size MM:	Panel Availability:	3ft Headboard / 915mm	Flat Panel, Single Panel	4ft Headboard / 1208mm	Flat Panel, Single & 2 Panel	4.6ft Headboard / 1371mm	Flat Panel, Single, 2 & 3 Panel	5ft Headboard / 1510mm	Flat Panel, Single, 2, 3 & 4 Panel	6ft Headboard / 1830mm	Flat Panel, Single, 2, 3 & 4 Panel
Standard Size MM:	Panel Availability:														
3ft Headboard / 915mm	Flat Panel, Single Panel														
4ft Headboard / 1208mm	Flat Panel, Single & 2 Panel														
4.6ft Headboard / 1371mm	Flat Panel, Single, 2 & 3 Panel														
5ft Headboard / 1510mm	Flat Panel, Single, 2, 3 & 4 Panel														
6ft Headboard / 1830mm	Flat Panel, Single, 2, 3 & 4 Panel														
 <p><b>Return Gable</b> Made to Measure per m2 See page 260 for Order Form</p> <p>MTM</p>															

5G Vinyl | Mouldings Availability


Moulding Availability Index														
Vinyl Colour		Classic Cornice	Modern Cornice Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Pilaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
5G Vinyl   MTM	Beech	×	●	×	×	●	●	×	●	×	●	●	×	×
	Light Casella Oak	●	●	×	●	●	●	×	●	×	●	×	●	●
	Natural Casella Oak	●	●	×	●	●	●	×	●	×	●	×	●	●
	Brown Casella Oak	●	●	×	●	●	●	×	●	×	●	×	●	●
	Marone Casella Oak	●	●	×	●	●	●	×	●	×	●	×	●	●
	Dark Walnut	×	●	×	×	●	●	×	●	×	×	●	×	×
	Halifax Natural Oak	×	●	●	●	●	●	×	●	×	×	×	●	●
	Halifax White Oak	×	●	●	●	●	●	×	●	×	×	×	●	●
	Light Oak	×	●	×	×	●	●	×	●	×	●	×	×	×
	Lissa Oak	●	●	●	●	●	●	×	●	×	●	×	●	●
	Medium Walnut	×	●	●	●	●	●	×	●	×	●	●	×	×
	Montana Oak	×	●	×	×	●	●	×	●	×	●	×	×	×
	Ontario Maple	×	●	×	×	●	●	×	●	×	●	×	×	×
	Pippy Oak	●	●	●	●	●	●	×	●	×	●	●	●	×
	Sonoma Oak	×	●	×	×	●	●	×	●	×	●	●	●	●
	Urban Oak	●	●	●	●	●	●	●	●	●	●	×	×	●
	Light Concrete	×	●	×	×	●	●	×	●	×	×	×	×	×
	Dark Concrete	×	●	×	×	●	●	×	●	×	×	×	×	×
	Legno Black	●	●	●	●	●	●	●	●	●	×	×	●	●
	Legno Cashmere	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Linen	●	●	●	●	●	●	●	●	●	×	●	●	●
	Legno Dakar	●	●	●	●	●	●	●	●	●	●	●	●	×
	Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Evergreen	●	●	●	●	●	●	●	●	●	×	×	●	●
	Legno Graphite	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Indigo	●	●	●	●	●	●	●	●	●	×	×	●	●
	Legno Ivory	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Marine Blue	●	●	●	●	●	●	●	●	●	×	×	●	×
	Legno Mussel	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Reed Green	●	●	●	●	●	●	●	●	●	×	×	×	×
	Legno Stone Grey	●	●	●	●	●	●	●	●	●	●	●	●	×
	Legno Taupe	●	●	●	●	●	●	●	●	●	×	×	●	●
	Legno White	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno White Grey	●	●	●	●	●	●	●	●	●	×	×	●	●
	Alby Blue	×	●	×	×	●	●	×	●	×	●	×	×	×
	Black	×	×	×	×	●	●	×	●	×	×	●	×	×
	Cashmere	●	●	●	●	●	●	×	●	×	●	●	●	●
	Dakar	×	●	●	●	●	●	×	●	×	●	●	●	●
	Denim	×	●	×	×	●	●	×	●	×	●	●	●	●
	Dust Grey	●	●	●	●	●	●	×	●	×	●	●	●	●
	Evergreen	●	●	●	●	●	●	×	●	×	×	×	●	●
	Fjord	×	●	×	×	●	●	×	●	×	●	×	●	×
	Graphite	×	●	×	×	●	●	×	●	×	●	●	●	×
	Indigo	●	●	●	●	●	●	×	●	×	●	●	●	●
	Ivory	●	●	●	●	●	●	×	●	×	●	●	●	●
	Linen	●	●	●	●	●	●	×	●	×	●	×	●	●
	Light Grey	●	●	●	●	●	●	●	●	×	●	●	●	●
	Magnolia	×	●	×	×	●	●	×	●	×	●	×	×	×
	Meadow Green	×	●	×	×	●	●	×	●	×	●	×	×	×
	Mussel	●	●	●	●	●	●	×	●	×	●	●	●	●
	Paintable Vinyl	×	×	×	×	●	●	×	●	×	×	×	×	×
	Porcelain	×	●	×	×	●	●	×	●	×	×	×	●	●
	Pure White	●	●	●	●	●	●	●	●	×	●	●	●	●
	Reed Green	●	●	×	●	●	●	×	●	×	●	×	●	●
	Stone Grey	×	●	×	×	●	●	×	●	×	●	●	●	●
	Taupe	●	●	●	●	●	●	×	●	×	●	●	●	●
	White Grey	●	●	●	●	●	●	×	●	×	●	●	●	●

5G Vinyl | Mouldings Availability


Moulding Availability Index														
Vinyl Colour		Classic Cornice	Modern Cornice Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Pilaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
5G Vinyl   MTM	Superior Matt Alby Blue	●	●	●	●	●	●	×	●	×	●	×	×	×
	Superior Matt Alabaster	●	●	●	●	●	●	×	●	×	●	×	●	×
	Superior Matt Antique Rose	●	●	●	●	●	●	×	●	×	●	×	●	×
	Superior Matt Black	●	●	●	●	●	●	×	●	×	●	●	●	×
	Superior Matt Cashmere	●	●	●	●	●	●	×	●	×	●	●	●	×
	Superior Matt Denim	●	●	●	●	●	●	×	●	×	●	●	●	×
	Superior Matt Dust Grey	●	●	●	●	●	●	×	●	×	●	●	●	×
	Superior Matt Graphite	●	●	●	●	●	●	×	●	×	●	●	●	×
	Superior Matt Heritage Green	●	●	●	●	●	●	×	●	×	●	×	●	×
	Superior Matt Indigo	●	●	●	●	●	●	×	●	×	×	×	●	×
	Superior Matt Linen	●	●	●	●	●	●	×	●	×	●	×	●	×
	Superior Matt Light Grey	●	●	●	●	●	●	×	●	×	●	●	●	×
	Superior Matt Marine Blue	●	●	●	●	●	●	×	●	×	●	×	●	×
	Superior Matt Porcelain	●	●	●	●	●	●	×	●	×	●	×	●	×
	Superior Matt Pebble	●	●	●	●	●	●	×	●	×	●	×	●	×
5G Vinyl   MTM	Superior Matt Reed Green	●	●	●	●	●	●	×	●	×	●	×	×	×
	Superior Matt Stone Grey	●	●	●	●	●	●	×	●	×	●	●	●	×
	Superior Matt Taupe	●	●	●	●	●	●	×	●	×	●	×	●	×
	Superior Matt Tuscan Red	●	●	●	●	●	●	×	●	×	●	×	×	×
	Superior Matt White Grey	●	●	●	●	●	●	×	●	×	●	×	●	×
	Gloss Black	×	●	×	×	●	×	×	●	×	●	●	×	×
	Gloss Cappuccino	×	×	×	×	●	×	×	●	×	×	×	×	×
	Gloss Cashmere	×	●	×	×	●	×	×	●	×	●	×	×	×
	Gloss Cream	×	●	●	●	●	×	×	●	×	●	×	●	×
	Gloss Denim	×	●	×	×	●	×	×	●	×	×	×	×	×
	Gloss Dust Grey	×	●	×	×	●	×	×	●	×	×	×	×	×
	Gloss Graphite	×	●	×	×	●	×	×	●	×	×	×	×	×
	Gloss Ivory	×	●	●	●	●	×	×	●	×	●	×	×	×
	Gloss Latte	×	●	×	×	●	×	×	●	×	×	×	×	×
	Gloss Light Grey	×	●	●	●	●	×	×	●	×	●	×	×	×
	Gloss Metallic Anthracite	×	●	×	×	●	×	×	●	×	●	×	×	×
	Gloss Mussel	×	●	×	×	●	×	×	●	×	●	×	×	×
	Gloss Oyster	×	●	×	×	●	×	×	●	×	×	×	×	×
	Gloss Slate	×	●	×	×	●	×	×	×	×	×	×	×	×
	Gloss Stone Grey	×	●	×	×	●	×	×	●	×	×	×	×	×
	Gloss White	×	●	●	●	●	×	×	●	×	●	●	●	×
	Gloss White Grey	×	●	×	×	●	×	×	●	×	●	×	×	×

● Available Ex.Stock    × Not Available    ● Available Pressed to Order


\*Edging Tape matches for Superior Matt finishes are colour matched only. They do not have a super smooth matt laminate finish.




**Classic Cornice**  
3050mm Lengths




**Curved Classic Cornice**  
386mm (L) x 386mm (W) x 63mm (H)




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W) x 63mm (H)




**Tangent Cornice**  
3050mm Lengths




**Curved Tangent Cornice**  
400mm (L) x 400mm (W) x 44mm (H)




**Tangent Cornice Quadrant**  
88mm (L) x 88mm (W) x 44mm (H)




**Modern Cornice / Pelmet**  
3050mm Lengths




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W) x 30mm (H)




**Modern Cornice / Pelmet Quadrant**  
220mm (L) x 220mm (W) x 30mm (H)




**Plain Plinth**  
3050mm Lengths




**Curved Plain Plinth**  
300mm (L) x 300mm (W) x 150mm (H)




**Torus Plinth**  
3050mm Lengths




**Curved Torus Plinth**  
300mm (L) x 300mm (W) x 150mm (H)




**Radius Profile**  
3050mm Lengths




**Square Pilaster**  
3050mm Lengths




**MTM Corner Post**  
715mm (150 x 150mm Max)




**Tangent Pelmet**  
3050mm Lengths




**Curved Tangent Pelmet**  
300mm (L) x 300mm (W) x 150mm (H)




**Shelf Bracket**  
180mm (L) x 37mm (W) 210mm (H)




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)



**Fluted Rail**  
2500mm (L) x 18mm (W) x 60mm (H)




**Modern Canopy**  
1000mm (L) x 193mm (D) x 525mm (H)



**Traditional Canopy\***  
1000mm (L) x 193mm (D) x 525mm (H)






\*Comes with fretwork and T&G detail as standard. If no detailing is required please specify when ordering.




**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)




5G Vinyl | Bedroom Accessory Specifications

5G Headboard Specifications		
Headboard Type	Height Range MM	Height Range MM
Single Panel		500mm — 900mm 915mm — 1830mm
2 Panel		500mm — 900mm 915mm — 1830mm
3 Panel		500mm — 900mm 1371mm — 1830mm
4 Panel		500mm — 900mm 1510mm — 1830mm
Flat Panel		500mm — 900mm 915mm — 1830mm

**Headboards:** All Headboards are supplied rectangular using the design of door style ordered.  
All Headboards will be supplied as Single Panels / Flat Panels (Applicable to Door Style) as standard, unless otherwise specified (Door Design permitting).






**Single Square Mirror:** Single Square Mirrors are supplied fully assembled.



**Oval Mirror:** Oval Mirrors are supplied fully assembled.

5G Vinyl | RAL Colour Match References

Matt Vinyl Finishes					
Vinyl Colour			RAL Match		
	Alby Blue	RAL 250 40 10		Linen	RAL 080 85 05
	Black	RAL 000 15 00		Light Grey	RAL 000 80 00
	Cashmere	RAL 060 80 05		Magnolia	RAL 085 90 10
	Cova Ivory	RAL 100 90 10		Meadow Green	RAL 140 70 05
	Dakar	RAL 090 70 10		Mussel	RAL 085 85 10
	Denim	RAL 250 70 10		Porcelain	RAL 110 96 02
	Dust Grey	RAL 000 60 00		Pure White	RAL 9003
	Evergreen	RAL 180 20 10		Reed Green	RAL 140 60 05
	Fjord	RAL 200 60 05		Stone Grey	RAL 060 60 05
	Graphite	RAL 000 30 00		Taupe	RAL 090 85 05
	Indigo	RAL 280 20 05		White Grey	RAL 000 90 00
	Ivory	RAL 095 93 05			

Superior Matt Vinyl					
Vinyl Colour		RAL Match	Vinyl Colour		RAL Match
	Superior Matt Alby Blue	RAL 250 40 10		Superior Matt Marine Blue	RAL 260 20 15
	Superior Matt Alabster	RAL 090 90 05		Superior Matt Pebble	RAL 080 70 05
	Superior Matt Black	RAL 000 15 00		Superior Matt Porcelain	RAL 060 60 05
	Superior Matt Cashmere	RAL 080 80 05		Superior Matt Reed Green	RAL 140 60 05
	Superior Matt Denim	RAL 250 70 10		Superior Matt Stone Grey	RAL 060 60 05
	Superior Matt Dust Grey	RAL 000 65 00		Superior Matt Taupe	RAL 080 80 05
	Superior Matt Graphite	RAL 000 35 00		Superior Matt Tuscan Red	RAL 3009
	Superior Matt Heritage Green	RAL 180 40 05		Superior Matt White Grey	RAL 000 90 00
	Superior Matt Indigo	RAL 280 20 05			
	Superior Matt Antique Rose	RAL 040 60 10			
	Superior Matt Linen	RAL 080 85 05			
	Superior Matt Light Grey	RAL 000 80 00			

**Important Notice:**

These RAL Colour match references are suggested options only. They are the closest RAL colour match to our vinyl colour, but please note they are not exact matches.

Customers are strongly advised to obtain swatch samples to confirm a satisfactory colour match.

The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes without prior notice.

Legno Vinyl Finishes					
Vinyl Colour		RAL Match	Vinyl Colour		RAL Match
	Legno Black	RAL 000 15 00		Legno Reed Green	RAL 140 60 05
	Legno Cashmere	RAL 080 80 05		Legno Stone Grey	RAL 060 60 05
	Legno Dakar	RAL 090 70 10		Legno Taupe	RAL 090 85 05
	Legno Dust Grey	RAL 000 60 00		Legno White	RAL 9003
	Legno Evergreen	RAL 180 20 10		Legno White Grey	RAL 000 90 00
	Legno Graphite	RAL 000 30 00			
	Legno Indigo	RAL 280 20 05			
	Legno Ivory	RAL 095 93 05			
	Legno Linen	RAL 080 85 05			
	Legno Light Grey	RAL 000 80 00			
	Legno Marine Blue	RAL 260 20 15			
	Legno Mussel	RAL 095 85 10			

Gloss Vinyl Finishes					
Vinyl Colour		RAL Match	Vinyl Colour		RAL Match
	Gloss Black	RAL 000 15 00		Gloss Oyster	RAL 090 93 05
	Gloss Cappuccino	RAL 060 60 10		Gloss Slate	RAL 080 30 05
	Gloss Cashmere	RAL 080 80 05		Gloss Stone Grey	RAL 060 60 05
	Gloss Cream	RAL 085 90 10		Gloss White	RAL 9003
	Gloss Denim	RAL 250 70 10		Gloss White Grey	RAL 000 90 00
	Gloss Dust Grey	RAL 000 60 00			
	Gloss Graphite	RAL 000 35 00			
	Gloss Ivory	RAL 090 90 05			
	Gloss Latte	RAL 075 80 10			
	Gloss Light Grey	RAL 000 80 00			
	Gloss Mussel	RAL 090 85 05			
	Gloss Metallic Anthracite	RAL N/A			

5G Vinyl | Board Match Specifications

MDF Board Match References			Recommended MFC Board Match References				
Vinyl Colour		Matched Reverse (18mm MDF)	Egger	Kronospan	Pfleiderer	Finsa	Sonae
5G Vinyl   MTM	Beech	Yes	H1582 ST15	1639 BS	R5542 VV	45A	M3582
	Light Casella Oak	Yes	<b>H1367 ST40</b>	-	-	-	-
	Natural Casella Oak	Yes	<b>H1385 ST40</b>	-	-	-	-
	Brown Casella Oak	Yes	<b>H1386 ST40</b>	-	-	-	-
	Marone Casella Oak	Yes	<b>H1369 ST40</b>	-	-	-	-
	Dark Walnut	Yes	H3704 ST15	0481 BS	R4889 VV	10C	M3846
	Halifax Natural Oak	Yes	<b>H1180 ST37*</b>	-	-	-	-
	Halifax White Oak	Yes	<b>H1176 ST37*</b>	-	-	-	-
	Light Oak	No	H1319 ST12	-	-	-	-
	Lissa Oak	Yes	<b>H1154 ST15*</b>	8925 BS	R4276 VV	49D	M3851
	Medium Walnut	Yes	H3703 ST15	0726 BS	R4899 VV	94A	M3569
	Montana Oak	No	H1342 ST12	1929 SU	-	Amberes Roble 358	M963
	Ontario Maple	No	H1869 ST9	9277 PR	R4241 VV	34C	M3542
	Pippy Oak	Yes	H1381 ST12*	-	R5479VV	77C	M911
	Sonoma Oak	Yes	<b>H1146 ST12*</b>	8197 SN	R4285 RU	Cambrian Oak 7AB	-
	Urban Oak	Yes	-	K005PW	-	-	-
	Light Concrete	No (Use Light Grey)	F275 ST22	-	-	-	-
	Dark Concrete	No (Use Dust Grey)	F274 ST9	-	-	-	-
	Legno Black	Yes (Smooth)	<b>U999ST19</b>	-	-	-	-
	Legno Cashmere	Yes (Smooth)	U702 ST19	<b>5981 GC*</b>	U12168 MO	Gris Coco 15R	-
	Legno Linen	Yes (Smooth)	<b>U115 ST19</b>	-	-	-	-
	Legno Dakar	Yes (Smooth)	U717 ST19	5984 GC	-	Duna S.3	-
	Legno Dust Grey	Yes (Smooth)	-	<b>0171 GC*</b>	U12150 MO	Gris Tormenta S.3	-
	Legno Evergreen	Yes (Smooth)	<b>U699 ST19</b>	-	-	-	-
	Legno Graphite	Yes (Smooth)	<b>U961 ST19*</b>	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
	Legno Indigo	Yes (Smooth)	<b>U599 ST19</b>	-	-	-	-
	Legno Ivory	Yes (Smooth)	U104 ST19	<b>7031 GC*</b>	U11506 MO	Contempo Ivory 88V	L402
	Legno Light Grey	Yes (Smooth)	U708 ST19	0112 GC	<b>U12204 MO*</b>	Natural Grey U12	-
	Legno Marine Blue	Yes (Smooth)	-	-	-	Azul Nautico Grained*	-
	Legno Mussel	Yes (Smooth)	U100 ST19	<b>5982 GC*</b>	U15331 MO	Gris Porrin 192	-
	Legno Reed Green	Yes (Smooth)	<b>U604ST19</b>	-	-	-	-
	Legno Stone Grey	Yes (Smooth)	U727 ST19	<b>K096 GC*</b>	U16002 MO	Mineral Grey S.3	-
	Legno Taupe	Yes (Smooth)	<b>U750 ST19*</b>	-	-	-	-
	Legno White	Yes (Smooth)	W980 ST19	0101 GC	<b>U11015 MO*</b>	White 020	B020
	Legno White Grey	Yes (Smooth)	<b>U775 ST19*</b>	-	-	-	-
	Alby Blue	Yes	-	<b>5994</b>	-	-	-
	Black	Yes	U999 ST2	-	-	-	-
	Cashmere	Yes	<b>U702 ST9*</b>	5981 PE	U12168 VV	Gris Coco 15R	-
	Dakar	Yes	U717 ST9	5984 PE	U15190 VV	Duna S.3	-
	Denim	Yes	<b>U540 ST9*</b>	-	-	Steel Blue S.3	-
	Dust Grey	Yes	<b>U732 ST9*</b>	0171 PE	-	Gris Tormenta S.3	-
	Evergreen	Yes	<b>U699 ST9*</b>	-	-	-	-
	Fjord	Yes	U636 ST9	-	-	-	-
	Graphite	Yes	U961 ST9	0164 PE	U12257 MP	Petroleo 188	-
	Indigo	Yes	<b>U599 ST9*</b>	-	-	-	-
	Ivory	Yes	<b>U104 ST9*</b>	0514 PE / 7031 PE	U1306	Contempo Ivory 88V	L402
	Linen	Yes	<b>U115 ST9</b>	-	-	-	-
	Light Grey	Yes	<b>U708 ST9*</b>	0112 PE	U12204 MP	Gris Coco 15R	-
	Magnolia	No (Use Ivory)	U108 ST9	9569 GC	U116	76B	-
	Meadow Green	Yes	U608 ST9	-	-	-	-
	Mussel	Yes	U100 ST9	5982 PE	U15331 VV	Gris Porrin 192	-
	Paintable Vinyl	No (Use White)	-	-	-	-	-
	Porcelain	No (Use White)	<b>W1200 ST9*</b>	0101 PE	W300 MP	White 020	-
	Pure White	Yes	<b>W1000 ST9* / W980 ST9*</b>	0101 PE	U11015 VV	White 020	B020
	Reed Green	Yes	<b>U604 ST9 / ST19</b>	-	-	-	-
	Stone Grey	Yes	<b>U727 ST9*</b>	K096 SU	U16002 VV	Mineral Grey S.3	-
	Taupe	Yes	<b>U750 ST9*</b>	-	-	-	-
	White Grey	Yes	<b>U775 ST9*</b>	-	-	-	-

5G Vinyl | Board Match Specifications

MDF Board Match References			Recommended MFC Board Match References - Suggested Options				
Vinyl Colour		Matched Reverse (18mm MDF)	Egger	Kronospan	Pfleiderer	Finsa	Sonae
5G Vinyl   MTM	Superior Matt Alby Blue	Yes*	-	<b>5994</b>	-	-	-
	Superior Matt Alabaster	Yes*	<b>U104 ST9*</b>	0514 PE / 7031 PE	U11506 VV	Contempo Ivory 88V	L402
	Superior Matt Antique Rose	Yes*	U325 ST9	-	-	-	-
	Superior Matt Black	Yes*	U999 ST2	-	-	-	-
	Superior Matt Cashmere	Yes*	<b>U702 ST9*</b>	5981 PE	U12168 VV	Gris Coco 15R	-
	Superior Matt Denim	Yes*	<b>U540 ST9*</b>	-	-	Steel Blue S.3	-
	Superior Matt Dust Grey	Yes*	<b>U732 ST9*</b>	0171 PE	-	Gris Tormenta S.3	-
	Superior Matt Graphite	Yes*	U961 ST2	0164 PE	U12257 MP	Petroleo 188	-
	Superior Matt Heritage Green	Yes*	<b>U699 ST9</b>	-	-	-	-
	Superior Matt Indigo	Yes*	<b>U599 ST9*</b>	-	-	-	-
	Superior Matt Linen	Yes*	<b>U115 ST9*</b>	-	-	-	-
	Superior Matt Light Grey	Yes*	<b>U708 ST9*</b>	0112 PE	U12204 MP	Natural Grey U12	-
	Superior Matt Marine Blue	Yes*	-	-	-	Azul Nautico Smooth	-
	Superior Matt Porcelain	No (Use White)	<b>W1200 ST9</b>	-	-	-	-
	Superior Matt Pebble	Yes*	<b>U201 ST9*</b>	0101 PE	W300 MP	White 020	-
	Superior Matt Reed Green	Yes*	<b>U604 ST9</b>	2223BS	-	-	-
	Superior Matt Stone Grey	Yes*	<b>U727 ST9*</b>	K096 SU	U16002 VV	Mineral Grey S.3	-
	Superior Matt Taupe	Yes*	<b>U750 ST9*</b>	-	-	-	-
	Superior Matt Tuscan Red	Yes*	U335 ST9	-	-	-	-
	Superior Matt White Grey	Yes*	<b>U775 ST9*</b>	-	-	-	-
	Customers are strongly advised to obtain samples from their board or cabinet supplier in order to confirm a satisfactory match between the cabinet MFC and PVC door finish.						
5G Vinyl   MTM	Gloss Black	Yes (Matt)	-	0190 PE	U12000 MP	231	-
	Gloss Cappuccino	No (Use Matt Ivory)	-	-	-	-	-
	Gloss Cashmere	Yes (Matt)	-	5981 PE	U12168 VV	Gris Coco 15R	-
	Gloss Cream	Yes (Matt)	-	0514 PE	U11509 VV	Contempo Ivory 88V	L402
	Gloss Denim	Yes (Matt)	-	-	-	Steel Blue S.3	-
	Gloss Dust Grey	Yes (Matt)	-	0171 PE	-	-	-
	Gloss Graphite	Yes (Matt)	-	0164 PE	U12257 MP	Petroleo 188	-
	Gloss Ivory	Yes (Matt)	U104 ST30*	0564 PE	U11506 VV	Contempo Ivory 88V	-
	Gloss Latte	No (Use Matt Ivory)	-	7045 SU	U1343 VV	-	-
	Gloss Light Grey	Yes (Matt)	-	0112 PE	U12204 MP	Natural Grey U12	-
	Gloss Metallic Anthracite	No (Matt Graphite)	U961 ST2	0164 PE	U12257 MP	Petroleo 188	-
	Gloss Mussel	Yes (Matt)	-	5982 PE	U15331 VV	Gris Porrin 192	-
	Gloss Oyster	No (Use Matt Ivory)	U104 ST30*	0564 PE	U11509 VV	Contempo Ivory 88V	-
	Gloss Slate	Yes (Matt)	-	-	-	-	-
	Gloss Stone Grey	Yes (Matt)	-	K096 SU	U16002 VV	Mineral Grey S.3	-
	Gloss White	Yes (Matt)	W1000 ST30*	0101 PE	U11015 VV	White 020	B020
	Gloss White Grey	Yes (Matt)	-	-	-	-	-

22mm Door Reverse Colour - Available in White or Ivory. Please note if reverse colour is unspecified, Silver reverse will be used as default.

All MFC Board Matches marked in bold are available from O&S Doors Ltd.  
\*All Superior Matt matching backs are a colour match only. They do not have a super smooth matt laminate effect finish.

**Important Notice: These board match references are only suggested options. Customers are strongly advised to obtain samples from their board or cabinet supplier in order to confirm a satisfactory match between the cabinet MFC and PVC door finish.**

O&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction between the board and door match. The listed PVC Finishes and board matches are correct at time of printing. Due to unforeseen changes in the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes and reverse boards without prior notice. If a match is of the essence a sample should always be sought first for final approval.

We recommend Pressed or Laminated Panels for the closest match.

# Durable Construction. Handmade Aesthetic. Beautifully Designed. **Choose 5 Piece.**



5 Piece doors offer the traditional, handmade aesthetic that your customers want, with the added benefits of extra durability and flexibility of design through a wide choice of styles and finishes, each range is a blank canvas for you to add your own personal touch.



**Harlem**  
Legno Finishes  
See Page 56



**Dylan**  
Matt Finishes  
See Page 62



**Fenwick**  
Legno Finishes  
See Page 68



**Bastille**  
Legno Finishes  
See Page 74






Harlem | Kitchen Door Sizes



Harlem | Colours / Finishes



**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Harlem | Door and Drawer Sizes



Door Specification	
Description	5Piece Shaker Style Door with 60mm Stiles
Finish	Wrapped in Embossed Grain Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Embossed Grain Vinyl
Edge	1mm ABS End Caps and Chamfered Edges

EXS

9 Ex.Stock  
Legno Finishes

Uni-Colour  
Vinyl

Durable  
Design

Embossed  
Grain Texture

MTM

Urban Oak Finish  
Available  
Made To Order



Kitchen Door Sizes			Bedroom Door Sizes			Handleless Rail System Door Sizes			
Doors and Drawer Sizes	EXS	Curved Door Sizes	MTM	Doors and Drawer Sizes	MTM	Curved Door Sizes	MTM	Kitchen Door Sizes	Bedroom Door Sizes
115X596	570X496	715 x 300		215 x 296	1965x296	1495 x 300		160 x 296	1400 x 263 1500 x 581 2250 x 563
140X296	570X596	895 x 300		215 x 396	1965x396	1595 x 300		160 x 396	1400 x 281 2150 x 263 2250 x 581
140X396	715X146	1245 x 300		215 x 446	1965x496	2150 x 300		160 x 446	1400 x 313 2150 x 281
140X446	715X246	1965 x 300		215 x 496	1965x596	2250 x 300		160 x 496	1400 x 331 2150 x 313
140X496	715X256			215 x 596	2150 x 296			160 x 596	1400 x 363 2150 x 331
140X596	715X296			215 x 796	2150 x 346			160 x 796	1400 x 381 2150 x 363
140X796	715X313			215 x 896	2150 x 396			160 x 896	1400 x 413 2150 x 381
140X896	715X346			215 x 996	2150 x 446			160 x 996	1400 x 431 2150 x 413
140X996	715X396			415 x 396	2150 x 496			325 x 496	1400 x 463 2150 x 431
175X396	715X446			415 x 446	2150 x 596			325 x 596	1400 x 481 2150 x 463
175X496	715X496			415 x 496	2250 x 296	1495 x 396 (Unglazed)		325 x 796	1400 x 513 2150 x 481
175X596	715X546			515 x 396	2250 x 346	1495 x 496 (Unglazed)		325 x 896	1400 x 531 2150 x 513
283X496	715X596			515 x 446	2250 x 396	1595 x 396 (Unglazed)		325 x 996	1400 x 563 2150 x 531
283X596	895X296			515 x 496	2250 x 446	1595 x 496 (Unglazed)		490 x 296	1400 x 581 2150 x 563
283X796	895X396			650 x 396	2250 x 496	2150 x 396 (Unglazed)		490 x 396	1500 x 263 2150 x 581
283X896	895X446			650 x 446	2250 x 596	2150 x 496 (Unglazed)		490 x 446	1500 x 281 2250 x 263
283X996	895X496			650 x 496		2250 x 396 (Unglazed)		490 x 496	1500 x 313 2250 x 281
355X496	895X596			1495 x 396		2250 x 496 (Unglazed)		490 x 596	1500 x 331 2250 x 313
355X596	980X596			1495 x 446				685 x 146	1500 x 363 2250 x 331
355X796	1060X396			1495 x 496				685 x 296	1500 x 381 2250 x 363
355X896	1060X496			1595 x 396				685 x 315	1500 x 413 2250 x 381
355X996	1060X596			1595 x 446				685 x 346	1500 x 431 2250 x 413
450X596	1245X296			1595 x 496				685 x 396	1500 x 463 2250 x 431
500X596	1245X396			1730 x 396				685 x 446	1500 x 481 2250 x 463
570X296	1245X496			1730 x 446				685 x 496	1500 x 513 2250 x 481
570X396	1245X596			1730 x 496				685 x 596	1500 x 531 2250 x 513
570X446	1425 x 595								1500 x 563 2250 x 531

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 40%.

**Non-Standard Curved Kitchen Door Sizes** - Priced next size up.

**Curved Kitchen Doors available any height up to 2250mm**

**Concave Kitchen Doors are not available.**

**5Piece Curved Kitchen Door Specifications** - See page 80.

**All Standard Kitchen Plain Frame Sizes are supplied Glazed.**

**Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.**

**Non-Standard Kitchen Frame Sizes** - Priced next door size up plus 40%.

**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.

**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.

**Curved Bedroom Doors available any height up to 2250mm**

**Concave Bedroom Doors are not available.**

**5Piece Curved Bedroom Door Specifications** - See page 80.

**All Bedroom Frame Sizes are supplied Unglazed.**


**Top Open Frames are not available.**

**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.


**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Drilling** - Additional charge per hole.


Harlem | Door Specifications



Harlem Kitchen Door




Harlem Kitchen Glazed Frame



Harlem Kitchen Curved Door



Harlem Drawer



Harlem Pan Drawer

**Harlem Kitchen Doors:**  
Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 240mm.

**Harlem Drawers:**  
Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See Drawer visual for reference). Drawer sizes between 216 - 225mm are not available.

Minimum Drawer width 240mm.

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. Minimum Pan Drawer width 240mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Harlem Frames:**  
Ex.Stock Frame sizes are supplied glazed. Top Open Frames are available. Non-Standard Frame sizes are available unglazed.

**Harlem Bedroom Doors:**  
Bedroom Door sizes between 1735 - 2400mm high are supplied 5-piece as standard. Minimum Door width is 246mm.

**Harlem Curved Doors:**  
Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 715mm up to 2250mm. Concave Doors are not available. Non-Standard Curved Door sizes are not available.

**Drilling:**  
All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

**Angled Doors are not available.**

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.

**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.

**Curved Bedroom Doors available any height up to 2250mm.**

**Concave Bedroom Doors are not available.**

**Curved Bedroom Door Specifications** - See page 80.


**All Bedroom Frame Sizes are supplied Unglazed.** Top Open Frames are available.

**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.


**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Panelled Bedroom Doors** - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 60mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 60mm mid-rail pieces are included with your order.


**Extra Mid-Rails** - Additional charge per Mid-Rail.




Harlem Bedroom Standard 2 Panel Door




Harlem Bedroom Top Open Frame



Harlem Bedroom Full Open Frame




Harlem Bedroom Curved Door




Harlem Bedroom Single Panel Door  
No mid-rails included\*



Harlem Bedroom 3 Panel Door  
Includes 2 separate mid-rail pieces\*
































Harlem Bedroom 4 Panel Door  
Includes 3 separate mid-rail pieces\*



















Harlem Bedroom 5 Panel Door  
Includes 4 separate mid-rail pieces\*

Harlem | Technical Specifications



 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Classic Cornice Quadrant</b> 84mm (L) x 84mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM</p>	 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	
 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Cornice Quadrant</b> 88mm (L) x 88mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM</p>	
 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Radius Profile (R 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 85</p>	 <p><b>Square Base Pilaster</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS</p> <p>Limited Finishes. See Page 85</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM</p>	
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2400mm</p> <p>MTM</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 90mm (W) x 2150 (H)</p> <p>EXS</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 90mm (W) x 2150 (H)</p> <p>EXS</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll.</p> <p>EXS</p> <p>Not available in Legno White Grey, Linen Taupe, Indigo, Reed Green, Evergreen, Black and Urban Oak</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS</p>	
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM</p>	 <p><b>Wall Quad / Base Quad</b> MTM</p> <p>MTM</p>	 <p><b>Stool</b> 400mm (L) x 350mm (W) x 470mm (H)</p> <p>MTM</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>	 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>
See page 84 for all full mirror dimensions				
 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 380mm 930 x 650mm 900 x 1200mm 965 x 380mm 2400 x 380mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 360mm 900 x 650mm 900 x 1200mm 965 x 360mm 2400 x 360mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Flat Laminated Panel</b> 18mm Thick</p> <p><b>Standard Size MM:</b> 785X380 930X650 965X380 2400X650</p> <p>EXS</p>	 <p><b>Return Gable</b> Made to Measure per m2 See page 232 for Order Form</p> <p>MTM</p>	 <p><b>Moulded Top</b> Made to Measure per m2</p> <p>MTM</p>
 <p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>	 <p><b>Modern Canopy</b> 1000mm (L) x 193mm (D) x 525mm (H)</p> <p>MTM</p>			



Dylan | Kitchen Door Sizes



Dylan | Colours / Finishes

Ex.Stock

Matt White Grey

Ex.Stock

Matt Light Grey

Ex.Stock

Matt Dust Grey

Ex.Stock

Matt Taupe

Ex.Stock

Matt Linen

NEW

Ex.Stock

Matt Reed Green

NEW

Ex.Stock

Matt Indigo

**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Dylan | Door and Drawer Sizes

Door Specification

Description	5Piece Shaker Style Door with 75mm Stiles
Finish	Wrapped in Matt Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Subtile Matt Microtexture Vinyl
Edge	1mm ABS End Caps and Chamfered Edges

EXS

7 Ex.Stock Matt Finishes

Micro Texture

Durable Design

Kitchen Door Sizes

Doors and Drawer Sizes	Curved Door Sizes
115X596 570X596	715 x 300
140X296 715X146	895 x 300
140X396 715X246	1245 x 300
140X446 715X256	1965 x 300
140X496 715X296	
140X596 715X313	
140X796 715X346	
140X896 715X396	
140X996 715X446	
175X396 715X496	
175X496 715X546	
175X596 715X596	
283X496 895X296	
283X596 895X396	
283X796 895X446	
283X896 895X496	
283X996 895X596	
355X496 980X596	
355X596 1060X396	
355X796 1060X496	
355X896 1060X596	
355X996 1245X296	
450X596 1245X396	
500X596 1245X496	
570X296 1245X596	
570X396 1425x596	
570X496	

Non-Standard Kitchen Door Sizes

- Priced next door size up plus 40%.

Non-Standard Curved Kitchen Door Sizes

- Priced next size up.

Curved Kitchen Doors available any height up to 2250mm

Concave Kitchen Doors are not available.

5Piece Curved Kitchen Door Specifications

- See page 80.

All Standard Kitchen Plain Frame Sizes are supplied Glazed.

Non-Standard Kitchen Plain Frame Sizes are supplied Unglazed.

Non-Standard Kitchen Frame Sizes

- Priced next door size up plus 40%.

MTM Frames

- Supplied as individual pieces and require manual assembly.

Bedroom Door Sizes

Doors and Drawer Sizes	Curved Door Sizes
215 x 296 1965x296	1495 x 300
215 x 396 1965x396	1595 x 300
215 x 446 1965x496	2150 x 300
215 x 496 1965x596	2250 x 300
215 x 596 2150 x 296	
215 x 796 2150 x 346	
215 x 896 2150 x 396	
215 x 996 2150 x 446	
415 x 396 2150 x 496	
415 x 446 2150 x 596	
415 x 496 2250 x 296	
515 x 396 2250 x 346	
515 x 446 2250 x 396	
515 x 496 2250 x 446	
650 x 396 2250 x 496	
650 x 446 2250 x 596	
650 x 496	
1495 x 396	
1495 x 446	
1495 x 496	
1595 x 396	
1595 x 446	
1595 x 496	
1730 x 396	
1730 x 446	
1730 x 496	

Non-Standard Bedroom Door Sizes

- Priced next door size up plus 40%.

Non-Standard Curved Bedroom Door Sizes

- Priced next size up.

Curved Bedroom Doors available any height up to 2250mm

Concave Bedroom Doors are not available.

5Piece Curved Bedroom Door Specifications

- See page 80.

All Bedroom Frame Sizes are supplied Unglazed.

Top Open Frames are not available.

Non-Standard Bedroom Frame Sizes

- Priced next door size up plus 40%.

MTM Frames

- Supplied as individual pieces and require manual assembly.

Handleless Rail System Door Sizes

Kitchen Door Sizes	Bedroom Door Sizes
160 x 296	1400 x 263 1500 x 563 2250 x 513
160 x 396	1400 x 281 1500 x 581 2250 x 531
160 x 446	1400 x 313 2150 x 263 2250 x 563
160 x 496	1400 x 331 2150 x 281 2250 x 581
160 x 596	1400 x 363 2150 x 313
160 x 796	1400 x 381 2150 x 331
160 x 896	1400 x 413 2150 x 363
160 x 996	1400 x 431 2150 x 381
325 x 496	1400 x 463 2150 x 413
325 x 596	1400 x 481 2150 x 431
325 x 796	1400 x 513 2150 x 463
325 x 896	1400 x 531 2150 x 481
325 x 996	1400 x 563 2150 x 513
490 x 296	1400 x 581 2150 x 531
490 x 396	1500 x 263 2150 x 563
490 x 446	1500 x 281 2150 x 581
490 x 496	1500 x 313 2250 x 263
490 x 596	1500 x 331 2250 x 281
685 x 146	1500 x 363 2250 x 313
685 x 296	1500 x 381 2250 x 331
685 x 315	1500 x 413 2250 x 363
685 x 346	1500 x 431 2250 x 381
685 x 396	1500 x 463 2250 x 413
685 x 446	1500 x 481 2250 x 431
685 x 496	1500 x 513 2250 x 463
685 x 596	1500 x 531 2250 x 481

Drilling

- Additional charge per hole.

62 Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

EXS



Available Ex.Stock

MTM

Available Made to Measure.  
Ready for despatch in 5 working days.

63

Dylan | Door Specifications



**Dylan Kitchen Doors:**  
Kitchen Door sizes between 356-2400mm high are supplied 5-piece as standard. Minimum Door width is 240mm.

**Dylan Drawers:**  
Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See Drawer visual for reference). Drawer sizes between 216 - 225mm are not available.

Minimum Drawer width 240mm.

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. Minimum Pan Drawer width 240mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

MTM Drawers are available.

**Dylan Frames:**  
Ex.Stock Frame sizes are supplied glazed. Top Open Frames are available. Non-Standard Frame sizes are available. Minimum Frame width is 396mm supplied unglazed.

**Dylan Curved Doors:**  
Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 715mm up to 2250mm. Concave Doors are not available. Non-Standard Curved Door sizes are not available.

**Drilling:**  
All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

**Angled Doors and Frames are not available.**

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.

**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.

**Curved Bedroom Doors available any height up to 2250mm**

**Concave Bedroom Doors are not available.**

**5Piece Curved Bedroom Door Specifications** - See page 84.

**All Bedroom Frame Sizes are supplied Unglazed.**  
Top Open Frames are available.

**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.




**MTM Frames** - Supplied as individual pieces and require manual assembly.























**Panelled Bedroom Doors** - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 75mm mid-rail as standard. The mid-rail must then be attached manually during installation. For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 75mm mid-rail pieces are included with your order.
















**Kitchen and Bedroom Matrix.**

**Drilling** - Additional charge per hole.


Dylan | Technical Specifications



 <p><b>Classic Cornice</b> 76mm (W) x 63mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Classic Cornice</b> 364mm (L) x 364mm (W) x 63mm (H)</p> <p>MTM</p>	 <p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Plain Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>		
 <p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Modern Cornice / Pelmet Quadrant</b> 220mm (L) x 220mm (W) x 30mm (H)</p> <p>MTM</p>	 <p><b>Torus Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>MTM</p>		
 <p><b>Curved Torus Plinth</b> 300mm (L) x 300mm (W) x 150mm (H)</p> <p>MTM</p>	 <p><b>Tangent Cornice</b> 72mm (W) x 44mm (H) 3050mm Lengths</p> <p>EXS</p>	 <p><b>Curved Tangent Cornice</b> 400mm (L) x 400mm (W) x 44mm (H)</p> <p>MTM</p>	 <p><b>Tangent Pelmet</b> 18mm (W) x 57mm (H) 3050mm Lengths</p> <p>EXS</p>		
 <p><b>Curved Tangent Pelmet</b> 300mm (L) x 300mm (W) x 57mm (H)</p> <p>MTM</p>	 <p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	 <p><b>Arched Pelmet</b> 2400mm (L) x 18mm (W) x 200mm (H)</p> <p>MTM</p>	 <p><b>Fluted Rail</b> 18mm (W) x 60mm (H) 2500mm Lengths</p> <p>MTM</p>		
 <p><b>Plain Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Fluted Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Special Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2500mm</p> <p>MTM</p>	 <p><b>Reeded Pilaster</b> 100mm (W) x 900mm (H) MTM up to 2400mm</p> <p>MTM</p>	 <p><b>Gun Barrel Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 90mm (W) x 2150 (H)</p> <p>EXS</p>	 <p><b>Roman Reed Pilaster</b> 90mm (W) x 900mm (H) 90mm (W) x 1250 (H) 90mm (W) x 2150 (H)</p> <p>EXS</p>

 <p><b>Wine Rack Rail</b> 1200mm (L) x 18mm (W) x 60mm (H)</p> <p>MTM</p>	 <p><b>Pre-Glued Edging Tape</b> 50m Roll.</p> <p>EXS</p> <p>Not available in Linen and Reed Green</p>	 <p><b>Peel 'n' Stick</b> Per m2</p> <p>EXS</p>	 <p><b>Vinyl</b> Per m2</p> <p>EXS</p>
 <p><b>Shelf Bracket</b> 180mm (D) x 37mm (W) x 210mm (H)</p> <p>MTM</p>	 <p><b>Wall Quad / Base Quad</b> MTM</p> <p>MTM</p>	 <p><b>Stool</b> 400mm (L) x 350mm (W) x 470mm (H)</p> <p>MTM</p>	 <p><b>Single Square Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>
 <p><b>Single Oval Mirror</b> 485mm (W) x 570mm (H)</p> <p>MTM</p>	See page 84 for all full mirror dimensions		
 <p><b>Pressed Plain Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 380mm 930 x 650mm 900 x 1200mm 965 x 380mm 2400 x 380mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Pressed T&amp;G Panel</b> 18mm Thick</p> <p><b>Standard Sizes MM:</b> 785 x 380mm 930 x 650mm 900 x 1200mm 965 x 380mm 2400 x 380mm 2400 x 650mm</p> <p>Made to Measure per m2</p> <p>MTM</p>	 <p><b>Flat Laminated Panel</b> 18mm Thick</p> <p><b>Standard Size MM:</b> 785X380 930X650 965X380 2400X650</p> <p>EXS</p>	 <p><b>Return Gable</b> Made to Measure per m2 See page 232 for Order Form</p> <p>MTM</p>
 <p><b>Classic Canopy</b> 1000mm (W) x 215mm (D) x 485mm (H)</p> <p>MTM</p>		 <p><b>Modern Canopy</b> 1000mm (L) x 193mm (D) x 525mm (H)</p> <p>MTM</p>	





Door Specification	
Description	5Piece Shaker Style Door with 105mm Stiles
Finish	Wrapped in Embossed Grain Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	Embossed Grain Vinyl
Edge	2mm ABS End Caps and Chamfered Edges

- EXS

8 Ex.Stock  
Legno Finishes
- MTM

Available  
Made to Measure
- Uni-Colour  
Vinyl
- Embossed  
Texture
- Durable  
Construction



**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Kitchen Door Sizes			Bedroom Door Sizes			Handleless Rail System Door Sizes			
Doors and Drawer Sizes	EXS	Curved Door Sizes	MTM	Doors and Drawer Sizes	MTM	Curved Door Sizes	MTM	Kitchen Door Sizes	Bedroom Door Sizes
115X596	570X496	715 x 300		215 x 296	1965x296	1495 x 300		160 x 296	1400 x 263
140X296	570X596	895 x 300		215 x 396	1965x396	1595 x 300		160 x 396	1400 x 281
140X396	715X146	1245 x 300		215 x 446	1965x496	2150 x 300		160 x 446	1400 x 313
140X446	715x246	1965 x 300		215 x 496	1965x596	2250 x 300		160 x 496	1400 x 331
140X496	715X256			215 x 596	2150 x 346			160 x 596	1400 x 363
140X596	715X296			215 x 796	2150 x 396			160 x 796	1400 x 381
140X796	715X313			215 x 896	2150 x 446			160 x 896	1400 x 413
140X896	715X346			215 x 996	2150 x 496			160 x 996	1400 x 431
140X996	715X396			415 x 396	2150 x 596			325 x 496	1400 x 463
175X396	715X446			415 x 446	2250 x 296			325 x 596	1400 x 481
175X496	715X496			415 x 496	2250 x 346			325 x 796	1400 x 513
175X596	715X546			515 x 396	2250 x 396			325 x 896	1400 x 531
283X496	715X596			515 x 446	2250 x 446			325 x 996	1400 x 563
283X596	895X296			515 x 496	2250 x 496			490 x 296	1400 x 581
283X796	895X396			650 x 396	2250 x 596			490 x 396	1500 x 263
283X896	895X446			650 x 446				490 x 446	1500 x 281
283X996	895X496			650 x 496				490 x 496	1500 x 313
355X496	895X596			1495 x 396				490 x 596	1500 x 331
355X596	980X596			1495 x 446				685 x 146	1500 x 363
355X796	1060X396			1495 x 496				685 x 296	1500 x 381
355X796	1060X496			1595 x 396				685 x 315	1500 x 413
355X896	1060X596			1595 x 446				685 x 346	1500 x 431
355X996	1245X296			1595 x 496				685 x 396	1500 x 463
450X596	1245X396			1730 x 396				685 x 446	1500 x 481
500X596	1245X496			1730 x 446				685 x 496	1500 x 513
570X296	1245X596			1730 x 496				685 x 596	1500 x 531
570X396	1425x596			2150 x 296					
570X446									

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.

**Non-Standard Curved Kitchen Door Sizes** - Priced next size up.  
**Curved Kitchen Doors** available any height up to 2250mm  
**Concave Kitchen Doors** are not available.  
**5Piece Curved Kitchen Door Specifications** - See page 80.

**All Standard Kitchen Plain Frame Sizes** are supplied **Glazed**.  
**Non-Standard Kitchen Plain Frame Sizes** are supplied **Unglazed**.

**Non-Standard Kitchen Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

**EXS** Available Ex.Stock.  
Ready for 48h despatch.

**MTM** Available Made to Measure.  
Ready for despatch in 5 working days.


**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%.

**Drilling** - Additional charge per hole.


**Non-Standard Curved Bedroom Door Sizes** - Priced next size up.  
**Curved Bedroom Doors** available any height up to 2250mm  
**Concave Bedroom Doors** are not available.  
**5Piece Curved Bedroom Door Specifications** - See page 80.

**All Bedroom Frame Sizes** are supplied **Unglazed**.  
**Top Open Frames** are available.  
**Non-Standard Bedroom Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Drilling** - Additional charge per hole.



Fenwick | Door Specifications



**Fenwick Kitchen Doors:**

Kitchen Door sizes between 356 - 2400mm high are supplied 5-piece as standard. The centre panel grain direction will always be vertical. Minimum Door width 240mm. Beneath this a 146mm single wrapped profile can be ordered MTM in height only.

**Fenwick Drawers:**

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See drawer visual for reference).

MTM height Drawers are manufactured from the next nearest profile size (115, 140, 175 and 215mm high) with the bottom cut and edged. This edge should always be placed at the bottom during installation. Drawers are supplied with horizontal grain.

Minimum Drawer width 240mm. Drawers are not available between 216 – 235mm high.

Pan Drawer sizes between 240 - 355mm high are supplied as 5-piece. The centre panel grain direction will always be vertical. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Fenwick Frames:**

Full Open Frames between 250 - 2400mm high are supplied as single panels as standard.

Top Open Frames are available.

Standard Kitchen Frame sizes are supplied glazed. Non-Standard Frame Sizes are supplied unglazed.

MTM Frames are supplied as individual pieces and require manual assembly.

Minimum Frame width is 246mm.

**Fenwick Curved Doors:**

Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Doors are supplied with a 105mm mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. The centre panel grain direction will always be vertical.

Concave Doors are not available.

**Fenwick Bedroom Doors:**

Bedroom Door sizes between 1735 - 2400mm high are supplied as single panels with a separate 105mm mid-rail as standard. The mid-rail must then be attached manually during installation.

\*Panelled Bedroom Doors must clearly state 3, 4 or 5 when ordering to ensure the extra 105mm mid-rail pieces are included with your order.

The centre panel grain direction will always be vertical. Minimum Door width is 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM height only.

**Panelled Bedroom Doors** - Bedroom Door sizes between 1735mm - 2400mm high are supplied as single panels with one separate 105mm mid-rail as standard. The mid-rail must then be attached manually during installation.

For Panelled Bedroom Doors you must clearly state 3, 4 or 5 panels when ordering to ensure the extra 105mm mid-rail pieces are included with your order.




**Extra Mid-Rails** - Additional charge per Mid-Rail.


**Drilling:**

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

Angled Doors and Frames are not available.


Fenwick | Technical Specifications






**Classic Cornice**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS



**Curved Classic Cornice**  
364mm (L) x 364mm (W)  
x 63mm (H)

MTM



**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)

MTM



**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS



**Curved Plain Plinth**  
300mm (L) x 300mm (W)  
x 150mm (H)

MTM



**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS



**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

MTM



**Modern Cornice / Pelmet Quadrant**  
220mm (L) x 220mm (W)  
x 30mm (H)

MTM



**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

MTM



**Curved Torus Plinth**  
300mm (L) x 300mm (W)  
x 150mm (H)

MTM



**Tangent Cornice**  
72mm (W) x 44mm (H)  
3050mm Lengths

EXS



**Curved Tangent Cornice**  
400mm (L) x 400mm (W)  
x 44mm (H)

MTM



**Tangent Cornice Quadrant**  
88mm (L) x 88mm (W)  
x 44mm (H)

MTM



**Tangent Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS



**Curved Tangent Pelmet**  
300mm (L) x 300mm (W)  
x 57mm (H)

MTM



**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM



**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS

Limited Finishes. See Page 85



**Square Base Pilaster**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS

Limited Finishes. See Page 85



**Arched Pelmet**  
2400mm (L) x 18mm (W)  
x 200mm (H)

MTM



**Fluted Rail**  
18mm (W) x 60mm (H)  
2500mm Lengths

MTM



**Plain Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM



**Fluted Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM



**Special Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM



**Reeded Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2400mm

MTM




**Gun Barrel Pilaster**  
90mm (W) x 900mm (H)  
90mm (W) x 1250 (H)  
90mm (W) x 2150 (H)

EXS




**Roman Reed Pilaster**  
90mm (W) x 900mm (H)  
90mm (W) x 1250 (H)  
90mm (W) x 2150 (H)

EXS



**Wine Rack Rail**  
1200mm (L) x 18mm (W)  
x 60mm (H)


MTM



**Pre-Glued Edging Tape**  
50m Roll.


EXS

Not available in Legno Marine Blue,  
Legno Taupe and Legno White Grey



**Peel 'n' Stick**  
Per m2

EXS



**Vinyl**  
Per m2

EXS



**Shelf Bracket**  
180mm (D) x 37mm (W)  
x 210mm (H)

MTM



**Wall Quad / Base Quad**

MTM



**Stool**  
400mm (L) x 350mm (W)  
x 470mm (H)

MTM



**Single Square Mirror**  
485mm (W) x 570mm (H)

MTM



**Single Oval Mirror**  
485mm (W) x 570mm (H)

MTM



**Flat Laminated Panel**  
18mm Thick

Standard Size MM:  
785X380  
930X650  
965X380  
2400X650

EXS



**Pressed Plain Panel**  
18mm Thick

Standard Sizes MM:  
785 x 380mm  
930 x 650mm  
900 x 1200mm  
965 x 380mm  
2400 x 380mm  
2400 x 650mm

Made to Measure per m2

MTM



**Pressed T&G Panel**  
18mm Thick

Standard Sizes MM:  
785 x 380mm  
900 x 650mm  
900 x 1200mm  
965 x 380mm  
2400 x 380mm  
2400 x 650mm

Made to Measure per m2

MTM



**Moulded Top**  
Made to Measure per m2

MTM



**Return Gable**  
Made to Measure per m2  
See page 232 for Order Form

MTM



**Classic Canopy**  
1000mm (W) x 215mm (D)  
x 485mm (H)

MTM



**Modern Canopy**  
1000mm (L) x 193mm (D)  
x 525mm (H)

MTM



**Headboards**  
MTM per m2.

5Piece Headboards are supplied as single panels in design of your chosen door style as standard. Panelled Headboards must be clearly specified when ordering.

Height Range: 500mm - 900mm  
Width Range: 915mm - 1830mm

Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel





Door Specification	
Description	5Piece Beaded Shaker Style Door with 84mm Stiles
Finish	Wrapped in Embossed Grain Vinyl
Door Thickness	22mm Thick
Base Material	MDF Core
Special Features	French-Cut Door Construction
Edge	2mm ABS End Caps and Chamfered Edges

EXS

9 Ex.Stock  
Legno Finishes

MTM

Available  
Made to Measure

Uni-Colour  
Vinyl

Embossed  
Texture

Durable  
Construction



Ex.Stock

Legno White Grey

Ex.Stock

Legno Light Grey

Ex.Stock

Legno Dust Grey

Ex.Stock

Legno Graphite

Ex.Stock

Legno Indigo

Ex.Stock

Legno Linen

NEW

Ex.Stock

Legno Taupe

NEW

Ex.Stock

Legno Reed Green

Ex.Stock

Legno Evergreen

**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Kitchen Door Sizes			Bedroom Door Sizes			Handleless Rail System Door Sizes			
Doors and Drawer Sizes	EXS	Curved Door Sizes	MTM	Doors and Drawer Sizes	MTM	Curved Door Sizes	MTM	Kitchen Door Sizes	Bedroom Door Sizes
115X596	570X496	715 x 300		215 x 296	1965x296	1495 x 300		160 x 296	1400 x 263
140X296	570X596	895 x 300		215 x 396	1965x396	1595 x 300		160 x 396	1400 x 281
140X396	715X146	1245 x 300		215 x 446	1965x496	2150 x 300		160 x 446	1400 x 313
140X446	715X246	1965 x 300		215 x 496	1965x596	2250 x 300		160 x 496	1400 x 331
140X496	715X256			215 x 596	2150 x 296			160 x 596	1400 x 363
140X596	715X296			215 x 796	2150 x 346			160 x 796	1400 x 381
140X796	715X313			215 x 896	2150 x 396			160 x 896	1400 x 413
140X896	715X346			215 x 996	2150 x 446			160 x 996	1400 x 431
140X996	715X396		Plain Frames	415 x 396	2150 x 496			325 x 496	1400 x 463
175X396	715X446			415 x 446	2150 x 596			325 x 596	1400 x 481
175X496	715X496	715X396 (Glazed)		415 x 496	2250 x 296			325 x 796	1400 x 513
175X596	715X546	715X496 (Glazed)		515 x 396	2250 x 346			325 x 896	1400 x 531
283X496	715X596	895X396 (Glazed)		515 x 446	2250 x 396			325 x 996	1400 x 563
283X596	895X296	895X496 (Glazed)		515 x 496	2250 x 446			490 x 296	1400 x 581
283X796	895X396	1060X396 (Glazed)		650 x 396	2250 x 496			490 x 396	1500 x 263
283X896	895X446	1060X496 (Glazed)		650 x 446	2250 x 596			490 x 446	1500 x 281
283X996	895X496	1060X596 (Glazed)		650 x 496				490 x 496	1500 x 313
355X496	895X596			1495 x 396				490 x 596	1500 x 331
355X596	980X596			1495 x 446				685 x 146	1500 x 363
355X796	1060X396			1495 x 496				685 x 296	1500 x 381
355X896	1060X496			1595 x 396				685 x 315	1500 x 413
355X996	1060X596			1595 x 446				685 x 346	1500 x 431
450X596	1245X296			1595 x 496				685 x 396	1500 x 463
500X596	1245X396			1730 x 396				685 x 446	1500 x 481
570X296	1245X496			1730 x 446				685 x 496	1500 x 513
570X396	1245X596			1730 x 496				685 x 596	1500 x 531
570X446	1425x596								1500 x 563

**Non-Standard Kitchen Door Sizes** - Priced next door size up plus 40%

**Drilling** - Additional charge per hole.

**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up

**Curved Kitchen Doors** available any height up to 2250mm  
**Concave Kitchen Doors** are not available.  
**5Piece Curved Kitchen Door Specifications** - See page 80.  
**All Standard Kitchen Plain Frame Sizes** are supplied **Glazed**.  
**Non-Standard Kitchen Plain Frame Sizes** are supplied **Unglazed**.

**Non-Standard Kitchen Frame Sizes** - Priced next door size up plus 40%.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Non-Standard Bedroom Door Sizes** - Priced next door size up plus 40%

**Drilling** - Additional charge per hole.

**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up

**Curved Bedroom Doors** available any height up to 2250mm  
**Concave Bedroom Doors** are not available.  
**5Piece Curved Bedroom Door Specifications** - See page 80.

**All Bedroom Frame Sizes** are supplied **Unglazed**.  
**Top Open Frames** are not available.  
**Non-Standard Bedroom Frame Sizes** - Priced next door size up.  
**MTM Frames** - Supplied as individual pieces and require manual assembly.

**Drilling** - Additional charge per hole.

External Corner Post


Internal Corner Post

Flat Laminated Panel Stock Sizes


Pressed Panel




Bastille | Door Specifications



Bastille Kitchen Door    Bastille Kitchen Glazed Frame    Bastille Kitchen Curved Door    Bastille Pan Drawer



Bastille Bedroom Standard 2 Panel Door    Bastille Bedroom Top Open Frame    Bastille Bedroom Frame    Bastille Bedroom 2 Panel Curved Door



Bastille Bedroom Single Panel Door No mid-rails included\*    Bastille Bedroom 3 Panel Door Includes 2 separate mid-rail pieces\*    Bastille Bedroom 4 Panel Door Includes 3 separate mid-rail pieces\*    Bastille Bedroom 5 Panel Door Includes 4 separate mid-rail pieces\*

**Bastille Kitchen Doors:**

Kitchen Door sizes between 283 - 2400mm high are supplied 5-piece as standard. The centre panel grain direction will always be vertical.

Minimum Door width 240mm. Beneath this a 146mm single wrapped profile can be ordered MTM in height only.

Mid-Rails are available.

**Bastille Drawers:**

Drawer sizes between 100 - 215mm high are supplied as 1-piece flat panels (See drawer visual for reference).

MTM height Drawers are manufactured from the next nearest profile size (115, 140, 146, 175 and 215mm high) with the bottom cut and edged. This edge should always be placed at the bottom during installation. Drawers are supplied with horizontal grain.

**Minimum Drawer width 240mm. Drawers are not available between 216 – 283mm high.**

Pan Drawer sizes between 283 - 355mm high are supplied as 5-piece. The centre panel grain direction will always be vertical. Minimum Pan Drawer width 246mm.

It's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Bastille Frames:**

Full Open Frames between 283 - 2400mm high are supplied as single panels as standard. It's important to always specify either Full Open Frame when ordering to ensure your order is processed correctly.

Top Open Frames are available.

Standard Kitchen Frame sizes are supplied glazed. Non-Standard Frame Sizes are supplied unglazed.

Non-Standard MTM Frames are supplied as individual pieces and require manual assembly.

Minimum Frame width is 246mm.

**Bastille Curved Doors:**

Curved Doors are made to suit 300 x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Doors are supplied as single panels as standard. The centre panel grain direction will always be vertical.

Mid-Rails are available. Concave Doors are not available.

**Bastille Bedroom Doors:**

Bedroom Door sizes between 1735 - 2400mm high are supplied as single panels with a separate 84mm mid-rail as standard. The mid-rail must then be attached manually during installation.

\*Panelled Bedroom Doors must clearly state 3, 4 or 5 when ordering to ensure the extra 84mm mid-rail pieces are included with your order.




The centre panel grain direction will always be vertical. Minimum Door width is 246mm. Beneath this a 146mm single wrapped profile can be ordered MTM height only.


**Drilling:**

All Doors are supplied un-drilled unless requested by the customer. If drilling is required, then drilling instructions must be clearly stated along with full dimensions for all holes required.

Angled Doors and Frames are not available.


Bastille | Technical Specifications






**Classic Cornice**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS




**Curved Classic Cornice**  
364mm (L) x 364mm (W)  
x 63mm (H)

MTM




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)

MTM



**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS



**Curved Plain Plinth**  
300mm (L) x 300mm (W)  
x 150mm (H)

MTM



**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS



**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

MTM



**Modern Cornice / Pelmet Quadrant**  
220mm (L) x 220mm (W)  
x 30mm (H)

MTM



**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

MTM



**Curved Torus Plinth**  
300mm (L) x 300mm (W)  
x 150mm (H)

MTM



**Tangent Cornice**  
72mm (W) x 44mm (H)  
3050mm Lengths

EXS



**Curved Tangent Cornice**  
400mm (L) x 400mm (W)  
x 44mm (H)

MTM



**Tangent Cornice Quadrant**  
88mm (L) x 88mm (W)  
x 44mm (H)

MTM



**Tangent Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS



**Curved Tangent Pelmet**  
300mm (L) x 300mm (W)  
x 57mm (H)

MTM



**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM



**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS

Limited Finishes. See Page 45



**Square Base Pilaster**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS

Limited Finishes. See Page 45



**Arched Pelmet**  
2400mm (L) x 18mm (W)  
x 200mm (H)

MTM



**Fluted Rail**  
18mm (W) x 60mm (H)  
2500mm Lengths

MTM



**Plain Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM



**Fluted Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM



**Special Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM



**Reeded Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2400mm

MTM




**Gun Barrel Pilaster**  
90mm (W) x 900mm (H)  
90mm (W) x 1250 (H)  
90mm (W) x 2150 (H)

EXS




**Roman Reed Pilaster**  
90mm (W) x 900mm (H)  
90mm (W) x 1250 (H)  
90mm (W) x 2150 (H)

EXS



**Wine Rack Rail**  
1200mm (L) x 18mm (W)  
x 60mm (H)


MTM



**Pre-Glued Edging Tape**  
50m Roll.

EXS


Not available in Legno White Grey, Linen, Taupe, Indigo, Reed Green and Evergreen.



**Peel 'n' Stick**  
Per m2

EXS

Not available in Legno Indigo and Legno Evergreen



**Vinyl**  
Per m2

EXS



**Shelf Bracket**  
180mm (D) x 37mm (W)  
x 210mm (H)

MTM



**Wall Quad / Base Quad**  
MTM

MTM



**Stool**  
400mm (L) x 350mm (W)  
x 470mm (H)

MTM



**Single Square Mirror**  
485mm (W) x 570mm (H)

MTM



**Single Oval Mirror**  
485mm (W) x 570mm (H)

MTM



**Classic Canopy**  
1000mm (W) x 215mm (D)  
x 485mm (H)

MTM



**Modern Canopy**  
1000mm (L) x 193mm (D)  
x 525mm (H)

MTM



**Pressed Plain Panel**  
18mm Thick

**Standard Sizes MM:**  
785 x 380mm  
930 x 650mm  
900 x 1200mm  
965 x 380mm  
2400 x 380mm  
2400 x 650mm

Made to Measure per m2

MTM



**Pressed T&G Panel**  
18mm Thick

**Standard Sizes MM:**  
785 x 360mm  
900 x 650mm  
900 x 1200mm  
965 x 360mm  
2400 x 360mm  
2400 x 650mm

Made to Measure per m2

MTM



**Moulded Top**  
Made to Measure per m2

MTM



**Return Gable**  
Made to Measure per m2  
See page 232 for Order Form

MTM



**Flat Laminated Panel**  
18mm Thick

**Standard Size MM:**  
785X380  
930X650  
965X380  
2400X650

EXS



**Headboards**  
MTM per m2.

5Piece Headboards are supplied as single panels in design of your chosen door style as standard. Panelled Headboards must be clearly specified when ordering.

Height Range: 500mm - 900mm  
Width Range: 915mm - 1830mm


Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single Panel
4.6ft Headboard / 1371mm	Single Panel
5ft Headboard / 1510mm	Single Panel
6ft Headboard / 1830mm	Single Panel

5 Piece | Curved Door Specifications

5Piece Curved Doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

Curved Doors are supplied with a single mid-rail positioned at 660mm high as standard. This is measured from the bottom of the door to the bottom of the mid-rail. The mid-rail position can be changed if necessary and must be clearly stated when ordered as it cannot be moved afterwards.

5 Piece Concave Doors are not available.



5 Piece | RAL Colour Match References

RAL Colour Match References	
O&S Doors Vinyl Colour	RAL Colour Match
 Legno White ( Fenwick)	RAL 9003
 Legno Linen ( Bastille / Harlem)	RAL 080 85 05
 Legno Ivory (Fenwick)	RAL 095 93 05
 Legno Taupe ( Harlem / Fenwick / Bastille)	RAL 090 85 05
 Legno White Grey ( Harlem / Fenwick / Bastille)	RAL 000 90 00
 Legno Light Grey ( Harlem / Fenwick / Bastille)	RAL 000 80 00
 Legno Dust Grey ( Harlem / Fenwick / Bastille)	RAL 000 60 00
 Legno Graphite ( Fenwick / Bastille)	RAL 000 30 00
 Legno Marine Blue (Fenwick)	RAL 260 20 15
 Legno Indigo (Harlem / Bastille)	RAL 280 20 05
 Legno Reed Green (Harlem / Bastille )	RAL140 60 05
 Legno Evergreen (Harlem / Bastille)	RAL 180 20 10
 Legno Black ( Harlem )	RAL 000 15 00
 Urban Oak Woodgrain ( Harlem )	N/A

RAL Colour Match References	
O&S Doors Vinyl Colour	RAL Colour Match
 Matt White Grey (Dylan)	RAL 000 90 00
 Matt Light Grey (Dylan)	RAL 080 80 00
 Matt Dust Grey (Dylan)	RAL 000 65 00
 Matt Linen ( Dylan )	RAL 080 85 05
 Matt Taupe (Dylan)	RAL 080 80 05
 Matt Indigo (Dylan)	RAL 280 20 05
 Matt Reed Green (Dylan)	RAL 140 60 05

**Important Notice:** These RAL Colour match references are suggested options only. They are the closest RAL colour match to our vinyl colour, but please note they are not exact matches. Customers are strongly advised to obtain swatch samples to confirm a satisfactory colour match.

The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes without prior notice.


5 Piece | Moulding Specifications

Moulding Finish Availability Index														
Vinyl Colour		Classic Cornice	Modern Cornice / Pelmet	Tangent Cornice	Tangent Pelmet	Plain Plinth	Torus Profiled Plinth	Radius Profile	Corner Post	Square Plaster Profile	Peel & Stick	Pre-Glued Edging Tape*	Un-Glued Edging Tape*	MFC
Harlem	Legno White Grey	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Linen	●	●	●	●	●	●	×	●	●	×	×	●	●
	Legno Taupe	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Indigo	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Reed Green	●	●	●	●	●	●	×	●	×	●	×	●	●
	Legno Evergreen	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Black	●	●	●	●	●	●	●	●	●	●	×	●	●
Dylan	Urban Oak	●	●	●	●	●	●	●	●	●	●	×	×	●
	Matt White Grey	●	●	●	●	●	●	×	●	×	●	●	●	●
	Matt Linen	●	●	●	●	●	●	×	●	×	●	×	●	●
	Matt Taupe	●	●	●	●	●	●	×	●	×	●	●	●	●
	Matt Light Grey	●	●	●	●	●	●	●	●	×	●	●	●	●
	Matt Dust Grey	●	●	●	●	●	●	×	●	×	●	●	●	●
	Matt Indigo	●	●	●	●	●	●	×	●	×	●	●	●	●
Fenwick	Matt Reed Green	●	●	●	●	●	●	×	●	×	●	×	●	●
	Legno White	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Ivory	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Taupe	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno White Grey	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Graphite	●	●	●	●	●	●	●	●	●	●	●	●	●
Bastille	Legno Marine Blue	●	●	●	●	●	●	●	●	●	●	×	●	×
	Legno White Grey	●	●	●	●	●	●	●	●	●	●	×	●	●
	Legno Light Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Dust Grey	●	●	●	●	●	●	●	●	●	●	●	●	●
	Legno Linen	●	●	●	●	●	●	×	●	●	×	●	●	●
	Legno Taupe	●	●	●	●	●	●	●	●	●	×	×	●	●
	Legno Graphite	●	●	●	●	●	●	●	●	●	●	●	●	●


● Available Ex.Stock    ✕ Not Available    ● Available Pressed to Order

\*Edging Tape matches for Superior Matt finishes are colour matches only. They do not have a super smooth matt laminate effect finish.


5 Piece | Moulding Specifications




**Classic Cornice**  
3050mm Lengths




**Curved Classic Cornice**  
386mm (L) x 386mm (W) x 63mm (H)




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W) x 63mm (H)




**Tangent Cornice**  
3050mm (L) x 72mm (W) x 44mm (H)




**Curved Tangent Cornice**  
400mm (L) x 400mm (W) x 44mm (H)




**Tangent Cornice Quadrant**  
88mm (L) x 88mm (W) x 44mm (H)




**Modern Cornice / Pelmet**  
3050mm Lengths




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W) x 30mm (H)




**Modern Cornice / Pelmet Quadrant**  
220mm (L) x 220mm (W) x 30mm (H)




**Plain Plinth**  
3050mm Lengths



**Curved Plain Plinth**  
300mm (L) x 300mm (W) x 150mm (H)




**Torus Plinth**  
3050mm Lengths




**Curved Torus Plinth**  
300mm (L) x 300mm (W) x 150mm (H)


5 Piece | Moulding Specifications




**Radius Profile**  
3050mm Lengths




**Square Pilaster**  
3050mm Lengths




**MTM Corner Post**  
715mm (150 x 150mm Max)




**Tangent Pelmet**  
3050mm Lengths




**Curved Tangent Pelmet**  
300mm (L) x 300mm (W) x 150mm (H)




**Shelf Bracket**  
180mm (L) x 37mm (W) 210mm (H)




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)



**Fluted Rail**  
2500mm (L) x 18mm (W) x 60mm (H)







**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)




**Modern Canopy**  
1000mm (W) x 193mm (D) x 525mm (H)




5 Piece | Bedroom Accessory Specifications

5Piece Headboard Specifications		
Headboard Type	Height Range MM	Height Range MM
Single Panel		500mm — 900mm
2 Panel		500mm — 900mm
3 Panel		500mm — 900mm
4 Panel		500mm — 900mm



Single Square Mirror: Single Square Mirrors are supplied fully assembled.



Oval Mirror: Oval Mirrors are supplied fully assembled.

5 Piece | Board Match Specifications

MDF Board Match References		Recommended MFC Board Match References				
Vinyl Colour		Egger	Kronospan	Pfleiderer	Finsa	Sonae
Harlem	Legno White	W980 ST19	0101 GC	U11015 MO*	White 020	B020
	Legno Light Grey	U708 ST19	0112 GC	U12204 MO*	Natural Grey U12	-
	Legno Dust Grey	-	0171 GC*	U12150 MO	Gris Tormenta S.3	-
	Legno Linen	U115 ST19*	-	-	-	-
	Legno Taupe	U750 ST19*	-	-	-	-
	Legno Indigo	U599 ST19*	-	-	-	-
	Legno Reed Green	U608ST19*	-	-	-	-
	Legno Evergreen	U699 ST19*	-	-	-	-
	Legno Black	U999 ST19*	-	-	-	-
	Urban Oak	-	K005 PW	-	-	-
Dylan	Matt White Grey	U775 ST9*	-	-	-	-
	Matt Taupe	U750 ST9*	-	-	-	-
	Matt Linen	U115 ST9*	-	-	-	-
	Matt Light Grey	U708 ST9*	0112 PE	U12204 MP	Natural Grey U12	-
	Matt Dust Grey	U732 ST9*	0171 PE	-	Gris Tormenta S.3	-
	Matt Indigo	U599 ST9*	-	-	Azul Nautico Smooth	-
	Matt Reed Green	U604 ST9 / ST19*	-	-	-	-
Fenwick	Legno White	W980 ST27	0101 GC	U11015 MO*	White 020	B020
	Legno Ivory	U104 ST27	7031 GC*	U11506 MO	Contempo Ivory 88V	L402
	Legno Taupe	U750 ST19*	-	-	-	-
	Legno White Grey	U775 ST19*	-	-	-	-
	Legno Light Grey	U708 ST27	0112 GC	U12204 MO*	Natural Grey U12	-
	Legno Dust Grey	-	0171 GC*	U12150 MO	Gris Tormenta S.3	-
	Legno Graphite	U961 ST19*	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
Legno Marine Blue	-	-	-	Azul Nautico Grained	-	
Bastille	Legno White Grey	U775 ST19*	-	-	-	-
	Legno Light Grey	U708 ST27	0112 GC	U12204 MO*	Natural Grey U12	-
	Legno Dust Grey	-	0171 GC*	U12150 MO	Gris Tormenta S.3	-
	Legno Linen	U115 ST19*	-	-	-	-
	Legno Taupe	U750 ST19*	-	-	-	-
	Legno Graphite	U961 ST19*	0164 GC	U12018 MO / U12257 MP	Petroleo 188	-
	Legno Indigo	U599 ST19*	-	-	-	-
	Legno Reed Green	U608ST19*	-	-	-	-
Legno Evergreen	U699 ST19*	-	-	-	-	

\*All MFC Board Matches marked in bold are available to order from O&S Doors Ltd, only supplied to Island of Ireland.

Important Notice: These board match references are only suggested options. Customers are strongly advised to obtain samples from their board or cabinet supplier in order to confirm a satisfactory match between the cabinet MFC and 5 Piece door finish.

O&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction between the board and door match. The listed finishes and board matches are correct at time of printing. Due to unforeseen changes in the supply chain, O&S Doors Ltd reserve the right due to amend, alter or discontinue finishes and reverse boards without prior notice. If a match is of the essence a sample should always be sought first for final approval.

We recommend Pressed or Laminated Panels for the perfect match.

# Distinctive Edging. Streamlined Aesthetics. Premium Finishes. **Choose Edged.**

The Edged Collection provides a range of contemporary door styles, designed with versatility and functionality in mind.



**Phoenix**  
High Gloss Finishes  
See Page 88




**Tribeca**  
Superior Matt Finishes  
Page 94



**Vaasa**  
MFC Finishes  
See Page 100





Door Specification	
Description	Flat Bonded Gloss Foil Laminated Door
Finish	Available in High Gloss and Metallic Finishes.
Door Thickness	18mm Thick
Base Material	18mm E1 Grade MDF Board
Special Features	High Scratch Resistance and Highly Durable Core
Edge	1mm ABS Edge with a choice of Matching, Multiplex or Glass Effect.



Available  
Made to Measure



8 High Gloss  
Finishes



High Gloss  
Finish



Various  
Edging Options



**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Phoenix | Door and Drawer Sizes



Kitchen Door Sizes			
Doors and Drawer Sizes			MTM
115 x 596	355 x 496	715 x 546	
140 x 296	355 x 596	715 x 596	
140 x 396	355 x 796	895 x 296	
140 x 446	355 x 896	895 x 396	
140 x 496	355 x 996	895 x 446	
140 x 596	450 x 596	895 x 496	
140 x 796	500 x 596	895 x 596	
140 x 896	570 x 296	980 x 596	
140 x 996	570 x 396	1060 x 396	
175 x 396	570 x 446	1060 x 496	
175 x 496	570 x 496	1060 x 596	
175 x 596	570 x 596	1245 x 296	
175 x 796	715 x 146	1245 x 396	
175 x 896	715 x 246	1245 x 446	
175 x 996	715 x 296	1245 x 496	
283 x 496	715 x 313	1245 x 596	
283 x 596	715 x 346	1425x596	
283 x 796	715 x 396		
283 x 896	715 x 446		
283 x 996	715 x 496		

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H)  
**Maximum Width MTM** - 1200mm (W)  
**Drilling** - Additional charge per hole.

**Curved Kitchen Doors Not Available.**  
**Concave Kitchen Doors Not Available.**

**Kitchen Frames Not Available**  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.

Bedroom Door Sizes			
Doors and Drawer Sizes			MTM
215 x 296	650 x 396	2150 x 396	
215 x 396	650 x 446	2150 x 446	
215 x 446	650 x 496	2150 x 496	
215 x 496	650 x 596	2150 x 596	
215 x 546	1495 x 296	2250 x 296	
215 x 596	1495 x 396	2250 x 396	
215 x 796	1495 x 446	2250 x 446	
215 x 896	1495 x 496	2250 x 496	
215 x 996	1495 x 596	2250 x 596	
415 x 296	1595 x 296	2400 x 296	
415 x 396	1595 x 396	2400 x 396	
415 x 446	1595 x 446	2400 x 446	
415 x 496	1595 x 496	2400 x 496	
415 x 596	1595 x 596	2400 x 596	
535 x 296	1735 x 296		
535 x 396	1735 x 396		
535 x 446	1735 x 446		
535 x 496	1735 x 496		
535 x 596	1735 x 596		
650 x 296	2150 x 296		

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H)  
**Maximum Width MTM** - 1200mm (W)  
**Drilling** - Additional charge per hole.

**Curved Bedroom Doors Not Available.**  
**Concave Bedroom Doors Not Available.**


**Bedroom Frames Not Available**  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.

Phoenix | Handleless Rail System Door Sizes




Handleless Rail System Door Sizes				
Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	

**See page 258 for Handleless Rail System Kitchen and Bedroom Matrix.**  
**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Cloaking End Panel  
80mm Minimum End Width



See page 232 for order form



Internal Corner Post



External Corner Post



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](https://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 212 for full range of heat deflector sizes.




Phoenix | Door Specifications



Phoenix | Technical Specifications



Phoenix | Accessories




Phoenix Kitchen Featured in High Gloss Cashmere







Door Specification	
Description	Flat Bonded Superior Matt Foil Laminated Door
Finish	Available in a range of Superior Matt Finishes
Door Thickness	18mm Thick
Base Material	18mm E1 Grade MDF Board
Special Features	High Scratch Resistance, Highly Durable Core, Anti-Fingerprint Surface
Edge	1mm ABS Edging with a choice of Matching or Multiplex Finish




Available  
Made to Measure



15 Superior Matt  
Finishes



Silky Smooth  
Soft Touch



Various  
Edging Options






Superior Matt Porcelain



Superior Matt White Grey




Superior Matt Taupe Grey



Superior Matt Pebble



Superior Matt Stone Grey



Superior Matt Light Grey



Superior Matt Dust Grey




Superior Matt Graphite



Superior Matt Linen



Superior Matt Antique Rose



Superior Matt Reed Green



Superior Matt Marine Blue



Superior Matt Indigo



Superior Matt Heritage Green




Superior Matt Black

Edging Options



Matching Edge



Multiplex Edge

**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Tribeca | Door and Drawer Sizes



Kitchen Door Sizes		
Doors and Drawer Sizes		
115 x 596	355 x 496	715 x 546
140 x 296	355 x 596	715 x 596
140 x 396	355 x 796	895 x 296
140 x 446	355 x 896	895 x 396
140 x 496	355 x 996	895 x 446
140 x 596	450 x 596	895 x 496
140 x 796	500 x 596	895 x 596
140 x 896	570 x 296	980 x 596
140 x 996	570 x 396	1060 x 396
175 x 396	570 x 446	1060 x 496
175 x 496	570 x 496	1060 x 596
175 x 596	570 x 596	1245 x 296
175 x 796	715 x 146	1245 x 396
175 x 896	715 x 246	1245 x 446
175 x 996	715 x 296	1245 x 496
283 x 496	715 x 313	1245 x 596
283 x 596	715 x 346	1425x596
283 x 796	715 x 396	
283 x 896	715 x 446	
283 x 996	715 x 496	

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H).  
**Maximum Width MTM** - 1200mm (W).

**Curved Kitchen Doors Not Available.**  
**Concave Kitchen Doors Not Available.**

**Kitchen Frames Not Available.**  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

Bedroom Door Sizes		
Doors and Drawer Sizes		
215 x 296	650 x 396	2150 x 396
215 x 396	650 x 446	2150 x 446
215 x 446	650 x 496	2150 x 496
215 x 496	650 x 596	2150 x 596
215 x 546	1495 x 296	2250 x 296
215 x 596	1495 x 396	2250 x 396
215 x 796	1495 x 446	2250 x 446
215 x 896	1495 x 496	2250 x 496
215 x 996	1495 x 596	2250 x 596
415 x 296	1595 x 296	2400 x 296
415 x 396	1595 x 396	2400 x 396
415 x 446	1595 x 446	2400 x 446
415 x 496	1595 x 496	2400 x 496
415 x 596	1595 x 596	2400 x 596
535 x 296	1735 x 296	
535 x 396	1735 x 396	
535 x 446	1735 x 446	
535 x 496	1735 x 496	
535 x 596	1735 x 596	
650 x 296	2150 x 296	

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2400mm (H).  
**Maximum Width MTM** - 1200mm (W).

**Curved Bedroom Doors Not Available.**  
**Concave Bedroom Doors Not Available.**

**Bedroom Frames Not Available.**  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

Tribeca | Handleless Rail System Door Sizes




Handleless Rail System Door Sizes				
Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	

See page 258 for Handleless Rail System Kitchen and Bedroom Matrix.  
**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Cloaking End Panel  
80mm Minimum End Width



See page 232 for order form



Internal Corner Post



External Corner Post




Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](https://weborders.osdoors.com)


**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 212 for full range of heat deflector sizes.


Tribeca | Door Specifications




Tribeca Kitchen Door




Tribeca Door with Integrated Handle  
(Top Edge - Maximum Width 1196mm)




Tribeca Angled Door




Tribeca Drawer




Tribeca Drawer with Integrated Handle  
(Top Edge - Maximum Width 1196mm)




Tribeca Door with Integrated Handle  
(Side Edge - Maximum Height 1196mm)




Tribeca Pan Drawer



Tribeca Pan Drawer with Integrated Handle  
(Top Edge - Maximum Width 1196mm)




Tribeca Angled Flat Top Door




Tribeca Bedroom Door

Tribeca | Technical Specifications




Tribeca | Accessories



**Classic Cornice**  
76mm (W) x 63mm (H)  
3050mm Lengths


EXS

Not available in Superior Matt Black



**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths


EXS



**Tangent Cornice**  
72mm (W) x 44mm (H)  
3050mm Lengths

EXS


Not available in Superior Matt Black



**Tangent Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths


EXS

Not available in Superior Matt Black or Superior Matt Marine Blue




**Plain Plinth**  
18mm (W) x 150mm (H)  
2400mm Lengths

MTM



**Corner Post**  
715mm (150 x 150mm Max)

MTM



**Plain Panel**  
18mm Thick  
Supplied Cut & 1mm Edged

**Standard Sizes MM:**  
785 x 360mm  
900 x 650mm  
900 x 1200mm  
965 x 360mm  
2400 x 360mm  
2400 x 650mm


Made to Measure per m2

MTM







Door Specification	
Description	Melamine Faced Door
Finish	Available in a range of Tactile finishes, Woodgrains, Legno and Matt Finishes
Door Thickness	18mm Thick
Base Material	MFC Core
Special Features	High Scratch Resistance and Highly Durable Core
Edge	Matching 0.8mm ABS Edging.



Available  
Made to Measure

















43 MFC  
Finishes

















Embossed  
Textures


















Material Effect / Available MTM

 Sand Grey Halifax Oak H1396 ST37	 White Halifax Oak H1176 ST37	 Natural Halifax Oak H1180 ST37	 Natural Kendal Oak H3170 ST12	 Grey Bardolino Oak H1146 ST10	 Lincoln Walnut H1714 ST19
 Light Casella Oak H1367 ST40	 Natural Casella Oak H1385 ST40	 Brown Casella Oak H1386 ST40	 Marone Casella Oak H1369 ST40		
 Urban Oak K005PW	 Shorewood H3090 ST22	 Light Grey Concrete F186 ST9	 Cupria Slate F237 ST76		

Legno / Available MTM

 Legno White	 Legno White Grey	 Legno Light Grey	 Legno Dust Grey	 Legno Graphite	 Legno Black
 Legno Linen	 Legno Ivory	 Legno Mussel	 Legno Cashmere	 Legno Taupe	
 Legno Reed Green	 Legno Evergreen	 Legno Indigo			

Matt / Available MTM

 Premium White W1000 ST9	 Porcelain W1200 ST9	 White Grey U775 ST9	 Light Grey U708 ST9	 Dust Grey U732 ST9	 Taupe Grey U750 ST9
 Linen U115 ST9	 Alabaster U104 ST9	 Pebble U201 ST9	 Cashmere Grey U702 ST9	 Stone Grey U727 ST9	
 Reed Green U604 ST9	 Fir Green (Evergreen) U699 ST9	 Denim Blue U540 ST9	 Indigo U599 ST9		

**Note** - Colour swatches shown are approximate. Please use Colour Swatch Book for a true colour match.

Vaasa | Door and Drawer Sizes



Kitchen Door Sizes			
Doors and Drawer Sizes			
115 x 596	355 x 496	715 x 546	
140 x 296	355 x 596	715 x 596	
140 x 396	355 x 796	895 x 296	
140 x 446	355 x 896	895 x 396	
140 x 496	355 x 996	895 x 446	
140 x 596	450 x 596	895 x 496	
140 x 796	500 x 596	895 x 596	
140 x 896	570 x 296	980 x 596	
140 x 996	570 x 396	1060 x 396	
175 x 396	570 x 446	1060 x 496	
175 x 496	570 x 496	1060 x 596	
175 x 596	570 x 596	1245 x 296	
175 x 796	715 x 146	1245 x 396	
175 x 896	715 x 246	1245 x 446	
175 x 996	715 x 296	1245 x 496	
283 x 496	715 x 313	1245 x 596	
283 x 596	715 x 346	1425x596	
283 x 796	715 x 396		
283 x 896	715 x 446		
283 x 996	715 x 496		

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2750mm (H).  
**Maximum Width MTM** - 2000mm (W).  
**Horizontal Grain** - Priced as door size plus 20%.

**Curved Kitchen Doors Not Available.**  
**Concave Kitchen Doors Not Available.**

**Kitchen Frames Not Available.**  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.



Bedroom Door Sizes			
Doors and Drawer Sizes			
215 x 296	650 x 396	2150 x 396	
215 x 396	650 x 446	2150 x 446	
215 x 446	650 x 496	2150 x 496	
215 x 496	650 x 596	2150 x 596	
215 x 546	1495 x 296	2250 x 296	
215 x 596	1495 x 396	2250 x 396	
215 x 796	1495 x 446	2250 x 446	
215 x 896	1495 x 496	2250 x 496	
215 x 996	1495 x 596	2250 x 596	
415 x 296	1595 x 296	2400 x 296	
415 x 396	1595 x 396	2400 x 396	
415 x 446	1595 x 446	2400 x 446	
415 x 496	1595 x 496	2400 x 496	
415 x 596	1595 x 596	2400 x 596	
535 x 296	1735 x 296		
535 x 396	1735 x 396		
535 x 446	1735 x 446		
535 x 496	1735 x 496		
535 x 596	1735 x 596		
650 x 296	2150 x 296		

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Maximum Height MTM** - 2750mm (H).  
**Maximum Width MTM** - 2000mm (W).  
**Horizontal Grain** - Priced as door size plus 20%.

**Curved Bedroom Doors Not Available.**  
**Concave Bedroom Doors Not Available.**

**Bedroom Frames Not Available.**  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Letterbox Routing** - Priced as door size plus 4%.

**Drilling** - Additional charge per hole.

Vaasa | Handleless Rail System Door Sizes




Handleless Rail System Door Sizes				
Kitchen Door Sizes		Bedroom Door Sizes		
160 x 296	490 x 296	1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396	1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446	1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496	1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596	1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146	1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296	1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315	1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346	1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396	1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446	1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496	1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596	1400 x 563	2150 x 363	2250 x 513
		1400 x 581	2150 x 381	2250 x 531
		1500 x 263	2150 x 413	2250 x 563
		1500 x 281	2150 x 431	2250 x 581
		1500 x 313	2150 x 463	
		1500 x 331	2150 x 481	
		1500 x 363	2150 x 513	
		1500 x 381	2150 x 531	

See page 258 for Handleless Rail System Kitchen and Bedroom Matrix.  
**Drilling** - Additional charge per hole.



Plain Panel  
(18mm thick)



Cloaking End Panel  
80mm Minimum End Width



See page 232 for order form



Internal Corner Post



External Corner Post



Save time & money with **automatic pricing** through our online ordering service.




Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 212 for full range of heat deflector sizes.




Vaasa | Door Specifications



Vaasa | Technical Specifications



Vaasa | Accessories



Vaasa Kitchen Featured in Shorewood H3090 ST22






# Wide Colour Choice. MTM Flexibility. Crafted Aesthetic. **Choose MDF Painted.**



Our MDF Painted Collection has been carefully selected to provide you with the most sought after door styles and colours. We only use the best quality, highest performing and durable paints to ensure you get colour that lasts.



**Arena**  
MDF Matt Painted (Smooth)  
Page 108



**Parker**  
MDF Matt Painted (Smooth)  
Page 114



**Hartford**  
MDF Matt Painted (Smooth)  
Page 120



**Wellington**  
MDF Matt Painted (Smooth)  
Page 128



**Belair**  
MDF Matt Painted (Smooth)  
Page 136



**Gladstone**  
MDF Matt Painted (Smooth)  
Page 144





Arena | MDF Matt Painted (Smooth)



Door Specification	
Description	J-Pull Handleless Door with 40mm Deep Handle Cavity
Finish	Smooth Matt Painted Finish
Door Thickness	22mm Thick
Base Material	MDF Core

EXS

Ex.Stock in Primed

33 Painted Colours Smooth Surface

PTO

Available Painted to Order standard sizes.

MTM

Available Made to Measure Unfinished Only\*

Available Primed / Unfinished\*



Arena | Colours / Finishes

Ex.Stock

Primed

NEW

Linen

Porcelano

Taupe Grey

Sea Breeze

White

Cashmere

Sage

Light Blue

Ivory

Highland Grey

NEW

French Chalk

NEW

Reed Green

Denim

Mussel

Light Grey

Heritage Pink

Liberty Green

Eiffel Blue

Dakar

Dust Grey

French Lavender

Moss Green

Nautical

Stone Grey

Pebble

Foraged Fruit

Heritage Green

Marine Blue

NEW

Honeycomb

Graphite

Heritage Red

Conifer

Indigo

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.

Arena | Door and Drawer Sizes



Kitchen Door Sizes				
Doors Sizes		EXS	PTO	MTM
115 x 596	570 x 396			1965X296
140 x 296	570 x 446			1965X396
140 x 396	570 x 496			1965X496
140 x 446	570 x 596			1965X596
140 x 496	645 x 596			2145X296
140 x 596	715 x 146			2145X396
140 x 796	715 x 246			2145X496
140 x 896	715 x 275			2145X596
140 x 996	715 x 296			
175 x 396	715 x 315			
175 x 496	715 x 346			
175 x 596	715 x 396			
283 x 496	715 x 446			
283 x 596	715 x 496			
283 x 796	715 x 546			
283 x 896	715 x 596			
283 x 996	895 x 296			
355 x 496	895 x 396			
355 x 596	895 x 446			
355 x 760	895 x 496			
355 x 796	895 x 596			
355 x 896	980 x 596			
355 x 996	1245 x 296			
450 x 596	1245 x 396			
495 x 396	1245 x 496			
495 x 596	1245 x 596			
570 x 296				

Bedroom Door Sizes				
Doors Sizes		EXS	PTO	MTM
215 x 296	1495 x 496			1495 x 300
215 x 396	1495 x 596			1595 x 300
215 x 446	1595 x 296			2150 x 300
215 x 496	1595 x 396			2250 x 300
215 x 546	1595 x 446			
215 x 596	1595 x 496			
215 x 796	1595 x 596			
215 x 896	1735 x 296			
215 x 996	1735 x 396			
415 x 296	1735 x 446			
415 x 396	1735 x 496			
415 x 446	1735 x 596			
415 x 496	2150 x 296			
415 x 596	2150 x 396			
535 x 296	2150 x 446			
535 x 396	2150 x 496			
535 x 446	2150 x 596			
535 x 496	2250 x 296			
535 x 596	2250 x 396			
650 x 296	2250 x 446			
650 x 396	2250 x 496			
650 x 446	2250 x 596			
650 x 496	2400 x 296			
650 x 596	2400 x 396			
1495 x 296	2400 x 446			
1495 x 396	2400 x 496			
1495 x 446	2400 x 596			

Primed MTM Kitchen Door Sizes are not available.  
\*Unfinished MTM - These doors will be supplied as raw MDF.  
Non-Standard Kitchen Door Sizes - Priced next door size up.  
Angled Kitchen Door Sizes - Priced as door size plus 50%.

Curved Kitchen Doors available any height up to 2250mm.  
Non-Standard Curved Kitchen Door Sizes - Priced next door size up.

MTM Plain Kitchen Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.



Bedroom Door Sizes				
Doors Sizes		EXS	PTO	MTM
215 x 296	1495 x 496			1495 x 300
215 x 396	1495 x 596			1595 x 300
215 x 446	1595 x 296			2150 x 300
215 x 496	1595 x 396			2250 x 300
215 x 546	1595 x 446			
215 x 596	1595 x 496			
215 x 796	1595 x 596			
215 x 896	1735 x 296			
215 x 996	1735 x 396			
415 x 296	1735 x 446			
415 x 396	1735 x 496			
415 x 446	1735 x 596			
415 x 496	2150 x 296			
415 x 596	2150 x 396			
535 x 296	2150 x 446			
535 x 396	2150 x 496			
535 x 446	2150 x 596			
535 x 496	2250 x 296			
535 x 596	2250 x 396			
650 x 296	2250 x 446			
650 x 396	2250 x 496			
650 x 446	2250 x 596			
650 x 496	2400 x 296			
650 x 596	2400 x 396			
1495 x 296	2400 x 446			
1495 x 396	2400 x 496			
1495 x 446	2400 x 596			

Primed MTM Bedroom Door Sizes are not available.  
\*Unfinished MTM - These doors will be supplied as raw MDF.  
Non-Standard Bedroom Door Sizes - Priced next door size up.  
Angled Bedroom Door Sizes - Priced as door size plus 50%.

Curved Bedroom Doors available any height up to 2250mm.  
Non-Standard Curved Bedroom Door Sizes - Priced next door size up.

MTM Plain Bedroom Frames - Priced as door size plus 35% (Supplied Unglazed).

Drilling - Additional charge per hole.

Arena | Door Specifications

Arena Kitchen Door

Arena Kitchen Frame (Glazed)

Arena Kitchen Curved Door

Arena Drawer

Arena Pan Drawer

Arena Angled Kitchen Door

Arena Angled Flat Top Door

Arena Bedroom Door



Arena Bedroom Frame

Arena Bedroom Curved Door

Arena Angled Flat Top Bedroom Door

MTM \*Unfinished MTM \*Unfinished MTM \*Unfinished MTM \*Unfinished

MDF Painted | Ex.Stock and MTM



<p><b>Modern Cornice / Pelmet</b> 50mm (W) x 30mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Modern Cornice / Pelmet</b> 350mm (L) x 350mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Modern Cornice / Pelmet Quadrant</b> 50mm (L) 50mm (W) x 30mm (H)</p> <p>EXS PTO</p>	<p><b>Radius Profile (Radius 48mm)</b> 70mm (W) x 50mm (H) 3050mm Lengths</p> <p>EXS PTO</p>
<p><b>Plain Plinth</b> 18mm (W) x 150mm (H) 3050mm Lengths</p> <p>EXS PTO</p>	<p><b>Curved Plain Plinth</b> 540mm (L) x 232mm (W) x 150mm (H)</p> <p>EXS PTO</p>	<p><b>Internal J-Pull Corner Post</b> 70mm (L) x 70mm (W) x 715mm (H)</p> <p>EXS PTO</p>	<p><b>External J-Pull Corner Post</b> 75mm (L) x 75mm (W) x 965mm (H)</p> <p>EXS PTO</p>
<p><b>Corner Post</b> 30mm (L) x 30mm (W) x 720mm (H)</p> <p>EXS PTO</p>	<p><b>MTM Corner Post</b> 715mm (150 x 150mm Max)</p> <p>MTM</p>	<p><b>Touch Up Paint</b> 30ml or 1 Litre volumes.</p>	<p><b>Plain Panel - Standard Sizes</b> 18mm / 785 x 380mm 18mm / 930 x 650mm 18mm / 930 x 1200mm 18mm / 965 x 380mm 18mm / 2400 x 650mm</p> <p>EXS PTO</p>
<p><b>Square Base Pilaster</b> 965mm (L) x 70mm (W) x 50mm (H) Also available in 3050mm lengths</p> <p>EXS PTO</p>	<p><b>Square Base Pilaster Insert</b> 965mm (L) x 18mm (W) x 18mm (H)</p> <p>EXS PTO</p>	<p><b>Shelf Bracket</b> 100mm (L) x 18mm (W) x 150mm (H)</p> <p>EXS PTO</p>	<p><b>Headboard</b> MTM per m2. / Supplied as a flat panel</p> <p>MTM</p>

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.

**Plain Panel / 18mm Thick**

EXS PTO MTM

**T&G Panel / 18mm Thick**

MTM

MDF Painted | Ex.Stock and MTM

Parker | MDF Matt Painted Door (Smooth)



Door Specification	
Description	Plain Shaker Style Door with 60mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core



33 Painted Colours




Available Painted to Order standard sizes.



Available Made to Measure Unfinished Only\*




Available Primed / Unfinished\*



Smooth Surface



Parker | Colours / Finishes



Colours swatche shown are approximate. See Painted Swatch Book for true colour match.

Order online at [weborders.osdoors.com](https://weborders.osdoors.com)



Parker | Door and Drawer Sizes



Kitchen Door Sizes				
Doors Sizes			Curved Door Sizes	
	PTO	MTM		
115 x 596	570 x 446	1965X296	715 x 300	
140 x 296	570 x 496	1965X396		
140 x 396	570 x 596	1965X496		
140 x 446	645 x 596	1965X596		
140 x 496	715 x 146	2145X296		
140 x 596	715 x 246	2145X396		
140 x 796	715 x 275	2145X496		
140 x 896	715 x 296	2145X596		
140 x 996	715 x 315			
175 x 396	715 x 346			
175 x 496	715 x 396			
175 x 596	715 x 446			
283 x 496	715 x 496			
283 x 596	715 x 546			
283 x 796	715 x 596			
283 x 896	895 x 296			
283 x 996	895 x 396			
355 x 496	895 x 446			
355 x 596	895 x 496			
355 x 760	895 x 596			
355 x 796	980 x 596			
355 x 896	1245 x 296			
355 x 996	1245 x 396			
450 x 596	1245 x 496			
495 x 396	1245 x 596			
495 x 596				
570 x 296				
570 x 396				

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.

**Standard Kitchen Frame Sizes** - Supplied Glazed.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

Bedroom Door Sizes				
Doors and Drawer Sizes			Curved Door Sizes	
		MTM		MTM
215 x 296	1495 x 496		1495 x 300	
215 x 396	1495 x 596		1595 x 300	
215 x 446	1595 x 296		2150 x 300	
215 x 496	1595 x 396		2250 x 300	
215 x 546	1595 x 446			
215 x 596	1595 x 496			
215 x 796	1595 x 596			
215 x 896	1735 x 296			
215 x 996	1735 x 396			
415 x 296	1735 x 446			
415 x 396	1735 x 496			
415 x 446	1735 x 596			
415 x 496	2150 x 296			
415 x 596	2150 x 396			
535 x 296	2150 x 446			
535 x 396	2150 x 496			
535 x 446	2150 x 596			
535 x 496	2250 x 296			
535 x 596	2250 x 396			
650 x 296	2250 x 446			
650 x 396	2250 x 496			
650 x 446	2250 x 596			
650 x 496	2400 x 296			
650 x 596	2400 x 396			
1495 x 296	2400 x 446			
1495 x 396	2400 x 496			
1495 x 446	2400 x 596			

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.

**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

Parker | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes					
Kitchen Door Sizes		MTM	Bedroom Door Sizes		MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513
			1400 x 581	2150 x 381	2250 x 531
			1500 x 263	2150 x 413	2250 x 563
			1500 x 281	2150 x 431	2250 x 581
			1500 x 313	2150 x 463	
			1500 x 331	2150 x 481	
			1500 x 363	2150 x 513	
			1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

**\*Unfinished MTM** - These items will be supplied as unfinished MDF.



Plain Panel - Standard Sizes


18mm / 785 x 380mm  
18mm / 930 x 650mm  
18mm / 930 x 1200mm  
18mm / 965 x 380mm  
18mm / 2400 x 650mm




Internal Corner Post



External Corner Post




Plain Panel / 18mm Thick



T&G Panel / 18mm Thick



Parker | Door Specifications



**Parker Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

**Parker Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Parker Frames:**  
Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

**Parker Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions).

The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.

Concave doors are not available.

**Parker Bedroom Doors:**  
Bedroom Door sizes are supplied unfinished only. Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.




Minimum Bedroom Door width is 246mm.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.


Parker Kitchen Angled Door

Parker Kitchen Angled Flat Top Door

Parker | Technical Specifications



Hartford | MDF Matt Painted Door (Smooth)



Door Specification	
Description	Plain Shaker Style Door with 90mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core

EXS

Ex.Stock in Primed

33 Painted Colours  
Smooth Surface

PTO

Available Painted to Order  
standard sizes.

MTM

Available Made to Measure  
Unfinished Only\*

Available Primed / Unfinished\*



Hartford | Colours / Finishes

Ex.Stock

Primed

NEW

Linen

Porcelano

Taupe Grey

Sea Breeze

White

Cashmere

Sage

Light Blue

Ivory

Highland Grey

NEW

French Chalk

NEW

Reed Green

Denim

Mussel

Light Grey

Heritage Pink

Liberty Green

Eiffel Blue

Dakar

Dust Grey

French Lavender

Moss Green

Nautical

Stone Grey

Pebble

Foraged Fruit

Heritage Green

Marine Blue

NEW

Honeycomb

Graphite

Heritage Red

Conifer

Indigo

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.

MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM

Hartford | Door and Drawer Sizes



Kitchen Door Sizes				
Doors Sizes		EXS	PTO	MTM
115 x 596	570 x 396			1965X296 (Supplied as 3 Panel Door)
140 x 296	570 x 446			1965X396 (Supplied as 3 Panel Door)
140 x 396	570 x 496			1965X496 (Supplied as 3 Panel Door)
140 x 446	570 x 596			1965X596 (Supplied as 3 Panel Door)
140 x 496	645 x 596			1965X596 (Supplied as 3 Panel Door)
140 x 596	715 x 146			1965X596 (Supplied as 3 Panel Door)
140 x 796	715 x 246			2145X296
140 x 896	715 x 275			2145X396
140 x 996	715 x 296			2145X496
175 x 396	715 x 315			2145X596
175 x 496	715 x 346			
175 x 596	715 x 396			
283 x 496	715 x 446			
283 x 596	715 x 496			
283 x 796	715 x 546			
283 x 896	715 x 596			
283 x 996	895 x 296			
355 x 496	895 x 396			
355 x 596	895 x 446			
355 x 760	895 x 496			
355 x 796	895 x 596			
355 x 896	980 x 596			
355 x 996	1245 x 296			
450 x 596	1245 x 396			
495 x 396	1245 x 496			
495 x 596	1245 x 596			
570 x 296				

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.

**Standard Kitchen Frame Sizes** - Supplied Glazed.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

Bedroom Door Sizes				
Doors and Drawer Sizes		MTM	Curved Door Sizes	
215 x 296	1495 x 496		1495 x 300	
215 x 396	1495 x 596		1595 x 300	
215 x 446	1595 x 296		2150 x 300	
215 x 496	1595 x 396		2250 x 300	
215 x 546	1595 x 446			
215 x 596	1595 x 496			
215 x 796	1595 x 596			
215 x 896	1735 x 296			
215 x 996	1735 x 396			
415 x 296	1735 x 446			
415 x 396	1735 x 496			
415 x 446	1735 x 596			
415 x 496	2150 x 296			
415 x 596	2150 x 396			
535 x 296	2150 x 446			
535 x 396	2150 x 496			
535 x 446	2150 x 596			
535 x 496	2250 x 296			
535 x 596	2250 x 396			
650 x 296	2250 x 446			
650 x 396	2250 x 496			
650 x 446	2250 x 596			
650 x 496	2400 x 296			
650 x 596	2400 x 396			
1495 x 296	2400 x 446			
1495 x 396	2400 x 496			
1495 x 446	2400 x 596			

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** - These doors will be supplied as raw MDF.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.

**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

Hartford | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes				
Kitchen Door Sizes		MTM	Bedroom Door Sizes	
160 x 296	490 x 296		1400 x 263	1500 x 413
160 x 396	490 x 396		1400 x 281	1500 x 431
160 x 446	490 x 446		1400 x 313	1500 x 463
160 x 496	490 x 496		1400 x 331	1500 x 481
160 x 596	490 x 596		1400 x 363	1500 x 513
160 x 796	685 x 146		1400 x 381	1500 x 531
160 x 896	685 x 296		1400 x 413	1500 x 563
160 x 996	685 x 315		1400 x 431	1500 x 581
325 x 496	685 x 346		1400 x 463	2150 x 263
325 x 596	685 x 396		1400 x 481	2150 x 281
325 x 796	685 x 446		1400 x 513	2150 x 313
325 x 896	685 x 496		1400 x 531	2150 x 331
325 x 996	685 x 596		1400 x 563	2150 x 363
			1400 x 581	2150 x 381
			1500 x 263	2150 x 413
			1500 x 281	2150 x 431
			1500 x 313	2150 x 463
			1500 x 331	2150 x 481
			1500 x 363	2150 x 513
			1500 x 381	2150 x 531

**Drilling** - Additional charge per hole.



Plain Panel - Standard Sizes

18mm / 785 x 380mm  
18mm / 930 x 650mm  
18mm / 930 x 1200mm  
18mm / 965 x 380mm  
18mm / 2400 x 650mm



Internal Corner Post



External Corner Post



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 212 for full range of heat deflector sizes.



Hartford | Door Specifications



**Hartford Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

**Hartford Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Hartford Frames:**  
Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.  
  
Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

**Hartford Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.


Concave doors are not available.

**Hartford Bedroom Doors:**  
Bedroom Door sizes are supplied unfinished only. Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.




If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


Minimum Bedroom Door width is 246mm.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.




Hartford | Technical Specifications






**Classic Cornice**  
102mm (W) x 70mm (H)  
3050mm Lengths

EXS PTO




**Curved Classic Cornice**  
419mm (L) x 419mm (W)  
x 70mm (H)

EXS PTO




**Classic Cornice Quadrant**  
98mm (L) x 98mm (W)  
x 70mm (H)

EXS PTO




**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO




**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

EXS PTO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO



**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W) x 30mm (H)


EXS PTO



**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths


EXS PTO

Available Primed Ex.Stock Only.




**Under Cornice**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Curved Under Cornice**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO




**Under Cornice Quadrant**  
53mm (L) x 53mm (W)  
x 30mm (H)

EXS PTO




**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM PTO




**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO



**Arched Pelmet**  
2400mm (L) x 18mm (W)  
x 200mm (H)


MTM PTO



**Fluted Rail**  
18mm (W) x 60mm (H)  
2500mm Lengths


EXS PTO

Available Primed Ex.Stock Only.




**Square Base Pilaster**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO




**Square Base Pilaster Insert**  
965mm (L) x 18mm (W)  
x 18mm (H)

EXS PTO




**Plain Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM




**Fluted Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM




**Special Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM




**Plate Cot (Pair) /**  
1000mm (L) x 23mm (W) x 308mm (H)

EXS PTO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS PTO



**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)


EXS PTO



**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)


EXS PTO

Available Primed Ex.Stock Only.



**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)


EXS PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.


Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.




Plain Panel / 18mm Thick

EXS PTO MTM



T&G Panel / 18mm Thick


MTM



**Single Feature Panel**  
900mm (H) x 600mm (W)

EXS PTO

Not available Primed. Standard Sizes Only.



**Double Feature Panel**  
900mm (H) x 864mm (W) /  
900mm (H) x 1160mm (W)


EXS PTO

Not available Primed. Standard Sizes Only.

**Headboards**  
MTM per m2. Hartford Headboards are supplied as single panels as standard unless otherwise specified.


Height Range: 500mm - 900mm  
Width Range: 915mm - 1830mm

MTM



Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel

Wellington | MDF Matt Painted Door (Smooth)



Door Specification	
Description	Mock In-Frame Style Door with 90mm Stiles and Rails
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core

33 Painted Colours  
Smooth Surface

**MTO**  
Available Made to Order

**PTO**  
Available Painted to Order standard sizes.

**MTM**  
Available Made to Measure Unfinished Only\*

Available Primed / Unfinished\*



Wellington | Colours / Finishes

Primed

Porcelano

Taupe Grey

Sea Breeze

Linen

White

Cashmere

Sage

Light Blue

Ivory

Highland Grey

French Chalk

Reed Green

Denim

Mussel

Light Grey

Heritage Pink

Liberty Green

Eiffel Blue

Dakar

Dust Grey

French Lavender

Moss Green

Nautical

Stone Grey

Pebble

Foraged Fruit

Heritage Green

Marine Blue

Honeycomb

Graphite

Heritage Red

Conifer

Indigo

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.

MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM

Wellington | Door and Drawer Sizes



Kitchen Door Sizes				
Doors Sizes	PTO	MTM	Curved Door sizes	PTO MTM
115 x 596	570 x 446	1965X296	715 x 300	
140 x 296	570 x 496	1965X396		
140 x 396	570 x 596	1965X496		
140 x 446	645 x 596	1965X596		
140 x 496	715 x 146	2145X296		
140 x 596	715 x 246	2145X396		
140 x 796	715 x 275	2145X496		
140 x 896	715 x 296	2145X596		
140 x 996	715 x 315			
175 x 396	715 x 346			
175 x 496	715 x 396			
175 x 596	715 x 446			
283 x 496	715 x 496			
283 x 596	715 x 546			
283 x 796	715 x 596			
283 x 896	895 x 296			
283 x 996	895 x 396			
355 x 496	895 x 446			
355 x 596	895 x 496			
355 x 760	895 x 596			
355 x 796	980 x 596			
355 x 896	1245 x 296			
355 x 996	1245 x 396			
450 x 596	1245 x 496			
495 x 396	1245 x 596			
495 x 596				
570 x 296				
570 x 396				

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.

**Standard Kitchen Frame Sizes** - Supplied Glazed.  
**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

Bedroom Door Sizes				
Doors and Drawer Sizes		MTM	Curved Door Sizes	MTM
215 x 296	1495 x 496		1495 x 300	
215 x 396	1495 x 596		1595 x 300	
215 x 446	1595 x 296		2150 x 300	
215 x 496	1595 x 396		2250 x 300	
215 x 546	1595 x 446			
215 x 596	1595 x 496			
215 x 796	1595 x 596			
215 x 896	1735 x 296			
215 x 996	1735 x 396			
415 x 296	1735 x 446			
415 x 396	1735 x 496			
415 x 446	1735 x 596			
415 x 496	2150 x 296			
415 x 596	2150 x 396			
535 x 296	2150 x 446			
535 x 396	2150 x 496			
535 x 446	2150 x 596			
535 x 496	2250 x 296			
535 x 596	2250 x 396			
650 x 296	2250 x 446			
650 x 396	2250 x 496			
650 x 446	2250 x 596			
650 x 496	2400 x 296			
650 x 596	2400 x 396			
1495 x 296	2400 x 446			
1495 x 396	2400 x 496			
1495 x 446	2400 x 596			

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**\*Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.

**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).


**Drilling** - Additional charge per hole.

Wellington | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes					
Kitchen Door Sizes		MTM	Bedroom Door Sizes		MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513
			1400 x 581	2150 x 381	2250 x 531
			1500 x 263	2150 x 413	2250 x 563
			1500 x 281	2150 x 431	2250 x 581
			1500 x 313	2150 x 463	
			1500 x 331	2150 x 481	
			1500 x 363	2150 x 513	
			1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.



Plain Panel - Standard Sizes

18mm / 785 x 380mm  
18mm / 930 x 650mm  
18mm / 930 x 1200mm  
18mm / 965 x 380mm  
18mm / 2400 x 650mm



Internal Corner Post



External Corner Post



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 212 for full range of heat deflector sizes.



Wellington | Door Specifications



**Wellington Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied single panel as standard. Minimum Kitchen Door width is 246mm.

**Wellington Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied as flat panels as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied as single panels as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Wellington Frames:**  
Full Open Frames between 250mm - 1734mm high are supplied as single panel as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

It's important to specify either Full Open Frame or Top Open Frame when ordering to ensure your order is processed correctly.

Standard Kitchen Frame sizes are supplied glazed. Non standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

Angled Frames are not available.

**Wellington Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm. Curved Door sizes between 1735mm - 2250mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified. Minimum Curved Door width is 246mm.


Concave doors are not available.

**Wellington Bedroom Doors:**  
Bedroom Door sizes are supplied unfinished only. Bedroom Door sizes between 1735mm - 2400mm high are supplied as 2 panel with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid-rail is measured from the base of the door to the centre of the mid-rail unless otherwise specified.

If you require a 4 or 5 panel door this must be clearly stated when ordering. Both 4 and 5 panel doors will be supplied with single mid rails as standard.


Minimum Bedroom Door width is 246mm.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.






Wellington | Technical Specifications

Wellington Door Cross Section




Wellington Stile Cross Section






**Classic Cornice**  
102mm (W) x 70mm (H)  
3050mm Lengths

EXS PTO




**Curved Classic Cornice**  
419mm (L) x 419mm (W)  
x 70mm (H)

EXS PTO




**Classic Cornice Quadrant**  
98mm (L) x 98mm (W)  
x 70mm (H)

EXS PTO




**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO




**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

EXS PTO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO



**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W) x 30mm (H)


EXS PTO



**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths


EXS PTO

Available Primed Ex.Stock Only.




**Under Cornice**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Curved Under Cornice**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO




**Under Cornice Quadrant**  
53mm (L) x 53mm (W)  
x 30mm (H)

EXS PTO




**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM PTO




**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO



**Arched Pelmet**  
2400mm (L) x 18mm (W)  
x 200mm (H)


MTM PTO



**Fluted Rail**  
18mm (W) x 60mm (H)  
2500mm Lengths


EXS PTO

Available Primed Ex.Stock Only.




**Square Base Pilaster**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO




**Square Base Pilaster Insert**  
965mm (L) x 18mm (W)  
x 18mm (H)

EXS PTO




**Plain Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM




**Fluted Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM




**Special Pilaster**  
100mm (W) x 900mm (H)  
MTM up to 2500mm

MTM




**Plate Cot (Pair) /**  
1000mm (L) x 23mm (W) x 308mm (H)

EXS PTO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS PTO



**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)


EXS PTO



**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)


EXS PTO

Available Primed Ex.Stock Only.



**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.


Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.




Plain Panel / 18mm Thick

EXS PTO MTM



T&G Panel / 18mm Thick


MTM



**Single Feature Panel**  
900mm (H) x 600mm (W)

EXS PTO

Not available Primed. Standard Sizes Only.



**Double Feature Panel**  
900mm (H) x 864mm (W) /  
900mm (H) x 1160mm (W)


EXS PTO

Not available Primed. Standard Sizes Only.

**Headboards**  
MTM per m2. Hartford Headboards are supplied as single panels as standard unless otherwise specified.


Height Range: 500mm - 900mm  
Width Range: 915mm - 1830mm

MTM



Standard Size MM:	Panel Availability:
3ft Headboard / 915mm	Single Panel
4ft Headboard / 1208mm	Single & 2 Panel
4.6ft Headboard / 1371mm	Single, 2 & 3 Panel
5ft Headboard / 1510mm	Single, 2, 3 & 4 Panel
6ft Headboard / 1830mm	Single, 2, 3 & 4 Panel

Belair | MDF Matt Painted Door (Smooth)



Door Specification

Description	Plain Slab Style Door
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core
Edge	Paint-able 1mm ABS Edging

33 Painted Colours

Available Painted to Order standard sizes.


Available Made to Measure


Available Unfinished\*


Smooth Surface





Belair | Kitchen Door Sizes


  
Primed


  
Porcelano


  
Taupe Grey


  
Sea Breeze


  
Linen


  
White


  
Cashmere


  
Sage


  
Light Blue


  
Ivory


  
Highland Grey


  
French Chalk


  
Reed Green


  
Denim


  
Mussel


  
Light Grey


  
Heritage Pink


  
Liberty Green


  
Eiffel Blue


  
Dakar


  
Dust Grey


  
French Lavender


  
Moss Green


  
Nautical


  
Stone Grey


  
Pebble


  
Foraged Fruit


  
Heritage Green


  
Marine Blue

  
Honeycomb

  
Graphite

  
Heritage Red

  
Conifer

  
Indigo

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.

Belair | Door and Drawer Sizes



Kitchen Door Sizes			
Doors and Drawer Sizes		PTO	MTM
		Curved Door sizes	
115 x 596	570 x 496	1965X296	715 x 300
140 x 296	570 x 596	1965X396	895 x 300
140 x 396	645 x 596	1965X496	1245 x 300
140 x 446	715 x 146	1965X596	1965 x 300
140 x 496	715 x 246	2145X296	
140 x 596	715 x 275	2145X396	
140 x 796	715 x 296	2145X496	
140 x 896	715 x 315	2145X596	
140 x 996	715 x 346		
175 x 396	715 x 396		
175 x 496	715 x 446		
175 x 596	715 x 496		
283 x 496	715 x 546		
283 x 596	715 x 596		
283 x 796	895 x 296		
283 x 896	895 x 396		
283 x 996	895 x 446		
355 x 496	895 x 496		
355 x 596	895 x 596		
355 x 760	980 x 596		
355 x 796	1060 x 396		
355 x 896	1060 x 496		
355 x 996	1060 x 596		
450 x 596	1245 x 296		
495 x 396	1245 x 396		
495 x 596	1245 x 496		
570 x 296	1245 x 596		
570 x 396			
570 x 446			

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.

**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.

Bedroom Door Sizes			
Doors and Drawer Sizes		PTO	MTM
		Curved Door Sizes	
215 x 296	1495 x 596	1495 x 300	
215 x 396	1595 x 296	1595 x 300	
215 x 446	1595 x 396	2150 x 300	
215 x 496	1595 x 446	2250 x 300	
215 x 546	1595 x 496		
215 x 596	1595 x 596		
215 x 796	1735 x 296		
215 x 896	1735 x 396		
215 x 996	1735 x 446		
415 x 296	1735 x 496		
415 x 396	1735 x 596		
415 x 446	2150 x 296		
415 x 496	2150 x 396		
415 x 596	2150 x 446		
535 x 296	2150 x 496		
535 x 396	2150 x 596		
535 x 446	2250 x 296		
535 x 496	2250 x 396		
535 x 596	2250 x 446		
650 x 296	2250 x 496		
650 x 396	2250 x 596		
650 x 446	2400 x 296		
650 x 496	2400 x 396		
650 x 596	2400 x 446		
1495 x 296	2400 x 496		
1495 x 396	2400 x 596		
1495 x 446			
1495 x 496			

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.

**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).


**Drilling** - Additional charge per hole.

Belair | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes				
Kitchen Door Sizes		MTM	Bedroom Door Sizes	
160 x 296	490 x 296		1400 x 263	1500 x 413
160 x 396	490 x 396		1400 x 281	1500 x 431
160 x 446	490 x 446		1400 x 313	1500 x 463
160 x 496	490 x 496		1400 x 331	1500 x 481
160 x 596	490 x 596		1400 x 363	1500 x 513
160 x 796	685 x 146		1400 x 381	1500 x 531
160 x 896	685 x 296		1400 x 413	1500 x 563
160 x 996	685 x 315		1400 x 431	1500 x 581
325 x 496	685 x 346		1400 x 463	2150 x 263
325 x 596	685 x 396		1400 x 481	2150 x 281
325 x 796	685 x 446		1400 x 513	2150 x 313
325 x 896	685 x 496		1400 x 531	2150 x 331
325 x 996	685 x 596		1400 x 563	2150 x 363
			1400 x 581	2150 x 381
			1500 x 263	2150 x 413
			1500 x 281	2150 x 431
			1500 x 313	2150 x 463
			1500 x 331	2150 x 481
			1500 x 363	2150 x 513
			1500 x 381	2150 x 531

**Drilling** - Additional charge per hole.



Plain Panel - Standard Sizes

18mm / 785 x 380mm  
18mm / 930 x 650mm  
18mm / 930 x 1200mm  
18mm / 965 x 380mm  
18mm / 2400 x 650mm



Internal Corner Post



External Corner Post



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 212 for full range of heat deflector sizes.



Belair | Door Specifications



**Belair Kitchen Doors:**  
Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

**Belair Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Belair Frames:**  
Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions).The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.


If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.


**Belair Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.

**Belair Bedroom Doors:**  
Bedroom Door sizes are supplied unfinished only. Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Belair | Technical Specifications






**Classic Cornice**  
102mm (W) x 70mm (H)  
3050mm Lengths

EXS


PTO



**Curved Classic Cornice**  
419mm (L) x 419mm (W)  
x 70mm (H)

EXS


PTO



**Classic Cornice Quadrant**  
98mm (L) x 98mm (W)  
x 70mm (H)

EXS


PTO



**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS

PTO



**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

EXS

PTO



**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS

PTO



**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS

PTO



**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 53mm (W) x 30mm (H)

EXS

PTO



**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS

PTO

Available Primed Ex.Stock Only.



**Under Cornice**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS

PTO



**Curved Under Cornice**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS

PTO



**Under Cornice Quadrant**  
53mm (L) x 53mm (W)  
x 30mm (H)

EXS

PTO



**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS

PTO



**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM



**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS

PTO



**Square Base Pilaster**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS

PTO



**Square Base Pilaster Insert**  
965mm (L) x 18mm (W)  
x 18mm (H)

EXS

PTO



**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS

PTO



**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

EXS


PTO



**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

EXS


PTO



**Plate Cot (Pair) /**  
1000mm (L) x 23mm (W) x 308mm (H)

EXS

PTO



**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS

PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.



**Headboard**  
MTM per m2. / Supplied as a flat panel

MTM

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.




Plain Panel / 18mm Thick

EXS

PTO

MTM



T&G Panel / 18mm Thick

MTM

Gladstone | MDF Matt Painted Door (Smooth)



Door Specification

Description	Faux In-frame slab door style with 28mm border
Finish	Smooth Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core
Edge	1mm ABS Edge

33 Painted Colours

Available Painted to Order standard sizes.

Available Made to Measure

Available Primed / Unfinished\*

Smooth Surface



Gladstone | Colours / Finishes

Primed

Porcelano

Taupe Grey

Sea Breeze

NEW

Linen

White

Cashmere

Sage

Light Blue

Ivory

Highland Grey

NEW

French Chalk

NEW

Reed Green

Denim

Mussel

Light Grey

Heritage Pink

Liberty Green

Eiffel Blue

Dakar

Dust Grey

French Lavender

Moss Green

Nautical

Stone Grey

Pebble

Foraged Fruit

Heritage Green

Marine Blue

NEW

Honeycomb

Graphite

Heritage Red

Conifer

Indigo

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.

MDF Painted | Ex.Stock and MTM

MDF Painted | Ex.Stock and MTM

Gladstone | Door and Drawer Sizes



Kitchen Door Sizes						
Doors and Drawer Sizes		PTO	MTM	Curved Door sizes		MTM
115 x 596	570 x 496		1965X296	715 x 300		
140 x 296	570 x 596		1965X396	895 x 300		
140 x 396	645 x 596		1965X496	1245 x 300		
140 x 446	715 x 146		1965X596	1965 x 300		
140 x 496	715 x 246		2145X296			
140 x 596	715 x 275		2145X396			
140 x 796	715 x 296		2145X496			
140 x 896	715 x 315		2145X596			
140 x 996	715 x 346					
175 x 396	715 x 396					
175 x 496	715 x 446					
175 x 596	715 x 496					
283 x 496	715 x 546					
283 x 596	715 x 596					
283 x 796	895 x 296					
283 x 896	895 x 396					
283 x 996	895 x 446					
355 x 496	895 x 496					
355 x 596	895 x 596					
355 x 760	980 x 596					
355 x 796	1060 x 396					
355 x 896	1060 x 496					
355 x 996	1060 x 596					
450 x 596	1245 x 296					
495 x 396	1245 x 396					
495 x 596	1245 x 496					
570 x 296	1245 x 596					
570 x 396						
570 x 446						

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.

**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.



Bedroom Door Sizes					
Doors and Drawer Sizes		PTO	MTM	Curved Door Sizes	MTM
215 x 296	1495 x 596			1495 x 300	
215 x 396	1595 x 296			1595 x 300	
215 x 446	1595 x 396			2150 x 300	
215 x 496	1595 x 446			2250 x 300	
215 x 546	1595 x 496				
215 x 596	1595 x 596				
215 x 796	1735 x 296				
215 x 896	1735 x 396				
215 x 996	1735 x 446				
415 x 296	1735 x 496				
415 x 396	1735 x 596				
415 x 446	2150 x 296				
415 x 496	2150 x 396				
415 x 596	2150 x 446				
535 x 296	2150 x 496				
535 x 396	2150 x 596				
535 x 446	2250 x 296				
535 x 496	2250 x 396				
535 x 596	2250 x 446				
650 x 296	2250 x 496				
650 x 396	2250 x 596				
650 x 446	2400 x 296				
650 x 496	2400 x 396				
650 x 596	2400 x 446				
1495 x 296	2400 x 496				
1495 x 396	2400 x 596				
1495 x 446					
1495 x 496					

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.

**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).


**Drilling** - Additional charge per hole.

Gladstone | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes					
Kitchen Door Sizes		MTM	Bedroom Door Sizes		MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513
			1400 x 581	2150 x 381	2250 x 531
			1500 x 263	2150 x 413	2250 x 563
			1500 x 281	2150 x 431	2250 x 581
			1500 x 313	2150 x 463	
			1500 x 331	2150 x 481	
			1500 x 363	2150 x 513	
			1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.



Plain Panel - Standard Sizes

18mm / 785 x 380mm  
18mm / 930 x 650mm  
18mm / 930 x 1200mm  
18mm / 965 x 380mm  
18mm / 2400 x 650mm



Internal Corner Post



External Corner Post



Save time & money with **automatic pricing** through our online ordering service.


Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.


See page 212 for full range of heat deflector sizes.




Gladstone | Door Specifications



Gladstone Kitchen Door



Gladstone Kitchen Frame  
(Unglazed) 70mm stile




Gladstone Kitchen  
Curved Door



Gladstone Pan Drawer




Gladstone Drawer




Gladstone  
Bedroom Door

MTM \*Unfinished



Gladstone Bedroom  
Full Open Frame

MTM \*Unfinished



Gladstone Bedroom  
Curved Door

MTM \*Unfinished

**Gladstone Kitchen Doors:**

Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

**Gladstone Drawers:**

Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.

Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Gladstone Frames:**

Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.

Top Open Frames between 1735mm - 2400mm high are supplied with a double mid-rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

**Gladstone Curved Doors:**

Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.


**Gladstone Bedroom Doors:**


Bedroom Door sizes are supplied unfinished only. Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.

**Drilling:**

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.


Gladstone | Technical Specifications






**Classic Cornice**  
102mm (W) x 70mm (H)  
3050mm Lengths

EXS PTO




**Curved Classic Cornice**  
419mm (L) x 419mm (W)  
x 70mm (H)

EXS PTO




**Classic Cornice Quadrant**  
98mm (L) x 98mm (W)  
x 70mm (H)

EXS PTO



**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO



**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

EXS PTO



**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO



**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO



**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 53mm (W) x 30mm (H)

EXS PTO



**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO

Available Primed Ex.Stock Only.



**Under Cornice**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO



**Curved Under Cornice**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS PTO



**Under Cornice Quadrant**  
53mm (L) x 53mm (W)  
x 30mm (H)

EXS PTO



**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO



**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM



**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO



**Square Base Pilaster**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO



**Square Base Pilaster Insert**  
965mm (L) x 18mm (W)  
x 18mm (H)

EXS PTO



**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS PTO




**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

EXS PTO




**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

EXS PTO



**Plate Cot (Pair) /**  
1000mm (L) x 23mm (W) x 308mm (H)

EXS PTO



**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.



**Headboard**  
MTM per m2. / Supplied as a flat panel

MTM


Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.



Plain Panel / 18mm Thick

EXS PTO MTM



T&G Panel / 18mm Thick

MTM

Crafted Aesthetic.

MTM Flexibility.

Choose Timber Painted.



With our Painted Door Styles and a wide colour range to choose from, you can give your customers the kitchen they've always wanted.



**Brooklyn**  
Solid Timber Painted  
Page 154



**Brooklyn Oak**  
Solid Oak  
Page 160



**Campbell**  
Solid Timber Painted  
Page 166



**Rainey**  
Solid Timber Painted  
Page 172



**Edison**  
Solid Timber Painted  
Page 178



**Monroe**  
Solid Timber Painted  
Page 184



**Monroe**  
Solid Oak  
Page 190




**Hyde**  
MDF Matt Painted (Grained)  
Page 196




Brooklyn | Solid Timber Matt Painted Door




Door Specification	
Description	Plain Shaker Door with 25mm Stiles
Finish	Matt Painted Finish
Door Thickness	21mm Thick
Base Material	Solid Ash Frame with Veneered MDF Centre Panel
Edge	1mm Bevelled Edge.




Available  
Ex.Stock  
in Primed.




34 Painted  
Colours




Available  
Made to Order.




Available  
Painted to Order  
standard sizes.



Available  
Made to Measure  
Unfinished /  
Painted



Solid Ash  
Timber






































Brooklyn Door

Brooklyn Drawer

Brooklyn Pan Drawer

Brooklyn | Colours / Finishes

 <p>Primed</p>	 <p>White</p>	 <p>Porcelano</p>	 <p>Taupe Grey</p>	 <p>Sea Breeze</p>
 <p>Linen</p>	 <p>Highland Grey</p>	 <p>Cashmere</p>	 <p>Sage</p>	 <p>Light Blue</p>
 <p>Ivory</p>	 <p>Light Grey</p>	 <p>French Chalk</p>	 <p>Reed Green</p>	 <p>Denim</p>
 <p>Mussel</p>	 <p>Dust Grey</p>	 <p>Heritage Pink</p>	 <p>Liberty Green</p>	 <p>Eiffel Blue</p>
 <p>Dakar</p>	 <p>Pebble</p>	 <p>French Lavender</p>	 <p>Moss Green</p>	 <p>Nautical</p>
 <p>Stone Grey</p>	 <p>Graphite</p>	 <p>Foraged Fruit</p>	 <p>Heritage Green</p>	 <p>Marine Blue</p>
 <p>Honeycomb</p>	 <p>Carbon Black</p>	 <p>Heritage Red</p>	 <p>Conifer</p>	 <p>Indigo</p>

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.



Brooklyn | Door and Drawer Sizes



Kitchen Door Sizes									
Doors Sizes					PTO	MTM			
115 x 596	284 x 496	496 x 596	716 x 346	980 x 596		1965X296			
140 x 296	284 x 596	570 x 296	716 x 396	1245 x 296		1965X396			
140 x 396	284 x 796	570 x 396	716 x 446	1245 x 396		1965X496			
140 x 446	284 x 896	570 x 446	716 x 496	1245 x 496		1965X596			
140 x 496	284 x 996	570 x 496	716 x 546	1245 x 596		2145X296			
140 x 596	356 x 496	570 x 596	716 x 596	1425 x 596		2145X396			
140 x 796	356 x 596	645 x 596	896 x 296			2145X496			
140 x 896	356 x 796	716 x 146	896 x 396			2145X596			
140 x 996	356 x 896	716 x 256	896 x 446						
176 x 396	356 x 996	716 x 275	896 x 496						
176 x 496	450 x 596	716 x 296	896 x 596						
176 x 596	496 x 396	716 x 315	980 x 596						

Handleless Rail System / Door Sizes									
Kitchen Door Sizes					MTM				
160 x 296	325 x 896	685 x 396							
160 x 396	325 x 996	685 x 446							
160 x 446	490 x 296	685 x 496							
160 x 496	490 x 396	685 x 596							
160 x 596	490 x 446								
160 x 796	490 x 496								
160 x 896	490 x 596								
160 x 996	685 x 146								
325 x 496	685 x 296								
325 x 596	685 x 315								
325 x 796	685 x 346								

Non-Standard Kitchen Door Sizes - Priced as MTM  
Angled Doors are not available.

Primed MTM Sizes are not available.  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

Curved Door are not available.  
Concave Doors are not available.

Solid Timber Frames:  
Frames are not available.

Drilling - Additional charge per hole.

Drilling - Additional charge per hole.

Brooklyn | Technical Specification

Solid Timber Doors:

Door sizes above 110mm are supplied as single panels as standard.  
Maximum Door Width is 996mm  
Minimum Door Width is 146mm.  
Maximum Door Height is 2400mm.

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes above 110mm are supplied as single panel as standard.  
Maximum Drawer width is 1196mm.  
Minimum Drawer width is 146mm.


Solid Timber Frames:

Frames are not available.



Drilling:


All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Brooklyn Door Cross Section




Brooklyn Stile Cross Section






**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS PTO




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)

EXS PTO




**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS PTO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W)  
x 30mm (H)

EXS PTO




**Plain Plinth**  
18mm (W) x 150mm (H)  
2850mm Lengths

EXS PTO




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO




**Turned Pilaster**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO




**Square Profile Pilaster**  
3050mm (L) x 70mm (W)  
x 50mm (H)

EXS PTO




**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W)  
x 19mm (H)

EXS PTO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS PTO




**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

EXS PTO




**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

EXS PTO




**Corbel Back Panel**  
284mm (W) x 18mm (W)  
x 296mm (H)

EXS PTO




**Mantle Shelf**  
1784mm (L) x 180mm (W)  
x 18mm (H)

EXS PTO




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS PTO




**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)


EXS PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.




**Brooklyn Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

EXS PTO




**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM


Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.



**Plain Panel / 18mm Thick**

EXS PTO MTM



**T&G Panel / 18mm Thick**

EXS PTO MTM

Brooklyn Oak | Solid Timber Door



Brooklyn Oak | Solid Timber Door



**Please note**

Our Brooklyn Oak Door is supplied as raw sanded door. However due to the natural characteristics of timber, variations in colour and grain structure are to be expected with this product.



Door Specification	
Description	Plain Shaker Door with 25mm Stiles
Finish	Raw sanded
Door Thickness	21mm Thick
Base Material	Solid Oak Frame with Veneered Centre Panel
Edge	1mm Bevelled Edge.



Solid Oak  
Timber



Available  
Made to Measure



Supplied  
Raw Sanded



Brooklyn Oak Door



Brooklyn Oak Drawer



Brooklyn Oak Pan Drawer



Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](https://weborders.osdoors.com)



Brooklyn Oak | Door and Drawer Sizes

Kitchen Door Sizes			
Doors Sizes		STO	MTM
115 x 596	496 x 596	980 x 596	1965X296
140 x 296	570 x 296	1245 x 296	1965X396
140 x 396	570 x 396	1245 x 396	1965X496
140 x 446	570 x 446	1245 x 496	1965X596
140 x 496	570 x 496	1245 x 596	2145X296
140 x 596	570 x 596	1425x596	2145X396
140 x 796	645 x 596		2145X496
140 x 896	716 x 146		2145X596
140 x 996	716 x 256		
176 x 396	716 x 275		
176 x 496	716 x 296		
176 x 596	716 x 315		
284 x 496	716 x 346		
284 x 596	716 x 396		
284 x 796	716 x 446		
284 x 896	716 x 496		
284 x 996	716 x 546		
356 x 496	716 x 596		
356 x 596	896 x 296		
356 x 796	896 x 396		
356 x 896	896 x 446		
356 x 996	896 x 496		
450 x 596	896 x 596		
496 x 396	980 x 596		



Handleless Rail System / Door Sizes			
Kitchen Door Sizes			MTM
160 x 296	325 x 896	685 x 396	
160 x 396	325 x 996	685 x 446	
160 x 446	490 x 296	685 x 496	
160 x 496	490 x 396	685 x 596	
160 x 596	490 x 446		
160 x 796	490 x 496		
160 x 896	490 x 596		
160 x 996	685 x 146		
325 x 496	685 x 296		
325 x 596	685 x 315		
325 x 796	685 x 346		

**Non-Standard Kitchen Door Sizes** - Priced as MTM  
**Angled Doors** are not available.

**Primed MTM Sizes** are not available.  
**MTM timber doors** cannot be cancelled once ordered.  
**MTM Timber doors** are non-returnable.

**Curved Door** are not available.  
**Concave Doors** are not available.

**Solid Timber Frames:**  
Frames are not available.

**Drilling** - Additional charge per hole.

**Drilling** - Additional charge per hole.

Brooklyn Oak | Technical Specification

Solid Timber Doors:

Door sizes above 110mm are supplied as single panels as standard.  
Maximum Door Width is 996mm  
Minimum Door Width is 146mm.  
Maximum Door Height is 2400mm.

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes above 110mm are supplied as single panel as standard.  
Maximum Drawer width is 1196mm.  
Minimum Drawer width is 146mm.


Solid Timber Frames:

Frames are not available.



Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.


Brooklyn Oak Door Cross Section



Brooklyn Oak Stile Cross Section









**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS STO




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W) x 63mm (H)

EXS STO




**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS STO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS STO




**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W) x 30mm (H)

EXS STO




**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS STO




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS STO




**Turned Pilaster**  
30mm (L) x 30mm (W) x 720mm (H)

EXS STO




**Corner Post**  
30mm (L) x 30mm (W) x 720mm (H)

EXS STO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths

EXS STO




**Square Profile Pilaster**  
3050mm (L) x 70mm (W) x 50mm (H)

EXS STO




**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W) x 19mm (H)

EXS STO




**Shelf Bracket**  
100mm (L) x 18mm (W) x 150mm (H)

EXS STO




**Corbel**  
125mm (L) x 90mm (W) x 165mm (H)

EXS STO




**French Mantle Corbel**  
350mm (L) x 90mm (W) x 600mm (H)

EXS STO




**Corbel Back Panel**  
284mm (W) x 18mm (W) x 296mm (H)

EXS STO




**Mantle Shelf**  
1784mm (L) x 180mm (W) x 18mm (H)

EXS STO



**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS STO



**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)

EXS STO



**Brooklyn Oak Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

EXS STO



**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM STO



**Plain Panel / 18mm Thick**

EXS STO MTM



**T&G Panel / 18mm Thick**

EXS STO MTM

Campbell | Solid Timber Matt Painted Door



Door Specification	
Description	Plain Shaker Door with 75mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Frame with Veneered Centre Panel
Edge	1mm Bevelled Edge.



34 Painted Colours



Available Made to Order.



Available Painted to Order standard sizes.



Available Made to Measure



Solid Ash Timber



Campbell Door



Campbell Frame




Campbell Pan Drawer



Campbell Drawer

Campbell | Colours / Finishes



Colours swatche shown are approximate. See Painted Swatch Book for true colour match.



Kitchen Door Sizes				
Doors Sizes	PTO	MTM	Plain Frame Sizes	
			PTO	MTM
115 x 596	570 x 446	1965X296	716 x 396 (Glazed)	
140 x 296	570 x 496	1965X396	716 x 496 (Glazed)	
140 x 396	570 x 596	1965X496	896 x 496 (Glazed)	
140 x 446	645 x 596	1965X596	1060 x 496 (Glazed)	
140 x 496	716 x 146	2145X296		
140 x 596	716 x 256	2145X396		
140 x 796	716 x 275	2145X496		
140 x 896	716 x 296	2145X596		
140 x 996	716 x 315			
176 x 396	716 x 346			
176 x 496	716 x 396			
176 x 596	716 x 446			
284 x 496	716 x 496			
284 x 596	716 x 546			
284 x 796	716 x 596			
284 x 896	896 x 296			
284 x 996	896 x 396			
356 x 496	896 x 446			
356 x 596	896 x 496			
356 x 796	896 x 596			
356 x 896	980 x 596			
356 x 996	1245 x 296			
450 x 596	1245 x 396			
496 x 396	1245 x 496			
496 x 596	1245 x 596			
570 x 296	1425 x 596			
570 x 396				

Non-Standard Kitchen Door Sizes - Priced as MTM  
Angled Doors are not available.

Primed MTM Sizes are not available.  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

Curved Doors are not available.  
Concave Doors are not available.

Standard Plain Frame Sizes - Supplied Glazed.  
Non Standard Plain Frame Sizes - Supplied Unglazed.  
Non Standard Plain Frame Sizes - Priced as door size plus 35%.  
Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.  
Georgian Frame Sizes are not available.

Drilling - Additional charge per hole.

Handleless Rail System / Door Sizes				
Kitchen Door Sizes				MTM
160 x 296	325 x 596	685 x 146		
160 x 396	325 x 796	685 x 296		
160 x 446	325 x 896	685 x 315		
160 x 496	325 x 996	685 x 346		
160 x 596	490 x 296	685 x 396		
160 x 796	490 x 396	685 x 446		
160 x 896	490 x 446	685 x 496		
160 x 996	490 x 496	685 x 596		
325 x 496	490 x 596			

Drilling - Additional charge per hole.

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm. Maximum Door Height is 2400mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.


Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available. Angled Frames are not available.



Drilling:


All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Campbell Door Cross Section




Campbell Stile Cross Section






**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS PTO




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)

EXS PTO




**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS PTO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W)  
x 30mm (H)

EXS PTO




**Plain Plinth**  
18mm (W) x 150mm (H)  
2850mm Lengths

EXS PTO




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO




**Turned Pilaster**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO




**Square Profile Pilaster**  
3050mm (L) x 70mm (W)  
x 50mm (H)

EXS PTO




**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W)  
x 19mm (H)

EXS PTO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS PTO




**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

EXS PTO




**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

EXS PTO




**Corbel Back Panel**  
284mm (W) x 18mm (W)  
x 296mm (H)

EXS PTO




**Mantle Shelf**  
1784mm (L) x 180mm (W)  
x 18mm (H)

EXS PTO




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS PTO




**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)


EXS PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.




**Campbell Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)


EXS PTO



**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)


MTM

Panel	Size MM	Primed Ex:Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●



**Plain Panel / 18mm Thick**

EXS PTO MTM



**T&G Panel / 18mm Thick**

EXS PTO MTM


\*Unfinished MTM - These items will be supplied as unfinished MDF.



Rainey | Solid Timber Matt Painted Door



Door Specification	
Description	Beaded Shaker Door with 84mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel



34 Painted Colours



Available Made to Order.



Available Painted to Order standard sizes.



Available Made to Measure



Solid Ash Timber



Rainey Door



Rainey Georgian Frame






































Rainey Pan Drawer



Rainey Drawer

Rainey | Colours / Finishes

 <p>Primed</p>	 <p>White</p>	 <p>Porcelano</p>	 <p>Taupe Grey</p>	 <p>Sea Breeze</p>
 <p>Linen</p>	 <p>Highland Grey</p>	 <p>Cashmere</p>	 <p>Sage</p>	 <p>Light Blue</p>
 <p>Ivory</p>	 <p>Light Grey</p>	 <p>French Chalk</p>	 <p>Reed Green</p>	 <p>Denim</p>
 <p>Mussel</p>	 <p>Dust Grey</p>	 <p>Heritage Pink</p>	 <p>Liberty Green</p>	 <p>Eiffel Blue</p>
 <p>Dakar</p>	 <p>Pebble</p>	 <p>French Lavender</p>	 <p>Moss Green</p>	 <p>Nautical</p>
 <p>Stone Grey</p>	 <p>Graphite</p>	 <p>Foraged Fruit</p>	 <p>Heritage Green</p>	 <p>Marine Blue</p>
 <p>Honeycomb</p>	 <p>Carbon Black</p>	 <p>Heritage Red</p>	 <p>Conifer</p>	 <p>Indigo</p>

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.



Kitchen Door Sizes				
Doors Sizes	PTO	MTM	Plain Frame Sizes	MTM
115 x 596	570 x 446	1965X296	716 x 396 (Unglazed)	<div>Georgian Frame Sizes</div> <div>PTO</div>
140 x 296	570 x 496	1965X396	716 x 496 (Unglazed)	
140 x 396	570 x 596	1965X496	896 x 496 (Unglazed)	
140 x 446	645 x 596	1965X596	1060 x 496 (Unglazed)	
140 x 496	716 x 146	2145X296		
140 x 596	716 x 256	2145X396		
140 x 796	716 x 275	2145X496		
140 x 896	716 x 296	2145X596		
140 x 996	716 x 315		716 x 396 (Glazed)	
176 x 396	716 x 346		716 x 496 (Glazed)	
176 x 496	716 x 396		896 x 496 (Glazed)	
176 x 596	716 x 446		1060 x 496 (Glazed)	
284 x 496	716 x 496			
284 x 596	716 x 546			
284 x 796	716 x 596			
284 x 896	896 x 296			
284 x 996	896 x 396			
356 x 496	896 x 446			
356 x 596	896 x 496			
356 x 796	896 x 596			
356 x 896	980 x 596			
356 x 996	1245 x 296			
450 x 596	1245 x 396			
496 x 396	1245 x 496			
496 x 596	1245 x 596			
570 x 296	1425 x 596			
570 x 396				

Non-Standard Kitchen Door Sizes - Priced as MTM  
Angled Doors are not available.

Primed MTM Sizes are not available.  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

Curved Doors are not available.  
Concave Doors are not available.

Standard Georgian Frame Sizes - Supplied Glazed.  
Non Standard Georgian Frame Sizes are not available.  
Non Standard Plain Frame Sizes - Supplied Unglazed.  
Non Standard Plain Frame Sizes - Priced as door size plus 35%.  
Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.

Drilling - Additional charge per hole.



Handleless Rail System / Door Sizes				
Kitchen Door Sizes				MTM
160 x 296	325 x 596	685 x 146		
160 x 396	325 x 796	685 x 296		
160 x 446	325 x 896	685 x 315		
160 x 496	325 x 996	685 x 346		
160 x 596	490 x 296	685 x 396		
160 x 796	490 x 396	685 x 446		
160 x 896	490 x 446	685 x 496		
160 x 996	490 x 496	685 x 596		
325 x 496	490 x 596			

Drilling - Additional charge per hole.

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm. Maximum Door Height is 2400mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.


Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available. Angled Frames are not available.



Drilling:


All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Rainey Door Cross Section




Rainey Stile Cross Section






**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS PTO




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W) x 63mm (H)

EXS PTO




**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS PTO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W) x 30mm (H)

EXS PTO




**Plain Plinth**  
18mm (W) x 150mm (H)  
2850mm Lengths

EXS PTO




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS PTO




**Turned Pilaster**  
30mm (L) x 30mm (W) x 720mm (H)

EXS PTO




**Corner Post**  
30mm (L) x 30mm (W) x 720mm (H)

EXS PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths

EXS PTO



**Square Profile Pilaster**  
3050mm (L) x 70mm (W) x 50mm (H)

EXS PTO



**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W) x 19mm (H)

EXS PTO



**Shelf Bracket**  
100mm (L) x 18mm (W) x 150mm (H)

EXS PTO



**Corbel**  
125mm (L) x 90mm (W) x 165mm (H)

EXS PTO



**French Mantle Corbel**  
350mm (L) x 90mm (W) x 600mm (H)

EXS PTO




**Corbel Back Panel**  
284mm (W) x 18mm (W) x 296mm (H)

EXS PTO




**Mantle Shelf**  
1784mm (L) x 180mm (W) x 18mm (H)

EXS PTO




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS PTO




**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)


EXS PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.




**Rainey Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

EXS PTO




**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM


Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished MTM - These items will be supplied as unfinished MDF.



**Plain Panel / 18mm Thick**

EXS PTO MTM



**T&G Panel / 18mm Thick**

EXS PTO MTM

Edison | Solid Timber Matt Painted Door



Door Specification	
Description	Beaded Shaker Door with 84mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel

EXS

Available  
Ex.Stock in  
4 Colours + Primed

34 Painted  
Colours

PTO

Available  
Painted to Order  
standard sizes.

MTM

Available  
Made to Measure

Solid Ash  
Timber

Edison Door

Edison Georgian Frame

Edison Curved Door

Edison Pan Drawer

Edison Drawer

Edison | Colours / Finishes

Ex.Stock

Primed

White

Porcelano

Ex.Stock

Taupe Grey

Sea Breeze

NEW

Linen

Highland Grey

Cashmere

Sage

Light Blue

Ivory

Light Grey

NEW

French Chalk

NEW

Reed Green

Denim

Mussel

Dust Grey

Heritage Pink

Liberty Green

Eiffel Blue

Dakar

Pebble

French Lavender

Moss Green

Nautical

Stone Grey

Graphite

Foraged Fruit

Heritage Green

Marine Blue

NEW

Honeycomb

NEW

Carbon Black

Heritage Red

Ex.Stock

Conifer

Ex.Stock

Indigo

Colours swatche shown are approximate. See Painted Swatch Book for true colour match.





Kitchen Door Sizes				
Doors Sizes			Curved Door sizes	
EXS	PTO	MTM		PTO
115 x 596	570 x 446	1965X296	716 x 300	
140 x 296	570 x 496	1965X396	896 x 300	
140 x 396	570 x 596	1965X496		
140 x 446	645 x 596	1965X596		
140 x 496	716 x 146	2145X296		
140 x 596	716 x 256	2145X396		
140 x 796	716 x 275	2145X496		
140 x 896	716 x 296	2145X596		
140 x 996	716 x 315			
176 x 396	716 x 346			
176 x 496	716 x 396			
176 x 596	716 x 446			
284 x 496	716 x 496			
284 x 596	716 x 546			
284 x 796	716 x 596			
284 x 896	896 x 296			
284 x 996	896 x 396			
356 x 496	896 x 446			
356 x 596	896 x 496			
356 x 796	896 x 596			
356 x 896	980 x 596			
356 x 996	1245 x 296			
450 x 596	1245 x 396			
496 x 396	1245 x 496			
496 x 596	1245 x 596			
570 x 296	1425 x 596			
570 x 396				

Non-Standard Kitchen Door Sizes - Priced as MTM  
Angled Doors are not available.

Primed MTM Sizes are not available.  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available.  
Concave Doors are not available.

Standard Georgian Frame Sizes - Supplied Glazed.  
Non Standard Georgian Frame Sizes are not available.  
Non Standard Plain Frame Sizes - Supplied Unglazed.  
Non Standard Plain Frame Sizes - Priced as door size plus 35%.  
Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.

Drilling - Additional charge per hole.



Handleless Rail System / Door Sizes				
Kitchen Door Sizes				MTM
160 x 296	325 x 596	685 x 146		
160 x 396	325 x 796	685 x 296		
160 x 446	325 x 896	685 x 315		
160 x 496	325 x 996	685 x 346		
160 x 596	490 x 296	685 x 396		
160 x 796	490 x 396	685 x 446		
160 x 896	490 x 446	685 x 496		
160 x 996	490 x 496	685 x 596		
325 x 496	490 x 596			

Drilling - Additional charge per hole.

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm. Maximum Door Height is 2400mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available. Angled Frames are not available.

Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available. Concave doors are not available.



Drilling:


All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Edison Door Cross Section



Edison Stile Cross Section






**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths


EXS

PTO




**Curved Classic Cornice**  
364mm (L) x 364mm (W)  
x 63mm (H)

PTO



**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)


PTO



**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths


EXS

PTO



**Curved Tangent Pelmet**  
300mm (L) x 300mm (W)  
x 57mm (H)


PTO



**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths


EXS

PTO




**Curved Modern Cornice Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

PTO



**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W)  
x 30mm (H)


PTO



**Plain Plinth**  
18mm (W) x 150mm (H)  
2850mm Lengths


EXS

PTO




**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

PTO



**Turned Pilaster**  
30mm (L) x 30mm (W)  
x 720mm (H)


PTO



**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)


EXS

PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

PTO




**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths

PTO




**Square Profile Pilaster**  
3050mm (L) x 70mm (W)  
x 50mm (H)

PTO




**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W)  
x 19mm (H)

PTO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

PTO




**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

PTO




**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

PTO




**Corbel Back Panel**  
284mm (W) x 18mm (W)  
x 296mm (H)

PTO




**Mantle Shelf**  
1784mm (L) x 180mm (W)  
x 18mm (H)

PTO




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

PTO




**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)


PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.




**Edison Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)


PTO



**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●




**Plain Panel / 18mm Thick**

EXS

PTO

MTM



**T&G Panel / 18mm Thick**

EXS

PTO

MTM

\*Unfinished MTM - These items will be supplied as unfinished MDF.

Monroe | Solid Timber Matt Painted Door



Door Specification	
Description	Plain Shaker Door with 75mm Stiles
Finish	Matt Painted Finish
Door Thickness	20mm Thick
Base Material	Solid Ash Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.



Available  
Ex.Stock in  
4 Colours + Primed



34 Painted  
Colours



Available  
Painted to Order  
standard sizes.



Available  
Made to Measure



Solid Ash  
Timber



Monroe Door




Monroe Frame



Monroe Curved Door






































Monroe Pan Drawer



Monroe Drawer

Monroe | Colours / Finishes

 <p>Primed</p>	 <p>White</p>	 <p>Porcelano</p>	 <p>Taupe Grey</p>	 <p>Sea Breeze</p>
 <p>Linen</p>	 <p>Highland Grey</p>	 <p>Cashmere</p>	 <p>Sage</p>	 <p>Light Blue</p>
 <p>Ivory</p>	 <p>Light Grey</p>	 <p>French Chalk</p>	 <p>Reed Green</p>	 <p>Denim</p>
 <p>Mussel</p>	 <p>Dust Grey</p>	 <p>Heritage Pink</p>	 <p>Liberty Green</p>	 <p>Eiffel Blue</p>
 <p>Dakar</p>	 <p>Pebble</p>	 <p>French Lavender</p>	 <p>Moss Green</p>	 <p>Nautical</p>
 <p>Stone Grey</p>	 <p>Graphite</p>	 <p>Foraged Fruit</p>	 <p>Heritage Green</p>	 <p>Marine Blue</p>
 <p>Honeycomb</p>	 <p>Carbon Black</p>	 <p>Heritage Red</p>	 <p>Conifer</p>	 <p>Indigo</p>

Monroe | Door and Drawer Sizes



Kitchen Door Sizes				
Doors Sizes	EXS	PTO	MTM	Curved Door sizes
115 x 596				716 x 300
140 x 296				896 x 300
140 x 396				
140 x 446				
140 x 496				
140 x 596				
140 x 796				
140 x 896				
140 x 996				
176 x 396				
176 x 496				
176 x 596				
284 x 496				
284 x 596				
284 x 796				
284 x 896				
284 x 996				
356 x 496				
356 x 596				
356 x 796				
356 x 896				
356 x 996				
450 x 596				
496 x 396				
496 x 596				
570 x 296				
570 x 396				

Handleless Rail System / Door Sizes				
Kitchen Door Sizes				MTM
160 x 296	325 x 596	685 x 146		
160 x 396	325 x 796	685 x 296		
160 x 446	325 x 896	685 x 315		
160 x 496	325 x 996	685 x 346		
160 x 596	490 x 296	685 x 396		
160 x 796	490 x 396	685 x 446		
160 x 896	490 x 446	685 x 496		
160 x 996	490 x 496	685 x 596		
325 x 496	490 x 596			

Drilling - Additional charge per hole.

Non-Standard Kitchen Door Sizes - Priced as MTM  
Angled Doors are not available.

Primed MTM Sizes are not available.  
MTM timber doors cannot be cancelled once ordered.  
MTM Timber doors are non-returnable.

Non-Standard Curved Door Sizes are not available.  
Concave Doors are not available.

Standard Plain Frame Sizes - Supplied Glazed.  
Non Standard Plain Frame Sizes - Supplied Unglazed.  
Non Standard Plain Frame Sizes - Priced as door size plus 35%.  
Non Standard Top Open Feature Frame Sizes - Priced as door size plus 35%.  
Georgian Frame Sizes are not available.

Drilling - Additional charge per hole.

Monroe | Technical Specification

Solid Timber Doors:

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm. Maximym Door Height is 2400mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

Solid Timber Drawers:

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

Solid Timber Frames:

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.

Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.

MTM Georgian Frames not available.  
Angled Frames are not available.

Solid Timber Curved Doors:


Solid Timber Curved doors are made to suit 300 x 300mm cabinets only. Solid Timber Curved Doors are available in standard listed sizes only.

MTM Solid Timber Doors are not available.  
Concave doors are not available.



Drilling:

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.


Monroe Door Cross Section



Monroe Stile Cross Section









**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS PTO




**Curved Classic Cornice**  
364mm (L) x 364mm (W)  
x 63mm (H)

PTO




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)

PTO




**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS PTO




**Curved Tangent Pelmet**  
300mm (L) x 300mm (W)  
x 57mm (H)

PTO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS PTO




**Curved Modern Cornice Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

PTO




**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W)  
x 30mm (H)

PTO




**Plain Plinth**  
18mm (W) x 150mm (H)  
2850mm Lengths

EXS PTO




**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

PTO




**Turned Pilaster**  
30mm (L) x 30mm (W)  
x 720mm (H)

PTO




**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS PTO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

PTO




**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths

PTO




**Square Profile Pilaster**  
3050mm (L) x 70mm (W)  
x 50mm (H)

PTO




**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W)  
x 19mm (H)

PTO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

PTO




**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

PTO




**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

PTO




**Corbel Back Panel**  
284mm (W) x 18mm (W)  
x 296mm (H)

PTO




**Mantle Shelf**  
1784mm (L) x 180mm (W)  
x 18mm (H)

PTO




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

PTO




**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)


PTO



**Touch Up Paint**  
30ml or 1 Litre volumes.




**Monroe Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)


PTO



**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)


MTM

Panel	Size MM	Primed Ex:Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●



**Plain Panel / 18mm Thick**

EXS PTO MTM



**T&G Panel / 18mm Thick**

EXS PTO MTM

\*Unfinished MTM - These items will be supplied as unfinished MDF.

Monroe Oak | Solid Timber Door



Monroe Oak | Solid Timber Door



**Please note**

Our Brooklyn Oak Door is supplied as raw sanded door. However due to the natural characteristics of timber, variations in colour and grain structure are to be expected with this product.



Door Specification	
Description	Plain Shaker Door with 75mm Stiles
Finish	Raw Sanded
Door Thickness	20mm Thick
Base Material	Solid Oak Core with Veneered Centre Panel
Edge	1mm Bevelled Edge.



Solid Oak Timber



Available Made to Measure



Supplied Raw Sanded




Monroe Oak Door



Monroe Oak Drawer



Monroe Oak Pan Drawer



Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](https://weborders.osdoors.com)

Monroe Oak | Door and Drawer Sizes

Kitchen Door Sizes					
Doors Sizes			Plain Frame Sizes		
115 x 596	570 x 446	1965X296	716 x 396 (Glazed)		
140 x 296	570 x 496	1965X396	716 x 496 (Glazed)		
140 x 396	570 x 596	1965X496	896 x 496 (Glazed)		
140 x 446	645 x 596	1965X596	1060 x 496 (Glazed)		
140 x 496	716 x 146	2145X296			
140 x 596	716 x 256	2145X396			
140 x 796	716 x 275	2145X496			
140 x 896	716 x 296	2145X596			
140 x 996	716 x 315				
176 x 396	716 x 346				
176 x 496	716 x 396				
176 x 596	716 x 446				
284 x 496	716 x 496				
284 x 596	716 x 546				
284 x 796	716 x 596				
284 x 896	896 x 296				
284 x 996	896 x 396				
356 x 496	896 x 446				
356 x 596	896 x 496				
356 x 796	896 x 596				
356 x 896	980 x 596				
356 x 996	1245 x 296				
450 x 596	1245 x 396				
496 x 396	1245 x 496				
496 x 596	1245 x 596				
570 x 296	1425 x 596				
570 x 396					

**Non-Standard Kitchen Door Sizes** - Priced as MTM.  
**Angled Doors are not available.**

**MTM timber doors cannot be cancelled once ordered.**  
**MTM Timber doors are non-returnable.**

**Curved Doors are not available.**  
**Concave Doors are not available.**

**Standard Plain Frame Sizes** - Supplied Glazed.  
**Non Standard Plain Frame Sizes** - Supplied Unglazed.  
**Non Standard Plain Frame Sizes** - Priced as door size plus 35%.  
**Non Standard Top Open Feature Frame Sizes** - Priced as door size plus 35%.  
**Georgian Frame Sizes are not available.**

**Drilling** - Additional charge per hole.



Handleless Rail System / Door Sizes					
Kitchen Door Sizes					
160 x 296	325 x 596	685 x 146			
160 x 396	325 x 796	685 x 296			
160 x 446	325 x 896	685 x 315			
160 x 496	325 x 996	685 x 346			
160 x 596	490 x 296	685 x 396			
160 x 796	490 x 396	685 x 446			
160 x 896	490 x 446	685 x 496			
160 x 996	490 x 496	685 x 596			
325 x 496	490 x 596				

**Drilling** - Additional charge per hole.

Monroe Oak | Technical Specification

**Solid Timber Doors:**

Door sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Door Width is 996mm. Minimum Door Width is 246mm. Maximum Door Height is 2400mm.

Stile width will be reduced as necessary for Doors sized below 296mm wide.

Angled doors are not available.

**Solid Timber Drawers:**

Drawer sizes between 50mm - 200mm high are supplied as flat panels as standard. Maximum Drawer width is 1196mm. Minimum Drawer width is 100mm.

Pan Drawer sizes between 283mm - 400mm high are supplied as single panels as standard. Maximum Pan Drawer width is 1196mm. Minimum Pan Drawer width is 246mm.

Stile width will be reduced as necessary for Pan Drawers sized below 296mm wide.

**Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.**

**Solid Timber Frames:**

Plain Frame sizes between 283mm - 1245mm high are supplied as single panels as standard. Maximum Plain Frame width is 996mm. Minimum Plain Frame width is 246mm.




Stile width will be reduced as necessary for Plain Frames sized below 296mm wide.

Standard Kitchen Frame sizes are supplied glazed. Non Standard Kitchen and Bedroom Frame sizes are supplied unglazed. Unglazed frames are rebated on the reverse side and supplied with a glazing gasket.


MTM Georgian Frames not available. Angled Frames are not available.

**Drilling:**

All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.




Monroe Oak | Accessories




**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS STO




**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)

EXS STO




**Tangent Light Pelmet**  
18mm (W) x 57mm (H)  
3050mm Lengths

EXS STO




**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS STO




**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W)  
x 30mm (H)

EXS STO




**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS STO




**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS STO




**Turned Pilaster**  
30mm (L) x 30mm (W)  
x 720mm (H)

STO




**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS STO




**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM




**Radius Profile**  
(R 48mm) 70mm (W) x 50mm (H)  
3050mm Lengths

EXS STO




**Square Profile Pilaster**  
3050mm (L) x 70mm (W)  
x 50mm (H)

STO




**Square Profile Pilaster Insert**  
3050mm (L) x 19mm (W)  
x 19mm (H)

STO




**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

STO




**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

STO




**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

STO



**Corbel Back Panel**  
284mm (W) x 18mm (W)  
x 296mm (H)


STO



**Mantle Shelf**  
1784mm (L) x 180mm (W)  
x 18mm (H)


STO

Monroe Oak | Accessories



**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

STO



**Plate Cot (Pair)**  
1000mm (L) x 23mm (W) x 308mm (H)

STO



**Monroe Overmantle Kit**  
Includes: 2 x Classic Corbels / 2 x Corbel back Panels / 2 x Doors 896 x 296mm / 2 x Drawers 284 x 596mm / 1 x Mantle Shelf



**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

STO



**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)

MTM

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

**Plain Panel** / 18mm Thick

EXS STO MTM

**T&G Panel** / 18mm Thick


EXS STO MTM

\*Unfinished MTM - These items will be supplied as unfinished.

MTM Available Made to Measure.



Hyde | Grained MDF Matt Painted Door



Door Specification

Description	Embossed Wood Grain Effect, Slab Style Door
Finish	Matt Painted Finish
Door Thickness	18mm Thick
Base Material	MDF Core
Edge	Paint-able 1mm ABS Edging



34 Painted Colours

PTO

Available Painted to Order standard sizes.

MTM

Available Made to Measure



Available Unfinished\*



Embossed Grain



Hyde | Colours / Finishes

Primed

White

Porcelano

Taupe Grey

Sea Breeze

NEW

NEW

NEW

NEW

Linen

Highland Grey

Cashmere

Sage

Light Blue

Ivory

Light Grey

French Chalk

Reed Green

Denim

Mussel

Dust Grey

Heritage Pink

Liberty Green

Eiffel Blue

Dakar

Pebble

French Lavender

Moss Green

Nautical

Stone Grey

Graphite

Foraged Fruit

Heritage Green

Marine Blue

NEW

NEW

Honeycomb

Carbon Black

Heritage Red

Conifer

Indigo

Hyde | Door and Drawer Sizes



Kitchen Door Sizes				
Doors Sizes	PTO	MTM	Curved Door sizes	MTM
115 x 596	570 x 496	1965X296	715 x 300	
140 x 296	570 x 596	1965X396	895 x 300	
140 x 396	645 x 596	1965X496	1245 x 300	
140 x 446	715 x 146	1965X596	1965 x 300	
140 x 496	715 x 246	2145X296		
140 x 596	715 x 275	2145X396		
140 x 796	715 x 296	2145X496		
140 x 896	715 x 315	2145X596		
140 x 996	715 x 346			
175 x 396	715 x 396			
175 x 496	715 x 446			
175 x 596	715 x 496			
283 x 496	715 x 546			
283 x 596	715 x 596			
283 x 796	895 x 296			
283 x 896	895 x 396			
283 x 996	895 x 446			
355 x 496	895 x 496			
355 x 596	895 x 596			
355 x 760	980 x 596			
355 x 796	1060 x 396			
355 x 896	1060 x 496			
355 x 996	1060 x 596			
450 x 596	1245 x 296			
495 x 396	1245 x 396			
495 x 596	1245 x 496			
570 x 296	1245 x 596			
570 x 396	1425x596			
570 x 446				

**Non-Standard Kitchen Door Sizes** - Priced next door size up.  
**Angled Kitchen Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Kitchen Doors available any height up to 2250mm**  
**Non-Standard Curved Kitchen Door Sizes** - Priced next door size up.

**MTM Plain Kitchen Frames** - Priced as door size plus 35% (Supplied Unglazed).

**Drilling** - Additional charge per hole.



Bedroom Door Sizes				
Doors and Drawer Sizes	PTO	MTM	Curved Door Sizes	MTM
215 x 296	1595 x 296		1495 x 300	
215 x 396	1595 x 396		1595 x 300	
215 x 446	1595 x 446		2150 x 300	
215 x 496	1595 x 496		2250 x 300	
215 x 546	1595 x 596			
215 x 596	1735 x 296			
215 x 796	1735 x 396			
215 x 896	1735 x 446			
215 x 996	1735 x 496			
415 x 296	1735 x 596			
415 x 396	2150 x 296			
415 x 446	2150 x 396			
415 x 496	2150 x 446			
415 x 596	2150 x 496			
535 x 296	2150 x 596			
535 x 396	2250 x 296			
535 x 446	2250 x 396			
535 x 496	2250 x 446			
535 x 596	2250 x 496			
650 x 296	2250 x 596			
650 x 396	2400 x 296			
650 x 446	2400 x 396			
650 x 496	2400 x 446			
650 x 596	2400 x 496			
495 x 296	2400 x 596			
1495 x 396				
1495 x 446				
1495 x 496				
1495 x 596				

**Non-Standard Bedroom Door Sizes** - Priced next door size up.  
**Angled Bedroom Door Sizes** - Priced as door size plus 50%.  
**Primed MTM Sizes are not available.**  
**Unfinished MTM** -These doors will be supplied as raw MDF.

**Curved Bedroom Doors available any height up to 2250mm**  
**Non-Standard Curved Bedroom Door Sizes** - Priced next door size up.

**MTM Plain Bedroom Frames** - Priced as door size plus 35% (Supplied Unglazed).


**Drilling** - Additional charge per hole.

Hyde | Handleless Rail System Door Sizes



Handleless Rail System Door Sizes					
Kitchen Door Sizes		MTM	Bedroom Door Sizes		MTM
160 x 296	490 x 296		1400 x 263	1500 x 413	2150 x 563
160 x 396	490 x 396		1400 x 281	1500 x 431	2150 x 581
160 x 446	490 x 446		1400 x 313	1500 x 463	2250 x 263
160 x 496	490 x 496		1400 x 331	1500 x 481	2250 x 281
160 x 596	490 x 596		1400 x 363	1500 x 513	2250 x 313
160 x 796	685 x 146		1400 x 381	1500 x 531	2250 x 331
160 x 896	685 x 296		1400 x 413	1500 x 563	2250 x 363
160 x 996	685 x 315		1400 x 431	1500 x 581	2250 x 381
325 x 496	685 x 346		1400 x 463	2150 x 263	2250 x 413
325 x 596	685 x 396		1400 x 481	2150 x 281	2250 x 431
325 x 796	685 x 446		1400 x 513	2150 x 313	2250 x 463
325 x 896	685 x 496		1400 x 531	2150 x 331	2250 x 481
325 x 996	685 x 596		1400 x 563	2150 x 363	2250 x 513
			1400 x 581	2150 x 381	2250 x 531
			1500 x 263	2150 x 413	2250 x 563
			1500 x 281	2150 x 431	2250 x 581
			1500 x 313	2150 x 463	
			1500 x 331	2150 x 481	
			1500 x 363	2150 x 513	
			1500 x 381	2150 x 531	

**Drilling** - Additional charge per hole.



**Plain Panel** (18mm thick)  
18mm / 785 x 380mm  
18mm / 930 x 650mm  
18mm / 930 x 1200mm  
18mm / 965 x 380mm  
18mm / 2400 x 650mm



**Internal Corner Post**



**External Corner Post**




Save time & money with **automatic pricing** through our online ordering service.

Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

**Important:** Always ensure doors are shielded from heat sources through the use of heat deflectors.

See page 212 for full range of heat deflector sizes.

Hyde | Door Specifications



**Hyde Kitchen Doors:**  
Kitchen Door sizes between 250mm - 1734mm high are supplied flat panel as standard. Minimum Kitchen Door width is 246mm.

**Hyde Drawers:**  
Drawer sizes between 100mm - 282mm high are supplied flat panel as standard. Minimum Drawer width is 246mm.  
  
Pan Drawer sizes between 250mm - 282mm high are supplied flat panel as standard. Minimum Pan Drawer width is 246mm.

Please note it's important to specify either Door, Drawer or Pan Drawer when ordering to ensure your order is processed correctly.

**Hyde Frames:**  
Frames between 250mm - 2400mm high are supplied flat panel Full Open Frames with a 70mm stile as standard.  
  
Top Open Frames between 1735mm - 2400mm high are supplied with a double mid rail which position is variable for each order (please specify required dimensions of split dimensions). The mid rail is measured from the base of the door to the centre of the mid rail unless otherwise specified.

If you require a Top Open Frame this must be clearly stated when ordering, and full details on sizes required must be included.

**Hyde Curved Doors:**  
Curved doors are made to suit 300mm x 300mm cabinets only. Height availability ranges from 570mm up to 2250mm.


**Hyde Bedroom Doors:**  
Bedroom Door sizes between 1735mm - 2400mm high are supplied flat panel as standard. Minimum Bedroom Door width is 246mm.


**Hyde Direction:**  
Door sizes between 250mm - 2400mm are supplied with vertical grain as standard. Horizontal grain (up to 1220mm only) is available on request.

Drawer sizes between 100mm - 282mm are supplied with horizontal grain as standard. Vertical grain is available on request.

**Drilling:**  
All door styles are supplied un-drilled unless requested by the customer. If drilling is required, drilling instructions must clearly state full dimensions for all holes required.

Hyde | Technical Specifications






**Classic Cornice (Grained)**  
76mm (W) x 63mm (H)  
3050mm Lengths

EXS


PTO



**Curved Classic Cornice**  
364mm (L) x 364mm (W)  
x 63mm (H)

EXS


PTO



**Classic Cornice Quadrant**  
84mm (L) x 84mm (W)  
x 63mm (H)

EXS


PTO



**Plain Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS


PTO



**Curved Plain Plinth**  
540mm (L) x 232mm (W)  
x 150mm (H)

EXS


PTO



**Modern Cornice / Pelmet**  
50mm (W) x 30mm (H)  
3050mm Lengths

EXS


PTO



**Curved Modern Cornice / Pelmet**  
350mm (L) x 350mm (W)  
x 30mm (H)

EXS


PTO



**Modern Cornice / Pelmet Quadrant**  
50mm (L) x 50mm (W) x 30mm (H)

EXS


PTO



**Torus Plinth**  
18mm (W) x 150mm (H)  
3050mm Lengths

EXS

PTO



**Radius Profile (R 48mm)**  
70mm (W) x 50mm (H)  
3050mm Lengths

EXS

PTO



**Square Profile Pilaster**  
3050mm (L) x 50mm (W)  
x 70mm (H)

EXS

PTO



**Square Profile Pilaster Insert**  
3050mm (L) x 18mm (W)  
x 18mm (H)

EXS

PTO



**Corner Post**  
30mm (L) x 30mm (W)  
x 720mm (H)

EXS

PTO



**MTM Corner Post**  
715mm (150 x 150mm Max)

MTM



**Touch Up Paint**  
30ml or 1 Litre volumes.



**Shelf Bracket**  
100mm (L) x 18mm (W)  
x 150mm (H)

EXS

PTO



**Corbel**  
125mm (L) x 90mm (W)  
x 165mm (H)

EXS

PTO



**French Mantle Corbel**  
350mm (L) x 90mm (W)  
x 600mm (H)

EXS

PTO

Available Primed Ex.Stock Only.



**Plate Cot (Pair) /**  
1000mm (L) x 23mm (W) x 308mm (H)

EXS

PTO




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)

EXS

PTO

Panel	Size MM	Primed Ex.Stock	Painted To Order	Unfinished MTM*	Painted MTM
Plain Panel	18mm / 785 x 380mm	●	●	×	×
Plain Panel	18mm / 930 x 650mm	●	●	×	×
Plain Panel	18mm / 930 x 1200mm	●	●	×	×
Plain Panel	18mm / 965 x 380mm	●	●	×	×
Plain Panel	18mm / 2400 x 650mm	●	●	×	×
Plain Panel	Made to Measure per m2	×	×	●	●
T&G Panel	Made to Measure per m2	×	×	●	●

\*Unfinished Ex.Stock - These items will be supplied as raw MDF.  
\*Unfinished MTM - These items will be supplied as raw MDF.



**Headboard**  
MTM per m2. / Supplied as a flat panel

MTM




Plain Panel / 18mm Thick

EXS


PTO

MTM



T&G Panel / 18mm Thick

MTM



Save time & money with **automatic pricing** through our online ordering service.

Order online at **weborders.osdoors.com**




Painted | Curved Door Specifications

MDF Matt / Gloss Painted  
Curved Door Specification  
Arena / Parker / Belair / Hartford / Hyde

MDF Painted Curved Doors are made to suit 300mm x 300mm cabinets only.

Height availability ranges from 570mm up to 2250mm.


MDF Concave Doors are not available.




Solid Timber Painted  
Curved Door Specification  
Edison / Monroe / Albany / Hampton /  
Greenwich Ash / Greenwich Oak

Solid Timber Curved Doors are made to suit 300mm x 300mm cabinets only. Height availability 715mm ONLY.


Solid Timber Concave Doors are not available.




Painted | Moulding Specifications




Classic Cornice (Smooth)  
3050mm Lengths




Curved Classic Cornice (Smooth)  
419mm (L) x 419mm (W) x 70mm (H)




Classic Cornice Quadrant (Smooth)  
98mm (L) x 98mm (W) x 70mm (H)




Classic Cornice (Grained)  
3050mm Lengths




Curved Classic Cornice (Grained)  
364mm (L) x 364mm (W) x 63mm (H)




Classic Cornice Quadrant (Grained)  
84mm (L) x 84mm (W) x 63mm (H)




Modern Cornice / Pelmet  
3050mm Lengths




Curved Modern Cornice / Pelmet  
350mm (L) x 350mm (W) x 30mm (H)




Modern Cornice / Pelmet Quadrant  
50mm (L) x 50mm (W) x 30mm (H)




Under Cornice (Smooth)  
3050mm Lengths




Curved Under Cornice (Smooth)  
350mm (L) x 350mm (W) x 30mm (H)




Under Cornice Quadrant (Smooth)  
53mm (L) x 53mm (W) x 30mm (H)




**Plain Plinth**  
MDF - 3050mm Lengths  
Solid Ash Timber - 2850mm Lengths  
Solid Oak Timber - 2440mm Lengths




**Curved Plain Plinth**  
540mm (L) x 250mm (W) x 150mm (H)




**Radius Profile**  
3050mm Lengths




**Square Pilaster**  
3050mm Lengths




**Torus Plinth**  
3050mm Lengths




**Curved Torus Plinth (Smooth)**  
300mm (L) x 300mm (W) x 150mm (H)




**Corner Post**  
3050mm Lengths




**MTM Corner Post**  
715mm (150mm x 150mm Max)




**Tangent Light Pelmet**  
3050mm Lengths




**Turned Pilaster (Solid Timber)**  
900mm (H) x 94mm (W)  
900mm (H) x 57mm (W)  
1250mm (H) x 57mm (W)




**Shelf Bracket**  
100mm (L) x 18mm (W) x 150mm (H)




**Classic Corbel**  
125mm (L) x 90mm (W) x 165mm (H)




**French Mantle Corbel**  
350mm (L) x 90mm (H) x 600mm (H)




**Plate Cot**  
1000mm (L) x 23mm (W) x 308mm (H)




**Wine Rack Rail**  
1200mm (L) x 18mm (W) x 60mm (H)



**Fluted Rail**  
2500mm Lengths








**Modern Canopy**  
1000mm (W) x 228mm (D) x 525mm (H)

































**Classic Canopy**  
1000mm (W) x 215mm (D) x 485mm (H)





Painted | Bedroom Accessories Specifications

Painted Headboard Specifications				
Headboard Type		Height Range MM	Height Range MM	Applicable Door Styles
Single Panel		500mm — 900mm	915mm — 1830mm	Hartford
2 Panel		500mm — 900mm	915mm — 1830mm	Hartford
3 Panel		500mm — 900mm	1371mm — 1830mm	Hartford
4 Panel		500mm — 900mm	1510mm — 1830mm	Hartford
Flat Panel		500mm — 900mm	915mm — 1830mm	Arena, Tenby, Belair, Hyde and Hartford

**Headboards:** All Headboards are supplied rectangular using the design of door style ordered.  
All Headboards will be supplied as Single Panels / Flat Panels (Applicable to Door Style) as standard, unless otherwise specified (Door Design permitting).

Painted | RAL Colour Match References

RAL Colour Match References	
O&S Doors Paint Colour	RAL Colour Match
 White	RAL 9003
 Linen	RAL 080 85 05
 Ivory	RAL 100 90 10
 Porcelano	RAL 110 90 05
 Mussel	RAL 095 80 10
 Pebble	RAL 080 70 05
 Dakar	RAL 090 70 10
 Taupe Grey	RAL 080 80 05
 Cashmere	RAL 080 80 05
 Stone Grey	RAL 060 60 05
 Honeycomb	RAL 080 70 40
 French Lavender	RAL 320 50 05
 French Chalk	RAL 050 85 01
 Heritage Pink	RAL 030 70 10
 Foraged Fruit	RAL 320 20 10
 Heritage Red	RAL 010 30 20
 Sea Breeze	RAL 160 70 05
 Sage	RAL 100 70 10
 Reed Green	RAL 140 60 05
 Moss Green	RAL 120 60 10
 Liberty Green	RAL 180 50 10
 Heritage Green	RAL 180 40 05
 Conifer	RAL 160 30 05
 Nautical	RAL 230 20 15
 Light Blue	RAL 140 70 05
 Denim	RAL 250 70 10
 Eiffel Blue	RAL 260 40 20
 Marine Blue	RAL 260 20 15
 Indigo	RAL 280 20 05
 Highland Grey	RAL 000 90 00


RAL Colour Match References	
O&S Doors Paint Colour	RAL Colour Match
 Light Grey	RAL 000 80 00
 Dust Grey	RAL 000 60 00
 Graphite	RAL 000 30 00
 Carbon Black	RAL 000 15 00

**Important Notice:** These RAL Colour match references are suggested options only. They are the closest RAL colour match to our paint colour, but please note they are not exact matches. Customers are strongly advised to obtain paint swatch samples to confirm a satisfactory colour match.

O&S Doors Ltd do not accept responsibility for any subsequent dissatisfaction between our paint colours and externally sourced paint colour matches. The listed RAL Colour matches are correct at time of printing. Due to unforeseen changes to the supply chain O&S Doors Ltd reserve the right due to amend, alter or discontinue paint finishes without prior notice.

For closest colour match we recommend using paint supplied by O&S Doors Ltd.

Please note whilst every effort is made to manufacture painted products to a consistently high standard, there may be variations in the actual finish in certain circumstances. Samples are offered as a reference guide only and may be subject to slight variations.






Brooklyn Oak featured in Mocha Wood Stain finish.



Frame Specifications	
Description	Aluminium Frame
Finish	Black
Thickness	20.5mm
Frame Material	Aluminium
Glazing	Toughened Reeded Glass
Hinge Requirement	Blum 70T950A





Available Frame Sizes	
Frame Sizes	EXS
715 x 396	
895 x 396	
715 x 496	
895 x 496	
1965 x 496	
2145 x 496	



Hinge  
Blum 70T950A  
(Sold Separately)



Plate  
Blum Clip 175H7100  
(Sold Separately)








Heat Deflectors		
Product Code	Area Needed	Pack Includes
HEATDEFLECT BU 18MM	Built Under Oven	- 2 x side heat deflectors / 603mm (L)
HEATDEFLECT DO 18MM	Double Oven	- 2 x side heat deflectors / 898mm (L) - 1 x lower heat deflector / 596mm (L)
HEATDEFLECT SO 18MM	Single Oven	- 2 x side heat deflectors / 634mm (L) - 1 x lower heat deflector / 596mm (L)

All Heat Deflector sizes shown above are made to suit 18mm board thickness.  
For double under oven use HDS02 Double Oven and trim to size.



Lower Heat Deflector

Left and Right Side Heat Deflectors

12mm Screws

Assembly Guide

Before you start, check the pack to make sure all the components are included. If not please call our customer services team on 028 3754 9190.

**Step 1:** Position the left side heat deflector as shown in figure 1 and align with the top edge of the oven aperture. Mark the screw positions with a bradawl and secure using the 12mm screws provided.

**Step 2:** Repeat for the right side heat deflector.

**Step 3:** Position the lower heat deflector as shown in figure 2. Mark the screw positions with a bradawl and secure using the 12mm screws provided.

Important Note:

Cut outs are provided in the heat deflector to allow your oven to be fixed to the cabinet once the heat deflectors are in place. If the fixing positions for your oven do not align with any of the standard cut outs, drill through the heat deflector using a suitable metal drill bit. Please note that with some models of oven it may be necessary to omit fitting the lower heat deflector to allow the oven door to open correctly.

Care and Maintenance:

- Wipe clean regularly with a soft damp cloth.
- More stubborn marks can be removed with a soft damp cloth using mild detergents.
- DO NOT use corrosive or abrasive cleaners, which may damage the protective coating of the heat deflectors.




Figure 1 / Side Heat Deflector Assembly





Figure 2 / Lower Heat Deflector Assembly

# Carefully Curated. Durably Designed. Beautifully Built. Handle Accessories

Add the finishing touch to your cabinet design with our wide range of Handle components. With various styles including Knob, T Bar, Cup, Pull Handle and 'D' Handles. We have multiple finishes available, there's a handle to suit every type of Kitchen, Bedroom and Bathroom.



Handle Accessories

**Bailgate T-Bar** | Brushed Nickel | Dark Brushed Brass | Matt Black  
82mm



**Bailgate Pull Handle**  
160mm




**Bailgate Pull Handle**  
320mm



**Battersea T-Bar** | Chrome Plated | Dull Nickel | Brushed Satin Brass | Dark Brushed Brass | | Matt Black  
60mm



**Battersea Pull Handle**  
160mm



**Battersea Pull Handle**  
320mm



Handle Accessories

**Barrington Knob** | Dull Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
32mm



**Barrington Knob Back Plate**  
100mm



**Barrington Pull Handle**  
160mm



**Pull Handle Backplate**  
160mm



**Barrington Pull Handle**  
320mm



**Pull Handle Backplate**  
320mm



Handle Accessories

**Barrington Cup Handle** | Dull Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
64mm



**Barrington Eclipse Pull Handle - Smooth**  
64mm




**Barrington Eclipse Pull Handle - Ribbed**  
64mm



**Edison Profile Handle** | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
64mm




**Edison Profile Handle**  
128mm



Handle Accessories

**Callcott Cup Handle** | Polished Nickel | Brushed Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
64mm



**Callcott Cup Handle**  
128mm




**Callcott Knob**  
34mm



**Callcott Square Backplate**  
38mm



**Callcott Rectangle Backplate**  
76mm



**Evora Knob** | Chrome Plated | Brushed Nickel | Satin Brass | Matt Black  
24mm




Save time & money with **automatic pricing** through our online ordering service.  
Order online at [weborders.osdoors.com](http://weborders.osdoors.com)



Handle Accessories

**Greenwich Knob** | Polished Nickel | Brushed Nickel | Polished Brass Lacquered | Brushed Satin Brass | Dark Brushed Brass  
29mm



**Greenwich Cup Handle**  
64mm



**Greenwich Pull Handle**  
160mm



**Greenwich Pull Handle**  
320mm



**Westgate Cupboard Latch** | Polished Nickel | Brushed Nickel | Polished Brass Lacquered | Brushed Satin Brass | Dark Brushed Brass



**Westgate Cupboard Catch** | Polished Nickel | Brushed Nickel | Polished Brass Lacquered | Brushed Satin Brass | Dark Brushed Brass



Handle Accessories

**Greenwich Knob** | Burnished Brass (Waxed) | Oil Rubbed Bronze | Matt Black  
29mm



**Greenwich Cup Handle**  
64mm



**Greenwich Pull Handle**  
160mm



**Greenwich Pull Handle**  
320mm



**Westgate Cupboard Latch** | Burnished Brass (Waxed) | Oil Rubbed Bronze | Matt Black



**Westgate Cupboard Catch** | Burnished Brass (Waxed) | Oil Rubbed Bronze | Matt Black





Handle Accessories

**Liberty Knob** | Polished Nickel | Brushed Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
34mm




**Liberty T Bar Knob**  
72mm




**Liberty D Handle Square Backplate**  
25mm (Pair)



**Liberty D Handle** | Polished Nickel | Brushed Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
160mm




**Liberty Backplate**  
160mm



Handle Accessories

**Liberty D Handle**  
320mm



**Liberty Backplate**  
320mm



**Belgravia Knob** | Polished Nickel | Brushed Nickel | Satin Brass Lacquered | Dark Brushed Brass | Matt Black  
35mm



**Belgravia T-Bar Knob**  
82mm



**Belgravia Pull Handle**  
160mm



**Belgravia Pull Handle**  
320mm



Save time & money with **automatic pricing** through our online ordering service. Order online at [weborders.osdoors.com](http://weborders.osdoors.com)

Handle Accessories

Hampton Knob | Polished Nickel | Dull Nickel | Brushed Satin Brass | Bronze | Matt Black  
32mm




Hampton Cup Handle  
96mm




Hampton Cup Handle  
160mm



Hampton D Handle  
160mm



Jura Profile Handle | Polished Nickel | Brushed Satin Brass  
32mm / 160mm



Jura Profile Handle  
320mm




Handle Accessories

Dixton T Bar Knob | Brushed Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
72mm



Dixton T Bar Knob Backplate  
78mm



Dixton Bar Handle  
160mm




Dixton Bar Handle Backplate  
238mm



Dixton Bar Handle  
320mm




Dixton Bar Handle Backplate  
398mm




# Handle Accessories


**Newport Knob** | Chrome Plated | Dull Nickel | Brushed Satin Brass | Matt Black  
32mm




Code / HAN-175      Code / HAN-178      Code / HAN-172      Code / HAN-181



**Newport Pull Handle**  
160mm




Code / HAN-176      Code / HAN-179      Code / HAN-173      Code / HAN-182




**Newport Pull Handle**  
320mm




Code / HAN-177      Code / HAN-180      Code / HAN-174      Code / HAN-183




**Quinn Pull Handle** | Chrome Plated | Brushed Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
160mm




Code / HAN-330      Code / HAN-324      Code / HAN-327      Code / HAN-333      Code / HAN-336



**Quinn Pull Handle**  
192mm




Code / HAN-331      Code / HAN-325      Code / HAN-328      Code / HAN-334      Code / HAN-337



**Quinn Pull Handle**  
320mm



Code / HAN-332      Code / HAN-326      Code / HAN-329      Code / HAN-335      Code / HAN-338




# Handle Accessories


**Conic Knob** | Brushed Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
34mm




Code / HAN-233      Code / HAN-237      Code / HAN-241      Code / HAN-245



**Conic T Bar Knob** | Brushed Nickel | Brushed Satin Brass | Dark Brushed Brass | Matt Black  
78mm




Code / HAN-234      Code / HAN-238      Code / HAN-242      Code / HAN-246



**Conic Pull Handle**  
160mm




Code / HAN-235      Code / HAN-239      Code / HAN-243      Code / HAN-247



**Conic Pull Handle**  
320mm



Code / HAN-236      Code / HAN-240      Code / HAN-244      Code / HAN-248





Handle Accessories

Lincoln Profile Handle | Brushed Nickel | Brushed Satin Brass | Matt Black  
128mm




Code / HAN-318      Code / HAN-320      Code / HAN-322

Lincoln Profile Handle  
192mm



Code / HAN-319      Code / HAN-321      Code / HAN-323


Integrated Handle Scoop Integrated Handle | Satin Chrome  
160mm



Code / HAN-445

Applicable Door Style  
Seymour 5G Vinyl Collection - see page 16.

Integrated Handle Letterbox Integrated Handle | Satin Chrome  
128mm



Code / HAN-446

Applicable Door Style  
Frankfurt 5G Vinyl Collection - see page 16.



Scoop Integrated Handle



Letterbox Integrated Handle

Handle Accessories

RiexTouch XH24 Pull Handle | Stainless Steel Imitation | Brushed Gold | Matt Black  
160mm



Code / HAN-435      Code / HAN-433      Code / HAN-437

RiexTouch XH24 Pull Handle  
320mm




Code / HAN-436      Code / HAN-434      Code / HAN-438

RiexTouch XH02 Pull Handle | Polished Chrome | Brushed Nickel | Matt Black  
160mm



Code / HAN-441      Code / HAN-439      Code / HAN-443

RiexTouch XH02 Pull Handle  
320mm




Code / HAN-442      Code / HAN-440      Code / HAN-444

RiexTouch XH11 Pull Handle | Stainless Steel Imitation | Matt Black  
160mm



Code / HAN-429      Code / HAN-431

RiexTouch XH11 Pull Handle  
320mm





Code / HAN-430      Code / HAN-432



# Door Matrix


- # Door Matrix




Door Matrix | Handleless Rail Kitchen Door Configurations

- All appliance units shown are based on 600mm wide. Dimensions shown in brackets refer to appliance aperture heights (the overall distance between door frontals).
- To reduce an aperture to the exact size, cut trimmer panels from a 596mm wide door. The appliance shelf position must be correctly calculated to ensure appropriate appliance door positioning.
- Allow gaps between the appliance and cabinet doors. These are typically 3mm between horizontally adjacent cabinet door frontals and 5mm between vertically adjacent cabinet door frontals.
- In relation to appliances, follow the manufacturer's installation instructions carefully, particularly for hob to extractor / hood distances and ventilation. Allow proper clearances and ventilation below and behind the appliance (typically 50mm high / deep).
- Refer to individual range pages for a definitive list of door sizes available.


1970mm / 2150mm / Base and Wall Unit Door Configurations




1250mm / Studio Height Unit Door and Appliance Configurations



1970mm / Full Height Unit Door and Appliance Configurations




2150mm / Full Height Unit Door and Appliance Configurations




Door Matrix | Bedroom Door Configurations

- All dimensions shown are in millimetres.
- All dimensions shown refer to door frontal sizes unless otherwise stated.
- Refer to individual range pages for definitive list of door sizes available.

Standard Bedroom / 2150mm / 2250mm / Base and Full Height Unit Door Configurations



Handleless Rail Bedroom / 2150mm / 2250mm / Base and Full Height Unit Door Configurations



Order Form | Doors, Accessories and Components

Please fill in all necessary details to ensure your order is processed correctly and avoid any discrepancies.1/2

Company Name		PO Number
Telephone	Account Code	Reference
Email Address		Date Required
Please note all deliveries will be made via standard delivery to your company account address. If Special or Express delivery is required please contact our Customer Services team.		

Door Style*	
Colour / Finish*	Reverse Colour
*Please note you can only use one Order Form per Door Style and Colour / Finish.	

Doors / Drawers / Frames

Qty	Height	Width	Item Description	Drilling**	Drilling Description
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	
				<input type="checkbox"/>	

\*\*If Drilling is required please tick Drilling box and detail specifications within space provided.

Accessories

Qty	Item Description

Handle Accessories

Qty	Item Description	Code

Order Form | Doors, Accessories and Components

Please fill in all necessary details to ensure your order is processed correctly and avoid any discrepancies.2/2

Panels / Moulded Tops / MFC / Headboards				
Qty	Height	Width	Item Description	Drawing*
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>
				<input type="checkbox"/>

Important Notes / Special Instructions / Drawings / Drilling Specifications

Please check your order before signing below


Date Ordered:	Signed:
---------------	---------

# Order Form | Return Gables Order Form

To order a return gable please fill in the necessary details and dimensions below:  
The grain direction will run VERTICALLY along the height dimensions - unless otherwise specified.

Company Name		Order No.
Reference	Colour	

## Return Gable




A. Gable Height: .....

B. Gable Width: .....

C. Front Width: .....

D. Return Width: .....

## Folded Square Gable



A. Gable Height: .....

B. Gable Width: .....


C. Gable Depth: .....

## Double Return Gable

A. Gable Height: ..... D. Front Return Width: .....

B. Gable Width: ..... E. Rear Width: .....

C. Front Width: ..... F. Rear Return Width: .....



# Order Form | Cloaking End Panel Order Form

To order a Cloaking End Panel please fill in the necessary details and dimensions below:  
The grain direction will run VERTICALLY along the height dimensions - unless otherwise specified.

Company Name		Order No.
Reference	Colour	


## Cloaking End Panel

A. Gable Height: .....

B. Gable Width: .....

C. Front Width: .....

D. Rear Width: .....





O&S Doors Ltd Terms and Conditions

Definitions

- 1.1

“**Business Day**” means a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.

“**Company**” means O & S Doors Limited (company number NI034182) a company registered in Northern Ireland whose registered office is at 106 Syerla Road, Benburb, Dungannon, Co. Tyrone, BT71 7ET.

“**Conditions**” means the terms and conditions set out in this document as amended from time to time in accordance with clause 14.5.

“**Contract**” means any contract between the Company and the Customer for the sale and purchase of the Goods that shall incorporate these Conditions in accordance with clause 2.1.

“**Customer**” means the person(s), firm or company who purchases the Goods from the Company.

“**Force Majeure Event**” means an event or circumstance beyond a party’s reasonable control.

“**Goods**” means any kitchen or bedroom doors, panels, associated accessories or any other goods (or any part of them) agreed in the Contract to be supplied to the Customer (including any part or parts of them) and as further detailed in the Order.

“**Order**” means any order for the Goods accepted by the Company or the Customer’s acceptance of the Company’s quotation in accordance with clause 2.3, as the case may be.

“**O&S Warranty**” means the warranty given by the Company to the Customer contained in the Warranty Pack given by the Company to the Customer.

“**Specification**” means any specification for the Goods, including any related plans or drawings, that are agreed in writing by the Customer and the Company in relation to any bespoke products.

“**Warranty Pack**” refers to the warranty detailed in Appendix 1 of these Conditions.

- Any queries regarding prices charged on invoices must be made to the Company in writing within 10 Business Days of the date the Goods were purchased, otherwise they cannot be accepted.

2.4 The Goods are made to order. Once an Order is made the manufacturing process is deemed to have commenced immediately. As a result once an Order is made these Conditions will be deemed to have been incorporated, a Contract is created and the Customer is required to accept the Goods in accordance with clause 4.

2.5 All tenders, quotations and Orders are subject to supplies being available. Where the Company is unable to fulfil an Order as a result of unavailable supplies the Company shall not take payment for the same and shall not be liable to the Customer for any resulting loss (howsoever it arises).

Description of Goods

- 3.1

Technical specifications, advertising, illustrations, samples, descriptions and diagrams of Goods in the Company’s trade literature, catalogue or other published matter (“**Advertising Matter**”) is indicative only of the approximate and general class, character and colour of the Goods. Advertising Matter is approximate only and shall not form part of the Contract. The Company reserves the right to amend the Advertising Matter at its discretion.

3.2 Any clerical error or omission in any Advertising Matter, quotation, invoices or any other documents issued by the Company shall be subject to correction without any liability to the Company.

3.3 Unless stated otherwise, the dimensions for sawn dimensions are “nominal”.

3.4 To the extent permitted by law, in no event is any condition made or warranty given by the Company that the Goods will correspond to sample unless specifically agreed to in writing by the Company for any one Contract.

3.5 If the Customer requires Goods to comply with any particular Specification it shall inform the Company of such requirements in the Customer’s Order. The Company reserves the right to amend the Specification if required by any applicable statutory or regulatory requirements.

3.6 To the extent that the Goods are to be manufactured in accordance with a Specification supplied by the Customer, the Customer shall indemnify the Company against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses) suffered or incurred by the Company in connection with any claim made against the Company for actual or alleged infringement of a third party’s intellectual property rights arising out of or in connection with the Company’s use of the Specification. This clause 3.6 shall survive termination of the Contract.

Delivery and Acceptance of the Goods

- 4.1

The Company shall deliver the Goods to the location set out in the Order or such other location as the parties may agree (“Delivery Location”) at any time after the Company notifies the Customer that the Goods are ready. The Customer shall be responsible for providing safe, proper, prompt and unhindered access to the Delivery Location to the Company at all reasonable times for unloading and shall be liable for any loss or damage, or cost of delay caused by lack thereof. Where the Customer assists with any unloading it shall be responsible for any damage caused to the Goods arising from Customer’s employees acts or omissions.

4.2 The Company shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer’s failure to provide the Company with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.

4.3 The Company may deliver the Goods by separate instalments. The Company may raise a separate invoice and require payment for each instalment. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

4.4 The Company shall ensure that each delivery of the Goods is accompanied by a delivery note that shows the date of delivery of the Order, all relevant Company reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Goods are being delivered by instalments, the outstanding balance of Goods remaining to be delivered.

- 4.5

Delivery is completed on the completion of unloading of the Goods at the Delivery Location.

4.6 If the Company fails to deliver the Goods, its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement goods of a similar description and quality in the cheapest market available, less the price of the Goods.

4.7 The Customer must inspect the Goods on receipt and mark the delivery note to record any alleged damage in transit. The Customer must within 2 Business Days of receipt of the Goods notify the Company of any alleged defect, shortage in quantity, damage or failure to comply with description by written notification to the Company to be sent to the following email address: orders@osdoors.com

4.8 If the Customer fails to comply with the provisions of clause 4.7 the Goods shall be presumed to be in accordance with the Contract and free from any defect or damage which would be apparent on a reasonable examination of the Goods and the Customer shall be deemed to have accepted the Goods. Notwithstanding the terms of the O & S Warranty, after acceptance of the Goods the Customer may not reject the Goods and payment for the same will be payable in accordance with these Conditions.

4.9 If the Customer fails to take delivery of the Goods within 3 Business Days of the Company notifying the Customer that the Goods are ready, then, except where such failure or delay is caused by a Force Majeure Event or the Company’s failure to comply with its obligations under the Contract:

4.9.1

Delivery of the Goods shall be deemed to have been completed at 9.00 am on the fourth Business Day after the day on which the Company notified the Customer that the Goods were ready; and

4.9.2

The Company shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance)

Export Sales and Incoterms

- 5.1

Where the Goods are supplied for export from the United Kingdom, the provisions of this clause 5 shall apply notwithstanding any other provision of these Conditions.

5.2 Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these Conditions but if there is any conflict between the provisions of Incoterms 2010 and these Conditions, these Conditions shall prevail.

5.3 The Customer shall be responsible for complying with any legislation or regulations governing the importation, use or sale of the Goods in the country of destination, the payment of any duties or taxes on them and the transportation and storage of Goods including without limitation any obligation to translate any instructions, labelling or packaging into any other language.

5.4 The Company shall be under no obligation to give notice under section 32(3) of the Sale of Goods Act 1979.

Quality and the O&S Warranty

- 6.1

The Company provides the O & S Warranty for all Goods purchased pursuant to these Conditions. Please see the Warranty Pack for further details. The Warranty Pack is designed to set out guidance on how and to whom to report defects and the responsibilities for and terms upon which they will be remedied.

Title and Risk

- 7.1

The risk associated with the Goods shall pass to the Customer on completion of delivery of the Goods.

7.2 Title to the Goods shall not pass to the Customer until the Company receives payment in full (in cash or cleared funds) for the Goods and any other goods that the Company has supplied to the Customer in respect of which payment has become due, in which case title to the Goods shall pass at the time of payment of all such sums.

- 7.3

Until title to the Goods has passed to the Customer, the Customer shall:

7.3.1

Store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the Company’s property;

7.3.2

Not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;

7.3.3

Maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;

7.3.4

Notify the Company immediately if it becomes subject to any of the events listed in clause 11.1; and

7.3.5

Give the Company such information relating to the Goods as the Company may require from time to time.

7.4 If before title to the Goods passes to the Customer, the Customer becomes subject to any of the events listed in clause 11.1, then, without limiting any other right or remedy the Company may have:

7.4.1

The Customer’s right to resell the Goods or use them in the ordinary course of its business ceases immediately; and

7.4.2

The Company may at any time require the Customer to deliver up all Goods in its possession that have not been resold, or irrevocably incorporated into another product; and

7.4.3

if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.

Returns

- 8.1

No Goods delivered to the Customer which are in accordance with the Contract will be accepted by the Company for return without the prior written approval of the Company and at its absolute discretion.

8.2 If the Company agrees to accept any such Goods from the Customer for return, the Customer shall be liable to pay a handling charge of 20% of the invoice price. Such Goods must be returned by the Customer (delivery paid) to the Company in their original shipping carton within 30 days.

8.3 Goods returned without the prior written approval of the Company or otherwise than in accordance with these Conditions may be returned to the Customer or stored at the Customer’s cost without prejudice to any rights or remedies the Customer may have under statute, contract or otherwise.

Price and payment

- 9.1

The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price of the Goods as set out in the Company’s published price list in force as at the date of delivery.

9.2 Unless stated in the Order to be a fixed price, the Company upon written notice to the Customer may increase the price at any time before the date of delivery if the cost of materials or labour or overheads relating to the production of the Goods has risen since the date of the Order.

9.3 The price for the Goods is exclusive of VAT and all charges in relation to storage, carriage, handling and off-loading. All other taxes, customs duties, duties and expenses shall be the responsibility of the Customer.

9.4 The Company may invoice the Customer for the Goods on, or at any time after, the completion of delivery.

9.5 The Customer shall pay the invoice in full and in cleared funds in accordance with the trading terms set out in the Order or as otherwise agreed between the Company and the Customer, or if no trading terms are agreed, invoices are payable on the date of the invoice (“Due Date”). Payment shall be made to the bank account nominated in writing by the Company. Time for payment is of the essence.

**9.6** If the Customer fails to make any payment due to the Company under the Contract by the Due Date for payment, then the Customer shall pay interest on the overdue amount at the rate of 4% per annum above the Bank of England's base rate from time to time. Such interest shall accrue on a daily basis from the Due Date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount.

**9.7** The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). The Company may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by the Company to the Customer. Where any sums are due to the Company from the Customer, the Company is entitled to suspend all services to the Customer until full payment has been received.

**9.8** If the Company has to instruct solicitors or other agents to recover money owed by the Customer to the Company then the Customer will indemnify irrevocably, in full and on demand the Company against all fees, expenses and costs payable by the Company to its solicitors or agents.

**9.9** Where a dispute arises in respect of part only of an invoice, the part(s) of such invoice, which are not be in dispute, shall be paid by the Customer to the Company in accordance with these Conditions.

**9.10** Credit terms (if any) that are agreed between the Company and the Customer shall govern only the Customer's contractual obligation to make payments to the Company for the price of the Goods.

**Goods Supplied on Credit**

**10.1** Goods may only be supplied on credit account terms if an agreement covering such supplies has been offered by the Company and accepted by an authorized representative of the Customer. The Customer must request and complete the credit account application form (the "Application Form") which must be signed by an authorized representative of both parties i.e. Director/Partner, proprietor of a company or in the case of a private individual that person or the person responsible for paying the account. All Goods supplied by the Company to a credit account will be invoiced to the account address by post as soon as possible after the day of sale and will be payable to the Company in accordance with these Conditions as they have been agreed with the account holder. In the case of one or more invoices in which special terms have been agreed in writing, these terms will be referred to on the invoice and payment must be made in accordance with those terms.

**10.2** Credit accounts must be settled in accordance with the agreed Application Form and these Conditions or any other terms agreed between the parties in writing. Should any monies be outstanding outside the terms agreed between the Company and the account holder, the Company reserves its statutory right to claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.

**10.3** The Company reserve the right to withdraw credit facilities at any time. Should the Customer fail to pay the whole amount of any sum due under the Contract by the due date, the full balance outstanding on any account between the Company and the Customer shall then become payable immediately and the Company shall further be entitled to cancel the Contract and/or suspend supplies of goods or services under any contract between the Company and the Customer.

**10.4** The Company shall not be obliged to accept normal stock Goods returned for credit, but may at its absolute discretion do so. All such Goods returned for credit must be accompanied by evidence of original purchase from the Company and the Company shall be entitled at its absolute discretion to impose a 20% handling and/ or damage charge in respect of any Goods accepted for return. Goods which are non-stock items and Goods which have been specially ordered will not normally be accepted by way of return for credit. Any Goods which are returned for credit shall not be regarded as having been accepted by the Company until the Company has issued a formal credit note through the channels laid down for such transactions by the Company in writing in respect thereof. The uplifting by the Company's vehicles of Goods for which credit is sought and for which the lorry driver may issue a receipt note is not an acceptance by the Company of liability for credit.

**Termination**

**11.1** Without limiting its other rights or remedies, the Company may terminate a Contract (and suspend all future deliveries) with immediate effect by giving written notice to the Customer if:

**11.1.1** The Customer commits a material breach of any term of the Contract;

**11.1.2** The Customer takes any step or action in connection with its entering administration, provisional liquidation or any composition or arrangement with its creditors (other than in relation to a solvent restructuring), being wound up (whether voluntarily or by order of the court, unless for the purpose of a solvent restructuring), having a receiver appointed to any of its assets or ceasing to carry on business or, if the step or action is taken in another jurisdiction, in connection with any analogous procedure in the relevant jurisdiction;

**11.1.3** The Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all or a substantial part of its business; or

**11.1.4** The Customer's financial position deteriorates to such an extent that in the Company's opinion the Customer's capability to adequately fulfil its obligations under the Contract has been placed in jeopardy.

**11.2** Without limiting its other rights or remedies, the Company may suspend provision of the Goods under the Contract or any other contract between the Customer and the Company if: (i) the Customer becomes subject to any of the events listed in clause 11.1.1 to clause 11.1.4; or (ii) the Company reasonably believes that the Customer is about to become subject to any of the events listed in clause 11.1.1 to clause 11.1.4; or (iii) if the Customer fails to pay any amount due under any Contract on the due date for payment; or (iv) the Customer fails to accept delivery of any Goods ordered by the Customer in accordance with clause 4; or (v) the Customer commits any other breach under these Conditions.

**11.3** Without limiting its other rights or remedies, the Company may terminate the Contract with immediate effect by giving written notice to the Customer if the Customer fails to pay any amount due under the Contract (or any other contract between the Customer and the Company) on the due date for payment.

**11.4** On termination of the Contract for any reason the Customer shall immediately pay to the Company all of the Company's outstanding unpaid invoices and any interest due thereon.

**11.5** Termination of the Contract shall not affect any of the parties' rights and remedies that have accrued as at termination, including the right to claim damages in respect of any breach of the Contract that existed at or before the date of termination.

**11.6** Any provision of the Contract that expressly or by implication is intended to come into force or to continue in force on or after termination of the Contract shall remain in full force and effect despite such termination.

**Limitation of liability**

**12.1** Nothing in these Conditions shall limit or exclude the Company's liability for:

**12.1.1** Death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);

**12.1.2** Fraud or fraudulent misrepresentation;

**12.1.3** Breach of the terms implied by section 12 of the Sale of Goods Act 1979;

**12.1.4** Defective products under the Consumer Protection Act 1987; or

**12.1.5** Any matter in respect of which it would be unlawful for the Company to exclude or restrict liability.

**12.2** Subject to clause 12.1:

**12.2.1** The Company shall under no circumstances whatsoever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, loss of business, depletion of goodwill or otherwise (in each case whether direct or indirect) or any indirect or consequential loss (howsoever caused) arising under or in connection with the Contract; and

**12.2.2** The Company's total liability to the Customer in respect of all other losses arising under or in connection with each Order, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall be limited a maximum sum equivalent to the original purchase price of the Order paid by the Customer to the Company under the Contract.

**Force Majeure**

**13.1** The Company reserves the right to defer the date of delivery, to cancel the Contract or to reduce the volume of the Goods ordered by the Customer, in each case without liability to the Customer, if the Company is prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Company including, without limitation, acts of God, governmental actions, war or national emergency, acts of terrorism, protests, riot, civil commotion, fire, explosion, flood, epidemic, lock-outs, strikes or other labour disputes (whether or not relating to either party's workforce), or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate or suitable materials provided that, if the event in question continues for a continuous period in excess of 180 days, the Customer shall be entitled to give notice in writing to the Company to terminate the Contract.

**General**

**14.1** Assignment and other dealings - The Company may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.

**14.2** Assignment and other dealings - The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of the Company.

**Confidentiality**

**14.3** Each party undertakes that it shall not, at any time during the Contract and for a period of two years after termination of the Contract, disclose to any person any confidential information concerning the business, affairs, customers, clients or companies of the other, except as permitted by this clause 14.3 Each party may disclose the other party's confidential information:

**14.3.1** To its employees, officers, representatives or advisers who need to know such information for the purposes of exercising the party's rights or carrying out its obligations under or in connection with the Contract. Each party shall ensure that its employees, officers, representatives or advisers to whom it discloses the other party's confidential information comply with clause 14.3 and 14.4; and

**14.3.2** As may be required by law, a court of competent jurisdiction or any governmental or regulatory authority.

**14.4** No party shall use any other party's confidential information for any purpose other than to exercise its rights and perform its obligations under or in connection with the Contract.

**Data Protection**

**14.5** Any personal information shall be used in accordance with any and all applicable data protection legislation, including the Data Protection Act 1998 (as may be amended or replaced).

**Entire Agreement**

**14.6** The Contract constitutes the entire agreement between the parties and supersedes and extinguishes all previous agreements, promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.

**14.7** Each of the Company and the Customer agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in the Contract. Each of the Company and the Customer agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in the Contract.

**14.8 Variation**

No variation of the Contract shall be effective unless it is in writing and signed by the parties (or their authorised representatives).

**14.9 Waiver**

No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

**14.10 Severance**

If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract.

**14.11 Notices**

All notices to be served by one party on the other (unless specifically provided for in these Conditions) shall be deemed duly served 7 days after posting if posted by first class or airmail pre-paid to the registered office of the other party or in the absence of such registered office to the address notified in writing between the parties prior to or at the time of the Contract.

**14.12 Third Party Rights**

The parties to the Contract do not intend that any term of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.

**14.13 Governing Law**

The Contract, and any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with it or its subject matter or formation, shall be governed by and construed in accordance with the law of England and Wales.

**14.14 Jurisdiction**

Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with the Contract or its subject matter or formation.

Appendix | Product Warranty

O&S Doors Limited ("O&S Doors" or "we" or "us" or "our" or the "Company") is a leading manufacturer and distributor of Kitchen, Bedroom and Bathroom cabinet door frontals and associated accessories to kitchen retailers and manufacturers throughout the UK and Ireland. All of our Goods have been designed to provide you with a quality product that meets your needs. The following paragraphs contain important details concerning your O&S Warranty. You are advised to read these sections carefully so that you are fully aware of the benefits and associated terms. Should you have any questions or queries in relation to the provisions of this O&S Warranty, you should in the first instance, direct such questions to your appointed sales representative or our customer services team.

O&S Doors has implemented a number of industry-leading quality control initiatives and all of our employees are fully committed to delivering quality products that consistently meet independently audited standards and undergo rigorous quality control checks at every stage of the production process. We hold certification from the Forestry Stewardship Council and the Programme for the Endorsement of Forest Certification to ensure that all our timber and raw materials are sourced from ethically managed forests. We are also members of the Furniture Industry Research Association, an independent body set up to ensure the quality and reliability of products used within the furniture industry supply chain. We pride ourselves on the high quality components we produce. However, there are inevitably occasions when defects become apparent following purchase. Initially there may be some snagging issues that require remedial work or items that require adjustment.

Please note that this O&S Warranty Pack is O&S Doors' contractual commitment to you (upon which we intend to rely) in relation to any defects that may arise in relation to the Goods. For the avoidance of doubt this O&S Warranty is personal to you and may not be transferred to any person. Capitalised terms used herein and not otherwise defined shall have the meaning given to them in the O&S Terms and Conditions of Sale.



**Warranty Period:** 6 Years From Invoiced Date Of Supply.  
**Important:** The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply.

If you find you are unsatisfied with the goods that you have received, or you would like to make a Warranty claim please contact us via the relative email address below:

**Warranty Claims** — warranty@osdoors.com  
**Replacements / Damaged Goods** — aftersales@osdoors.com

O&S Product Warranty: General Terms

- 1.1

The Company warrants that on delivery, and for the relevant Warranty Period (as defined below) the Goods shall:
- 1.1.1

Conform in all material respects with their description;
- 1.1.2

Be free from material defects in design, material and workmanship; and
- 1.1.3

Be of satisfactory quality (in line with the Sale of Goods Act 1979).
- 1.2

The Warranty Periods for each product and class of Goods are specified below (the "Warranty Period"):

**Warranty Period:** 6 Years From Invoiced Date Of Supply.  
**Important:** The warranty period of 6 years for all Replacement and FOC goods commences from the original invoiced date of supply.

**5G Vinyl / Made to Measure**  
(Including Matt, Superior Matt and High Gloss Finish Doors and Accessories)

**5 Piece / Ex.Stock and Made to Measure**  
(Including Harlem / Fenwick / Dylan / Bastille Doors and Accessories)

**Edged / Made to Measure**  
(Including Phoenix / Tribeca / Vaasa / Mather Doors and Accessories)

**Painted / Stock, Painted to Order and Made to Measure**  
(Including Arena / Hartford / Belair / Wellington / Campbell / Rainey / Edison / Monroe / Albany / Hampton / Greenwich / Hyde Doors and Accessories)

**Accessories**  
(Includes Mouldings / Vinyl Wrapped Accessories / Painted Accessories / Worktops / Panels / Return Gables and Handles)

- 1.3

Subject to exclusions and limitations set out in section 3 below and adherence of the care and maintenance guidelines set out in section 4 below, if:
- 1.3.1

The Customer gives notice in writing to the Company during the Warranty Period that some or all of the Goods do not comply with the O&S Warranty; and
- 1.3.2

The Company is given a reasonable opportunity of examining such Goods; and
- 1.3.3

The Customer returns such Goods to the Company's place of business at the Customer's cost,

The Company shall, at its option, repair or replace the defective Goods, or refund the price of the Goods, that we agree are defective, in full.

- 1.4

Our obligations under this O&S Warranty are limited, at our option, to repairing or replacing any part which proves to be defective or refunding the price if the Goods that we accept are defective. Replacement parts where possible will either be the same or similar and we are under no obligation to replace any part or item with an identical part or item.
- 1.5

Except as provided in this section, the Company shall have no further liability to the Customer in respect of the Goods' failure to comply with the O&S Warranty.
- 1.6

The O&S Warranty for the Warranty Period is the full extent of our obligation to you in relation to the Goods and any other rights and remedies are excluded to the fullest extent of the law.
- 1.7

Any Goods repaired or replaced by the Company (including any repaired or replacement Goods) shall be guaranteed pursuant to this Warranty for the unexpired portion of the relevant Warranty Period that applied to the original Goods supplied. For the avoidance of doubt, the Warranty Period will not be extended by supplying replacement Goods or parts thereof or by repairing such Goods or parts thereof.
- 1.8

The Company reserves the right to charge the Customer for any completed warranty service work where it is found to be caused by negligence, poor commissioning, or any other factor not related to a manufacturing defect, or is otherwise excluded under section 3 below.

Making a Warranty Claim

- 2.1

If you wish to make a claim under the terms of this O&S Warranty then you should contact us immediately after the defect is found or becomes obvious to you.
- 2.2

As stated in section 1.3.1 above you will be required to give notice in writing to the Company during the Warranty Period within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in this Warranty Pack. You will provide the Company with:
- 2.2.1

Evidence of the original invoice or proof of purchase (this may include the original invoice number or other evidence of the purchase);
- 2.2.2

A full description of the defect;
- 2.2.3

Photographs of the defect; and
- 2.2.4

The defective part that requires replacement for inspection by either O&S Doors Ltd or a nominees.
- 2.3

On receipt of the above information our customer services department will issue an uplift docket along with a "claim number".
- 2.4

Once a claim is accepted by us (subject to the return of the defective Goods and satisfactory inspection of the same) we will notify you whether we intend to repair, replace or refund the relevant defective Goods. If we notify you that we will refund or replace, we may either (i) refund the value of the Goods where no replacement Goods are issued; (ii) replace the Goods free of charge; or (iii) credit your account where replacement Goods have been issued and charged to your account prior to inspection by us, where it is subsequently agreed by us that the Goods are defective following inspection.
- 2.5

Please be aware the maximum period for return and credit of defective product is limited to one month from the date of supply of the replacement doors.
- 2.6

You must allow us or our agents access to the Goods in order to remedy any defect, where applicable.
- 2.7

Where a claim is rejected we will provide details of why the claim has been rejected.

Any communication with us should ALWAYS be sent in writing or by email and quoting any applicable invoice number to:

**Address:** O&S Doors Limited, 106 Syerla Road, Benburb, Co. Tyrone, BT71 7ET  
**Email:** warranty@osdoors.com

Exclusions to your Warranty

- 3.1

The O&S Warranty applies to the Goods under normal use, subject to the conditions set out in this Warranty Pack, and as determined by O&S Doors in its sole discretion.
- 3.2

O&S Doors shall not be liable for the Goods' failure to comply with the O&S Warranty and the O&S Warranty does not include the provision of, or the rectification of the Goods in any of the following events:
- 3.2.1

Where the Customer makes any further use of such Goods after giving notice in accordance with section 1.3 above;
- 3.2.2

The defect arises because the Customer failed to follow O&S Doors' oral or written instructions as to the storage, commissioning, installation, use or the maintenance of the Goods or (if there are none) good trade practice regarding the same;
- 3.2.3

The defect arises because the Goods have not been used, cared for or maintained in accordance with the care and maintenance instructions as set out in section 4 below;
- 3.2.4

The defect arises as a result of O&S Doors following any drawing, design or material specification supplied by the Customer;
- 3.2.5

The Customer alters or repairs such Goods without the prior written consent of O&S Doors;

- 3.2.6

The defect arises as a result of unfair wear and tear, willful damage, negligence, or abnormal storage or working conditions;
- 3.2.7

The Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements;
- 3.2.8

Any damages to the Goods are attributable to improper installation, inadequate maintenance, improper product use, after market product modifications, normal weathering, highly corrosive environments, damages caused by fire, accident, flood, acts of God, vandalism, building settlement or structure failures, or other circumstances beyond O&S Doors Ltd' control;
- 3.2.9

The damage to the Goods is caused by or within parts, fixtures or fittings that have not been manufactured or supplied by the Company;
- 3.2.10

Adjustment of hinges, catches or stays;
- 3.2.11

Damage caused by the use of unsuitable cleaning materials;
- 3.2.12

Damage occurring as a result of any alteration, modification, vandalism, or accidental damage to the Goods, misuse, neglect, overloading or abnormal use of your Goods;
- 3.2.13

Damage caused by the transportation to site or installation of the Goods;
- 3.2.14

Damage resulting from a failure or delay in arranging for an obvious defect (or any defect which should have been obvious to a reasonable person who has complied with all relevant owner manuals and this O&S Warranty) to be reported under your O&S Warranty or rectified;
- 3.2.15

Damage caused by repairs attempted or undertaken other than those carried out by us or a third party authorised by us;
- 3.2.16

Damage as a result of failure to carry our normal day to day maintenance or follow normal maintenance procedures including but not limited to the care and maintenance guidelines in section 4 below;
- 3.2.17

Damage as a result of toxic, explosive, corrosive or other hazardous materials brought into contact with the Goods;
- 3.2.18

Damage as a result of exposure to water, excessive moisture or humidity;
- 3.2.19

Damage as a result of exposure to heat above 60 degrees C;
- 3.2.20

Damage as a result of flies, insect, bird or rodent infestations;
- 3.2.21

Damage caused directly or indirectly by war, riot, revolution, act of god or any similar event or by vandalism, theft or attempted theft;
- 3.2.22

Damage arising from any accident or any act or omission by you;
- 3.2.23

Where repairs are not authorised by us in writing or carried out by us. We will not take responsibility for any costs associated with or subsequent rectification of any unauthorised repairs;
- 3.2.24

Where Goods are modified with any parts not supplied by us, or where Goods are incorporated with a modified part; or
- 3.2.25

Where O&S Doors is NOT the manufacturer of any parts or fixtures and fittings of the Goods, this O&S Warranty does not apply.

- 3.3

We will pay for all parts associated with any repair work carried out under the O&S Warranty up to a maximum sum equivalent to the original purchase price of the Goods. Where multiple claims are made, for whatever reason, our aggregate maximum liability shall also be equivalent to the original purchase price of the Goods. Please see the limitation of liability provisions set out in the O&S Terms and Conditions of Sale.
- 3.4

We cannot accept responsibility for any loss or damage suffered, or incurred as a consequence of your failure or delay in reporting defects promptly.

# Installation Care & Maintenance

## Installation

- 4.1

Ensure that the relevant rooms have been left to environmentally stabilise prior to the installation of the Goods. Goods must not be installed into a damp moisture rich environment as it will cause undesirable movement in the joints and panels of the Goods. You should ensure that you adequately assess conditions.
- 4.2

To minimise any potential damage during installation we make the following recommendations
- 4.2.1

Prior to installation confirm that you have the correct quantity and size of the Goods.
- 4.2.2

Please make sure that you fully inspect the Goods before drilling or attaching any hinges or other accessories.
- 4.2.3

Take care when unpacking the Goods, for example do not use sharp blades to cut away the packaging.
- 4.2.4

When drilling or attaching the hinges, place the Goods face down on a soft clean surface, ensuring that there is no grit or dust underneath that may cause damage to the surface of the Goods. It is good practice to place a clean barrier between the Goods and the surface when drilling or attaching the hinges.
- 4.2.5

We would recommend that you use a rubber mallet to knock the hinges into the Goods without using excessive force.
- 4.2.6

Once the hinges have been attached we would recommend that you hang the door immediately to avoid any damage. Do not stack the Goods with the hinges touching other Goods as this may mark the Goods.
- 4.2.7

The Goods should be stored flat and away from the working area. Please take care when stacking any Goods with hinges so that they do not mark the other products. Do not lean the Goods against each other or against any surface without proper protection in between the same.
- 4.2.8

Do not stack the Goods on any hard surface as this may cause chipping and scratching along its edge. Prior to fitting, the doors should be stored flat, ensuring that they are not resting on any dirt or debris.
- 4.2.9

Please take extreme care not to put the door down with excessive force on any edge, especially the handle edge as this will cause crushing/impact damage on these edges.
- 4.2.10

Take extreme care not to put the door down on any hard or rough surface such as bare concrete floors, or on any debris such as sawdust, grit or screws, as this can damage the Goods.
- 4.2.11

Where cutting décor panels and trim you must use a sharp quality saw blade of the appropriate grade for finecutting, or a suitable router. Small chips can appear along the cutedge, and so extra care must be taken to minimise the risk of chipping. Using a blunt or inappropriate saw blade will produce a poor finish and this will not be covered by the O&S Warranty.
- 4.2.12

On Painted Products any fine chips along the cut edge should be smoothed with a fine grade sand paper prior to installation.
- 4.2.13

All trims are supplied in long lengths and need to be cut down on site. Please ensure you use the appropriate tools.
- 4.2.14

When fitting the plinth, ensure that you check the dimensions of any adjacent appliances. On occasion, the plinth may need to be pulled forward to ensure that it clears the front of the appliance. This can be achieved by using off cuts to fit blocks the rear of the plinth prior to attaching the plinth clips. This will step the plinth forward from its normal position.

## General Care

- 4.3

The most common problems found occur as a result of excessive or prolonged exposure to heat and/or moisture. Always ensure that water is not left around the sink areas as damage caused as a result is not covered by the O&S Warranty.
- 4.4

Always wipe off excess moisture and be careful with extreme heat sources, such as kettles, ovens and toasters. It is recommended that these heat sources are not placed directly under any wall unit when they are in use as they generate a higher level of heat and moisture than is often expected and can quickly and easily lead to damage of the Goods.
- 4.5

Don't place appliances that create steam (e.g. steamers, coffee makers or kettles) underneath the Goods.
- 4.6

If using glass cleaner to clean your glass doors be careful not to damage fine finish of the door and cabinet parts while cleaning. Do not spray glass cleaner directly onto the glass or cabinet as this may discolour the finish or your kitchen cabinets. Instead spray a small amount of the cleaner on a lint free cloth and wipe down the glass.
- 4.7

Don't open the door of the dishwasher immediately once the cycle is finished as the exposure to the heat and humidity may cause the Goods to absorb the moisture and swell.
- 4.8

Please note that after a period of time it is quite normal for the colouring of kitchen units to mellow in colour. This is not a manufacturing fault and is a result of exposure to light. This means that any additional parts subsequently ordered, or supplied as replacements may not be an exact colour match. However, any additional Goods or parts supplied will also mellow over time to blend with your existing units.
- 4.9

The colour of doors and drawer fronts may appear mismatched. This apparent mismatch is sometimes the effect of differing light conditions within your room. To check your Goods you should place them side by side in natural daylight for comparison.

## Cleaning Advice for all Door Types

- 4.10

Do not use wax furniture polish, abrasive or aggressive cleaners, bleach or other chlorine based cleaners, multipurpose cleaners, dilutes, acetone, alcohol, solvent or similar products on the Goods, as this will damage the surface. Additionally wax and polishes leave a residue build up that is difficult to remove.
- 4.11

Only use a 1% soap, 99% water (liquid soap) solution, wiping with a damp (not wet) cloth, finally drying with a soft clean cloth only.
- 4.12

Ensure all cooking splashes are wiped immediately with a damp cloth.
- 4.13

Dust the Goods with a soft cloth only.
- 4.14

Never use any abrasive cloths or cleaners on the Goods. Spills and condensation on the Goods should be cleaned and dried immediately.
- 4.15

Our Goods should not be stored or installed in a newly plastered room or damp environment. If you need to store them for a while they should be kept flat, preferably in the room in which they are to be installed. This is of particular importance for tall/wardrobe doors.
- 4.16

Components placed adjacent or below a sink, or covering a dishwasher/washing machine or other water source are exempt from this O&S Warranty, unless the failure can be proven to be other than as a result of moisture penetration.
- 4.17

The Goods are wrapped in a manmade material, as are all similar ones in the kitchen and bedroom industry and should not be exposed to heat in excess of 60 degrees. To avoid damage caused as a result of exposure to excessive heat please follow these simple guidelines:
- 4.17.1

When installing doors adjacent to ovens or other heat sources always ensure doors are shielded by the use of heat deflector strips.
- 4.17.2

Never use an appliance that generates high levels of heat or concentrated steam (such as a toaster, kettle, pressure cooker or bread maker) directly under or adjacent to the Goods as this can cause damage.

- 4.18

Components damaged as a result of not following the above guidelines are not covered by the O&S Warranty unless protected by suitable heat strips and a suitable gap left for heat escape.
- 4.19

The correct care will help ensure that your Goods will look good for a long time.
- 4.20

All high gloss Goods should be allowed to "cure" for seven days after removing the protective film. During this curing process the Goods will be liable to scratching and other marks. Please treat the Goods very carefully during this period and avoid cleaning or wiping as much as possible.
- 4.21

To clean the surface of the Goods, wipe using a soft cloth with a mild nonabrasive, dishwashing detergent diluted in water. The mix should be 1 part detergent to 99 parts water. You should never use any vinegar based detergents, solvents, abrasive detergents, white spirit or furniture polish.
- 4.22

We recommend the use of VuPlex polish with a micro anti-scratch cloth.

## Timber & Veneered Doors

- 4.23

It must be remembered that solid timber is a natural living product, therefore it is not possible nor desirable to achieve uniformity of grain or finish within the raw product. Timber will also change colour over time due to exposure to light. It is advised that this is taken into consideration when replacing or fitting new doors some time after the original installation. In addition to cleaning advice already detailed, it is recommended when cleaning timber doors care is taken to clean following the grain direction of the door using only a damp cloth.

## Painted Doors

- 4.24

Painted finishes will change colour over time with exposure to light, the rate of change may differ between pieces and therefore is outside the control of O&S Doors Ltd and this O&S Warranty.
- 4.25

As with timber doors, painted product is made from natural products which by their nature are subject to movement depending on the environmental conditions in which they are placed. This natural movement may cause shrinkage or hairline cracks in the paint or along the joints of the Goods. This is considered as part of the features of painted Goods and therefore exempt from this O&S Warranty.
- 4.26

Extreme care should be taken when cleaning painted Goods. In all circumstances use only a damp cloth with a 1% soap, 99% water solution.

## Dissatisfied with Parts or Repairs

- 5.1

In the unlikely event that you are dissatisfied with the repair undertaken by us or our agents or are dissatisfied with any parts supplied, you should report your dissatisfaction to us within 14 days of completion of the repair or supply of the part.
- 5.2

If no notice is received within 14 days of completion of the repair or supply of the part, the repair work or part supplied is deemed acceptable to you and the claim is deemed to have been satisfied in full.

## Where The O&S Warranty Is Deemed Void

- 6.1

This O&S Warranty is deemed void and of no force or effect in circumstances including, but not limited to: (i) where you have failed to comply with any procedures laid down by us in this O&S Warranty or if you have failed to complete and return within the timescales prescribed any of the forms which we require; (ii) the specification of your Goods have been altered in any material way other than by us; (iii) your Goods have been the subject of an insurance claim to the extent of a write off (or the value of the holiday home/lodge has depreciated by 50% or more); or (iv) you refuse to allow access to the Goods in order to carry out repairs, where required.



### **Head Office**

106 Syerla Road  
Benburb  
County Tyrone  
BT71 7ET  
Northern Ireland

+44 (0)28 3754 9190

[orders@osdoors.com](mailto:orders@osdoors.com)

[www.osdoors.com](http://www.osdoors.com)

### **Dublin (Santry)**

Unit 9, Boeing Road,  
Airways Industrial  
Estate, Dublin,  
D17 P863

+353 (0) 1852 3002

[trade@osdoors.com](mailto:trade@osdoors.com)

### **Dublin (Clondalkin)**

Units F2 & F3, Clondalkin,  
Weatherwell Business  
Park, Dublin  
D22 HN36

+353 (0) 1572 6850

[trade@osdoors.com](mailto:trade@osdoors.com)

### **OS Express Manchester**

Unit 3a & 3b Castlehill Industrial  
Estate, Bredbury,  
Industrial Park Stockport  
SK62SU

0161511 4317

[manchester@osdoors.com](mailto:manchester@osdoors.com)

# **OS** Doors<sup>®</sup>

